

RT² lncRNA PCR Array (Rotor-Gene® Format)

Inflammatory Response & Autoimmunity

Cat. no. 330721 LAHS-004ZR

For lncRNA expression analysis by pathway and disease using laboratory-verified SYBR® Green qPCR assays

Format	For use with the following real-time cyclers
RT ² lncRNA PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human Inflammatory Response & Autoimmunity RT² lncRNA PCR Array profiles the expression of 84 lncRNAs validated or predicted to regulate the expression of pro-inflammatory and anti-inflammatory genes and microRNA. This array provides researchers with a convenient and accurate way to quickly analyze the lncRNAs most likely to be relevant to inflammatory responses and immune disorders. These lncRNAs have been carefully selected for their potential ability, based on bioinformatics algorithms and experimental data, to regulate microRNA likely relevant to inflammation. The relevant miRNA have been identified based on algorithm-predicted and experimentally-validated miRNA-target inflammation gene associations available in databases. The profiling results from this array can serve as a useful molecular marker for the study of normal and pathological inflammation. The results may also provide a deeper understanding of the molecular mechanisms regulating inflammation and inflammatory gene and microRNA expression by lncRNA. A set of controls present on this array enables data analysis using the $\Delta\Delta\text{CT}$ method of relative quantification, assessment of reverse transcription performance, and assessment of PCR performance. Using SYBR® Green-based real-time PCR, the expression of a focused panel of lncRNAs predicted to regulate inflammatory and autoimmune response genes can be easily and reliably analyzed with this RT² lncRNA PCR Array.

For further details, consult the *RT² lncRNA PCR Array Handbook*.

Shipping and storage

RT² lncRNA PCR Arrays in formats A, C, D, E, F, G, and R are shipped at ambient temperature, on dry ice, or on blue ice packs, depending on destination and accompanying products. RT² lncRNA PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² lncRNA PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² lncRNA PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	N/A	ENST00000537288	A2ML1-AS1	A2ML1 antisense RNA 1 [Source:HGNC Symbol;Acc:41022]
A02	Hs.677493	NR_002451	ABCA11P	ATP-binding cassette, sub-family A (ABC1), member 11, pseudogene
A03	N/A	ENST00000414227	AC000120.7	AC000120.7
A04	N/A	ENST00000602145	AC007228.9	AC007228.9
A05	Hs.743767	ENST00000593642	MZF1-AS1	Uncharacterized LOC100131691
A06	N/A	ENST00000456895	AC068196.1	AC068196.1
A07	Hs.720873	ENST00000414750	LOC101927156	Uncharacterized LOC101927156
A08	Hs.118205	NR_027035	CEP83-AS1	CEP83 antisense RNA 1 (head to head)
A09	Hs.631865	NR_026752	CROCCP2	Ciliary rootlet coiled-coil, rootletin pseudogene 2
A10	N/A	ENST00000593427	CTC-444N24.11	CTC-444N24.11
A11	N/A	ENST00000602872	CTC-487M23.5	CTC-487M23.5
A12	N/A	ENST00000565387	CTD-3185P2.1	CTD-3185P2.1
B01	Hs.547964	NR_002612	DLEU2	Deleted in lymphocytic leukemia 2 (non-protein coding)
B02	Hs.12082	NR_015370	EPB41L4A-AS1	Non-protein coding RNA 219
B03	Hs.667939	NR_073397	ERICH1-AS1	ERICH1 antisense RNA 1
B04	Hs.368934	NR_027158	LRRC75A-AS1	Non-protein coding RNA 188
B05	Hs.517821	ENST00000417835	FGD5-AS1	FGD5 antisense RNA 1
B06	Hs.662212	NR_036486	FGF14-IT1	Hypothetical LOC283480
B07	Hs.531089	NR_029434	PSMA3-AS1	Hypothetical LOC379025
B08	Hs.673124	NR_024620	FOXN3-AS2	PRO1768
B09	Hs.531856	NR_002578	GAS5	Growth arrest-specific 5 (non-protein coding)
B10	Hs.656411	ENST00000602767	GAS5-AS1	GAS5 antisense RNA 1
B11	Hs.616625	ENST00000526448	GRM5-AS1	GRM5 antisense RNA 1
B12	Hs.272939	ENST00000411553	HCG11	HLA complex group 11 (non-protein coding)
C01	Hs.485041	ENST00000412685	HCG18	HLA complex group 18 (non-protein coding)
C02	Hs.743421	ENST00000366527	HNRNPU-AS1	HNRNPU antisense RNA 1
C03	Hs.197076	NR_003716	HOTAIR	Hox transcript antisense RNA (non-protein coding)
C04	N/A	ENST00000517511	HTR4-IT1	HTR4 intronic transcript 1 (non-protein coding) [Source:HGNC Symbol;Acc:41345]
C05	N/A	ENST00000440723	IQCF5-AS1	IQCF5 antisense RNA 1
C06	Hs.648316	ENST00000414209	JPX	JPX transcript, XIST activator (non-protein coding)
C07	Hs.654869	ENST00000430633	LINC00094	Long intergenic non-protein coding RNA 94
C08	Hs.128499	NR_027063	LINC00116	Non-protein coding RNA 116
C09	Hs.406982	ENST00000518278	LINC00293	Long intergenic non-protein coding RNA 293
C10	Hs.121692	NR_026951	LINC00324	Non-protein coding RNA 324
		ENST000003366		

Position	UniGene	GenBank	Symbol	Description
C11	Hs.720923	365	SNHG20	Long intergenic non-protein coding RNA 338
C12	Hs.375063	NR_034026	LINC00421	HCG2019585-like
D01	Hs.159043	NR_015414	LINC00635	Hypothetical LOC151658
D02	Hs.743232	ENST00000565493	LINC00657	Long intergenic non-protein coding RNA 657
D03	Hs.706547	ENST00000561521	LINC00662	Long intergenic non-protein coding RNA 662
D04	Hs.643553	NR_015389	LINC00667	Hypothetical LOC339290
D05	N/A	ENST00000602816	LL22NC03-N27C7.1	LL22NC03-N27C7.1
D06	Hs.737217	ENST00000311990	LOC653160	Uncharacterized LOC653160
D07	Hs.568209	NR_015341	LRRC37BP1	Leucine rich repeat containing 37B pseudogene 1
D08	Hs.621695	NR_002819	MALAT1	Metastasis associated lung adenocarcinoma transcript 1 (non-protein coding)
D09	Hs.655095	NR_002776	MCM3AP-AS1	MCM3AP antisense RNA 1 (non-protein coding)
D10	Hs.654863	NR_002766	MEG3	Maternally expressed 3 (non-protein coding)
D11	Hs.434602	NR_049725	NAV2-AS5	NAV2 antisense RNA 5
D12	Hs.118820	NR_024388	NCBP2-AS2	Hypothetical LOC152217
E01	Hs.523789	NR_028272	NEAT1	Nuclear paraspeckle assembly transcript 1 (non-protein coding)
E02	Hs.647195	ENST00000366446	NUTM2A-AS1	NUTM2A antisense RNA 1
E03	Hs.732001	ENST00000500949	OIP5-AS1	OIP5 antisense RNA 1
E04	Hs.513695	NR_003610	PDXDC2P	Pyridoxal-dependent decarboxylase domain containing 2, pseudogene
E05	Hs.652568	NR_024037	RMST	Rhabdomyosarcoma 2 associated transcript (non-protein coding)
E06	Hs.21550	ENST00000528139	LOC100287846	Patched 1 pseudogene
E07	N/A	ENST00000541002	RP11-282O18.3	RP11-282O18.3
E08	N/A	ENST00000563635	RP11-29G8.3	RP11-29G8.3
E09	N/A	ENST00000565861	RP11-325K4.3	RP11-325K4.3
E10	N/A	ENST00000563205	RP11-363E7.4	RP11-363E7.4
E11	N/A	ENST00000445646	RP11-363G2.4	RP11-363G2.4
E12	N/A	ENST00000608204	RP11-367N14.3	RP11-367N14.3
F01	N/A	ENST00000460407	RP11-38P22.2	RP11-38P22.2
F02	N/A	ENST00000418818	RP11-399K21.11	Uncharacterized LOC101929189
F03	N/A	ENST00000574616	RP11-473I1.10	RP11-473I1.10
F04	N/A	ENST00000570843	RP11-473M20.16	RP11-473M20.16
F05	N/A	ENST00000582866	RP11-498C9.15	RP11-498C9.15
F06	N/A	ENST00000505668	RP11-549J18.1	RP11-549J18.1
F07	N/A	ENST00000561746	RP11-819C21.1	RP11-819C21.1
F08	N/A	ENST00000603357	RP11-84C13.1	RP11-84C13.1
F09	N/A	ENST00000571975	RP11-96D1.10	RP11-96D1.10
F10	N/A	ENST00000568280	RP1-239B22.5	RP1-239B22.5
F11	N/A	ENST00000564206	RP6-24A23.7	RP6-24A23.7
F12	Hs.655785	ENST00000446423	SDCBP2-AS1	SDCBP2 antisense RNA 1
G01	Hs.129673	ENST00000579777	SEN3-EIF4A1	SEN3-EIF4A1 readthrough (NMD candidate)
G02	N/A	ENST00000454832	SIK3-IT1	SIK3 intronic transcript 1 (non-protein coding) [Source:HGNC Symbol;Acc:41495]
G03	Hs.570846	ENST00000510066	SLC7A11-AS1	SLC7A11 antisense RNA 1
G04	Hs.16936	NR_003239	SNHG11	Small nucleolar RNA host gene 11 (non-protein coding)

Position	UniGene	GenBank	Symbol	Description
G05	Hs.288215	NR_038108	SNHG16	Small nucleolar RNA host gene 16 (non-protein coding)
G06	Hs.292457	NR_003038	SNHG5	Small nucleolar RNA host gene 5 (non-protein coding)
G07	Hs.741305	NR_003672	SNHG7	Small nucleolar RNA host gene 7 (non-protein coding)
G08	Hs.49658	NR_033708	TP73-AS1	TP73 antisense RNA 1 (non-protein coding)
G09	Hs.554829	NR_002323	TUG1	Taurine upregulated 1 (non-protein coding)
G10	Hs.529901	NR_001564	XIST	X (inactive)-specific transcript (non-protein coding)
G11	Hs.356766	NR_003604	ZFAS1	ZNF1 antisense RNA 1
G12	Hs.653168	NR_026751	ZNRD1-AS1	ZNRD1 antisense RNA 1 (non-protein coding)
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H04	N/A	NR_001445	RN7SK	RNA, 7SK small nuclear
H05	N/A	NR_002907	SNORA73A	Small nucleolar RNA, H/ACA box 73A
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² lncRNA PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² First Strand Kit (50)	Enzymes and reagents for cDNA synthesis	330404
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² lncRNA qPCR Assays	Laboratory-verified qPCR assays for lncRNA expression	Varies
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² lncRNA PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Find out more at www.qiagen.com/search/rt2-lncrna-pcr-arrays!

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1086804 08/2014 © 2014 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800
Austria ■ 0800-281011
Belgium ■ 0800-79612
Brazil ■ 0800-557779
Canada ■ 800-572-9613
China ■ 800-988-0325
Denmark ■ 80-885945

Finland ■ 0800-914416
France ■ 01-60-920-930
Germany ■ 02103-29-12000
Hong Kong ■ 800 933 965
India ■ 1-800-102-4114
Ireland ■ 1800 555 049
Italy ■ 800-787980

Japan ■ 03-6890-7300
Korea (South) ■ 080-000-7145
Luxembourg ■ 8002 2076
Malaysia ■ 603-7981-5510
Mexico ■ 01-800-7742-436
The Netherlands ■ 0800-0229592
Norway ■ 800-18859

Singapore ■ 1800-742-4368
Spain ■ 91-630-7050
Sweden ■ 020-790282
Switzerland ■ 055-254-22-11
Taiwan ■ 0800-665-957
UK ■ 0808-234-3665
USA ■ 800-426-8157

