RT² Profiler PCR Array (Rotor-Gene® Format) Human Telomeres & Telomerase

Cat. no. 330231 PAHS-010ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Human Telomeres & Telomerase RT² Profiler PCR Array profiles the expression of 84 key genes central to telomere replication and maintenance. Telomeres, repetitive DNA regions of hexanucleotide repeats, protect chromosomal ends from deterioration during DNA replication. Telomerase (TERT), a reverse transcriptase, forms a complex with an RNA template and cofactors to extend telomeres. The shelterin protein complex then binds the 3' single-stranded end of telomeric DNA, protecting it from DNA damage responses. Inhibition of this process leads to short telomeres and premature aging-related diseases, whereas uncontrolled telomere lengthening promotes carcinogenesis. Research into telomeres often utilizes simpler model organisms, such as yeast, meaning that many mechanistic details have yet to be discovered or confirmed in mammalian systems by you. This array contains genes involved in telomere maintenance as well as genes comprising the telomerase and shelterin complexes and their regulators. This array also includes genes recently described in telomere regulation, such as the SLX4 complex, as well as other genes associated with telomeres but with poorly understood functions. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in telomere maintenance and genome integrity with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.431048	NM_005157	ABL1	C-abl oncogene 1, non-receptor tyrosine kinase	
A02	Hs.78019	NM_022914	ACD	Adrenocortical dysplasia homolog (mouse)	
A03	Hs.525622	NM_005163	AKT1	V-akt murine thymoma viral oncogene homolog 1	
A04	Hs.367437	NM_000051	ATM	Ataxia telangiectasia mutated	
A05	Hs.271135	NM_005174	ATP5C1	ATP synthase, H+ transporting, mitochondrial F1 complex, gamma polypeptide	
A06	Hs.150749	NM 000633	BCL2	B-cell CLL/lymphoma 2	
A07	Hs.716515	NM 000057	BLM	Bloom syndrome, RecQ helicase-like	
A08	Hs. 19192	NM 001798	CDK2	Cyclin-dependent kinase 2	
A09	Hs.24529	NM 001274	CHEK1	CHK1 checkpoint homolog (S. pombe)	
A10	Hs.291363	NM 007194	CHEK2	CHK2 checkpoint homolog (S. pombe)	
A11	Hs.591412	NM 022836	DCLRE1B	DNA cross-link repair 1B	
A12	Hs.656065	NM 022487	DCLRE1C	DNA cross-link repair 1C	
B01	Hs.4747	NM 001363	DKC1	Dyskeratosis congenita 1, dyskerin	
B02	Hs.419815	NM 001963	EGF	Epidermal growth factor	
B03	Hs.514330	NM_152463	EME1	Essential meiotic endonuclease 1 homolog 1 (S. pombe)	
В03	118.314330	14M_132403	L/VIL I		
B04	Hs.435981	NM_001983	ERCC1	Excision repair cross-complementing rodent repair deficiency, complementation group 1 (includes overlapping antisense sequence)	
B05	Hs.567265	NM_005236	ERCC4	Excision repair cross-complementing rodent repair deficiency, complementation	
003	118.307203	14/4/_003230	LKCC4	group 4	
B06	Hs.69851	NM_018983	GAR1	GAR1 ribonucleoprotein homolog (yeast)	
B07	Hs.632532	NM_003642	HAT1	Histone acetyltransferase 1	
B08	Hs.487774	NM_002137	HNRNPA2B1	Heterogeneous nuclear ribonucleoprotein A2/B1	
B09	11 400070	NII 000100	LINIBNIDD	Heterogeneous nuclear ribonucleoprotein D (AU-rich element RNA binding	
BU9	Hs.480073	NM_002138	HNRNPD	protein 1, 37kDa)	
B10	Hs.525600	NM_001017963	HSP90AA1	Heat shock protein 90kDa alpha (cytosolic), class A member 1	
B11	Hs.690634	NM 005527	HSPA1L	Heat shock 70kDa protein 1-like	
B12	Hs.160562	NM 000618	IGF1	Insulin-like growth factor 1 (somatomedin C)	
C01	Hs.505033	NM 004985	KRAS	V-Ki-ras2 Kirsten rat sarcoma viral oncogene homolog	
C02	Hs.531987	NM 194454	KRIT1	KRIT1, ankyrin repeat containing	
C03	Hs.423348	NM 000244	MEN1	Multiple endocrine neoplasia I	
C04	Hs.192649	NM 005590	MRE11A	MRE11 meiotic recombination 11 homolog A (S. cerevisiae)	
C05	Hs.597656	NM 000251	MSH2	MutS homolog 2, colon cancer, nonpolyposis type 1 (E. coli)	
C06	Hs.280987	NM 002439	MSH3	MutS homolog 3 (E. coli)	
C07	Hs.288798	NM 025128	MUS81	MUS81 endonuclease homolog (S. cerevisiae)	
C08	Hs.202453	NM 002467	MYC	V-myc myelocytomatosis viral oncogene homolog (avian)	
C09	Hs.492208	NM 002485	NBN	Nibrin	
C10	Hs.79110	NM 005381	NCL	Nucleolin	
C11	Hs.728908	NM 017838	NHP2	NHP2 ribonucleoprotein homolog (yeast)	
C12	Hs.14317	NM 018648	NOP10		
D01	Hs.62314	NM_024928	OBFC1	NOP10 ribonucleoprotein homolog (yeast) Oligonucleotide/oligosaccharide-binding fold containing 1	
D01	Hs.177766	NM 001618	PARP1	· · · · · · · · · · · · · · · · · · ·	
D02	Hs.469728	NM 003466	PAX8	Poly (ADP-ribose) polymerase 1	
D03		_		Paired box 8	
D04	Hs.112160 Hs.490991	NM_025049	PIF1 PINX1	PIF1 5'-to-3' DNA helicase homolog (S. cerevisiae)	
D05	Hs.490991 Hs.592049	NM_017884 NM_005030	PINX1	PIN2/TERF1 interacting, telomerase inhibitor 1	
			PLK1 POT1	Polo-like kinase 1	
D07	Hs.31968	NM_015450		Protection of telomeres 1 homolog (S. pombe)	
D08	Hs.162646	NM_015869	PPARG	Peroxisome proliferator-activated receptor gamma	
D09	Hs.467192	NM_014225	PPP2R1A	Protein phosphatase 2, regulatory subunit A, alpha	
D10	Hs.584790	NM_002716	PPP2R1B	Protein phosphatase 2, regulatory subunit A, beta	
D11	Hs.531704	NM_002737	PRKCA	Protein kinase C, alpha	
D12	Hs.460355	NM_002738	PRKCB	Protein kinase C, beta	
E01	Hs.491682	NM_006904	PRKDC	Protein kinase, DNA-activated, catalytic polypeptide	
E02	Hs.50425	NM_006601	PTGES3	Prostaglandin E synthase 3 (cytosolic)	
E03	Hs.443121	NM_005859	PURA	Purine-rich element binding protein A	
		NM 002873	RAD17	DAD17 be as also (\$ 00 and a)	
E04	Hs.16184	NM_002873	KAD17	RAD17 homolog (S. pombe)	

Position	UniGene	GenBank	Symbol	Description	
E06	Hs.190334	NM 002884	RAP1A	RAP1A, member of RAS oncogene family	
E07	Hs.127897	NM 005312	RAPGEF1	Rap guanine nucleotide exchange factor (GEF) 1	
E08	Hs.476270	NM 007182	RASSF1	Ras association (RalGDS/AF-6) domain family member 1	
E09	Hs.408528	NM_000321	RB1	Retinoblastoma 1	
E10	Hs.507475	NM_002913	RFC1	Replication factor C (activator 1) 1, 145kDa	
E11	Hs.655671	NM_018151	RIF1	RAP1 interacting factor homolog (yeast)	
E12	Hs.434878	NM_016434	RTEL1	Regulator of telomere elongation helicase 1	
F01	Hs.502883	NM_005146	SART1	Squamous cell carcinoma antigen recognized by T cells	
F02	Hs.466693	NM_012237	SIRT2	Sirtuin 2	
F03	Hs.423756	NM_016539	SIRT6	Sirtuin 6	
F04	Hs.143681	NM_032444	SLX4	SLX4 structure-specific endonuclease subunit homolog (S. cerevisiae)	
F05	Hs.714621	NM_005902	SMAD3	SMAD family member 3	
F06	Hs.448342	NM 017575	SMG6	Smg-6 homolog, nonsense mediated mRNA decay factor (C. elegans)	
F07	Hs.620754	NM_138473	SP1	Sp1 transcription factor	
F08	Hs.632535	NM_003142	SSB	Sjogren syndrome antigen B (autoantigen La)	
F09	Hs.438072	NM 025154	SUN1	Sad1 and UNC84 domain containing 1	
F10	Hs.508835	NM_007110	TEP1	Telomerase-associated protein 1	
F11	Hs.442707	NM_017489	TERF1	Telomeric repeat binding factor (NIMA-interacting) 1	
F12	Hs.63335	NM_005652	TERF2	Telomeric repeat binding factor 2	
G01	Hs.301419	NM_018975	TERF2IP	Telomeric repeat binding factor 2, interacting protein	
G02	Hs.492203	NM 198253	TERT	Telomerase reverse transcriptase	
G03	Hs.645227	NM 000660	TGFB1	Transforming growth factor, beta 1	
G04	Hs.496191	NM_012461	TINF2	TERF1 (TRF1)-interacting nuclear factor 2	
G05	Hs.370267	NM_003747	TNKS	Tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase	
G06	Hs.329327	NM_025235	TNKS2	Tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase 2	
G07	Hs.654481	NM_000546	TP53	Tumor protein p53	
G08	Hs.440968	NM_005657	TP53BP1	Tumor protein p53 binding protein 1	
G09	Hs.523454	NM_000391	TPP1	Tripeptidyl peptidase I	
G10	Hs.437460	NM_018081	WRAP53	WD repeat containing, antisense to TP53	
611	Hs.388739	NM_021141	XRCC5	X-ray repair complementing defective repair in Chinese hamster cells 5	
G11				(double-strand-break rejoining)	
G12	Hs.292493	NM_001469	XRCC6	X-ray repair complementing defective repair in Chinese hamster cells 6	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

