RT² Profiler PCR Array (Rotor-Gene® Format) Human Toll-Like Receptor Signaling Pathway

Cat. no. 330231 PAHS-018ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Human Toll-Like Receptor (TLR) Signaling Pathway RT² Profiler PCR Array profiles the expression of 84 genes central to TLR-mediated signal transduction and innate immunity. The TLR family of pattern recognition receptors (PRRs) detects a wide range of bacteria, viruses, fungi and parasites via pathogen-associated molecular patterns (PAMPs). Each receptor binds to specific ligands, initiates a tailored innate immune response to the specific class of pathogen, and activates the adaptive immune response. For example, TLR4 recognizes bacterial lipopolysaccharide (LPS) or endotoxin, the compound which causes septic shock during blood-borne infection. The receptors act alone or as heterodimers, interacting with adaptor proteins to initiate MyD88 or TICAM1 (TRIF)-dependent responses. These responses initiate signaling cascades primarily through NFxB, which activates downstream JNK/p38 signaling or cytokine secretion. Dysregulation of these signaling pathways has severe consequences, and causes many autoimmune diseases and chronic pathological inflammation. This array includes members of the TLR signaling family as well as adaptor and effector proteins. Members of the NFkB, JNK/p38, IRF and JAK/STAT signaling pathways downstream of TLR activation are also included. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to TLR-mediated signal transduction with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description		
A01	Hs.159494	NM_000061	BTK	Bruton agammaglobulinemia tyrosine kinase		
A02	Hs.599762	NM 001228	CASP8	Caspase 8, apoptosis-related cysteine peptidase		
A03	Hs.303649	NM 002982	CCL2	Chemokine (C-C motif) ligand 2		
A04	Hs.163867	NM 000591	CD14	CD14 molecule		
A05	Hs.87205	NM 005582	CD180	CD180 molecule		
A06	Hs.838	NM 005191	CD80	CD80 molecule		
A07	Hs.171182	NM 006889	CD86	CD86 molecule		
A08	Hs.198998	NM 001278	CHUK	Conserved helix-loop-helix ubiquitous kinase		
A09	Hs.236516	NM 014358	CLEC4E	C-type lectin domain family 4, member E		
A10	Hs.1349	NM 000758	CSF2	Colony stimulating factor 2 (granulocyte-macrophage)		
A11	Hs.2233	NM 000759	CSF3	Colony stimulating factor 3 (granulocyte)		
A11			CXCL10			
B01	Hs.632586	NM_001565	ECSIT	Chemokine (C-X-C motif) ligand 10		
	Hs.515146	NM_016581		ECSIT homolog (Drosophila)		
B02	Hs.131431	NM_002759	EIF2AK2	Eukaryotic translation initiation factor 2-alpha kinase 2		
B03	Hs.181128	NM_005229	ELK1	ELK1, member of ETS oncogene family		
B04	Hs.86131	NM_003824	FADD	Fas (TNFRSF6)-associated via death domain		
B05	Hs.728789	NM_005252	FOS	FBJ murine osteosarcoma viral oncogene homolog		
B06	Hs.593339	NM_002128	HMGB1	High mobility group box 1		
B07	Hs.37003	NM_005343	HRAS	V-Ha-ras Harvey rat sarcoma viral oncogene homolog		
B08	Hs.728810	NM_005345	HSPA1A	Heat shock 70kDa protein 1A		
B09	Hs.595053	NM_002156	HSPD1	Heat shock 60kDa protein 1 (chaperonin)		
B10	Hs.37026	NM_024013	IFNA1	Interferon, alpha 1		
B11	Hs.93177	NM_002176	IFNB1	Interferon, beta 1, fibroblast		
B12	Hs.856	NM 000619	IFNG	Interferon, gamma		
C01	Hs.597664	NM 001556	IKBKB	Inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta		
C02	Hs.193717	NM 000572	IL10	Interleukin 10		
	Hs.673	NM_000882	IL12A	Interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte		
C03				maturation factor 1, p35)		
C04	Hs.1722	NM 000575	IL1A	Interleukin 1, alpha		
C05	Hs.126256	NM 000576	IL1B	Interleukin 1, beta		
C06	Hs.89679	NM 000586	IL2	Interleukin 2		
C07	Hs.654458	NM 000600	IL6	Interleukin 6 (interferon, beta 2)		
C08	Hs.624	NM 000584	IL8	Interleukin 8		
C09	Hs.522819	NM 001569	IRAK1	Interleukin-1 receptor-associated kinase 1		
C10	Hs.449207	NM 001570	IRAK2	Interleukin-1 receptor-associated kinase 2		
C11	Hs.138499	NM 016123	IRAK4	'		
C12	Hs.436061		IRAN4	Interleukin-1 receptor-associated kinase 4		
D01	Hs.75254	NM_002198	IRF3	Interferon regulatory factor 1		
		NM_001571		Interferon regulatory factor 3		
D02	Hs.714791	NM_002228	JUN	Jun proto-oncogene		
D03	Hs.36	NM_000595	LTA	Lymphotoxin alpha (TNF superfamily, member 1)		
D04	Hs.653138	NM_004271	LY86	Lymphocyte antigen 86		
D05	Hs.660766	NM_015364	LY96	Lymphocyte antigen 96		
D06	Hs.514012	NM_002756	MAP2K3	Mitogen-activated protein kinase kinase 3		
D07	Hs.514681	NM_003010	MAP2K4	Mitogen-activated protein kinase kinase 4		
D08	Hs.657756	NM_005921	MAP3K1	Mitogen-activated protein kinase kinase l		
D09	Hs.644143	NM_003188	MAP3K7	Mitogen-activated protein kinase kinase kinase 7		
D10	Hs.431550	NM_004834	MAP4K4	Mitogen-activated protein kinase kinase kinase 4		
D11	Hs.138211	NM_002750	MAPK8	Mitogen-activated protein kinase 8		
D12	Hs.207763	NM_015133	MAPK8IP3	Mitogen-activated protein kinase 8 interacting protein 3		
E01	Hs.82116	NM_002468	MYD88	Myeloid differentiation primary response gene (88)		
E02	Hs.654408	NM_003998	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1		
E03	Hs.73090	NM 002502	NFKB2	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 2 (p49/p10		
E04	Hs.81328	NM_020529	NFKBIA	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha		
E05	Hs.2764	NM_005007	NFKBIL1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor-li		
E06	Hs.530539	NM 006165	NFRKB	Nuclear factor related to kappaB binding protein		

Position	UniGene	GenBank	Symbol	Description	
E07	Hs.591667	NM_003298	NR2C2	Nuclear receptor subfamily 2, group C, member 2	
E08	Hs.7886	NM_020651	PELI1	Pellino homolog 1 (Drosophila)	
E09	Hs.103110	NM_005036	PPARA	Peroxisome proliferator-activated receptor alpha	
E10	Hs.570274	NM_003690	PRKRA	Protein kinase, interferon-inducible double stranded RNA dependent activator	
E11	Hs.196384	NM_000963	PTGS2	Prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase)	
E12	Hs.631886	NM 002908	REL	V-rel reticuloendotheliosis viral oncogene homolog (avian)	
F01	Hs.502875	NM 021975	RELA	V-rel reticuloendotheliosis viral oncogene homolog A (avian)	
F02	Hs.103755	NM 003821	RIPK2	Receptor-interacting serine-threonine kinase 2	
F03	Hs.532781	NM 015077	SARM1	Sterile alpha and TIR motif containing 1	
F04	Hs.501624	NM 021805	SIGIRR	Single immunoglobulin and toll-interleukin 1 receptor (TIR) domain	
F05	Hs.507681	NM 006116	TAB1	TGF-beta activated kinase 1/MAP3K7 binding protein 1	
F06	Hs.505874	NM 013254	TBK1	TANK-binding kinase 1	
F07	Hs.29344	NM 182919	TICAM1	Toll-like receptor adaptor molecule 1	
F08	Hs.710895	NM 021649	TICAM2	Toll-like receptor adaptor molecule 2	
F09	Hs.537126	NM 001039661	TIRAP	Toll-interleukin 1 receptor (TIR) domain containing adaptor protein	
F10	Hs.654532	NM 003263	TLR1	Toll-like receptor 1	
F11	Hs.120551	NM 030956	TLR10	Toll-like receptor 10	
F12	Hs.519033	NM 003264	TLR2	Toll-like receptor 2	
G01	Hs.657724	NM 003265	TLR3	Toll-like receptor 3	
G02	Hs.174312	NM 138554	TLR4	Toll-like receptor 4	
G03	Hs.604542	NM 003268	TLR5	Toll-like receptor 5	
G04	Hs.662185	NM 006068	TLR6	Toll-like receptor 6	
G05	Hs.659215	NM 016562	TLR7	Toll-like receptor 7	
G06	Hs.660543	NM 138636	TLR8	Toll-like receptor 8	
G07	Hs.87968	NM 017442	TLR9	Toll-like receptor 9	
G08	Hs.241570	NM 000594	TNF	Tumor necrosis factor	
G09	Hs.279594	NM 001065	TNFRSF1A	Tumor necrosis factor receptor superfamily, member 1A	
G10	Hs.368527	NM 019009	TOLLIP	Toll interacting protein	
G11	Hs.591983	NM 004620	TRAF6	TNF receptor-associated factor 6	
G12	Hs.524630	NM 003348	UBE2N	Ubiquitin-conjugating enzyme E2N	
H01	Hs.520640	NM 001101	ACTB	Actin, beta	
H02	Hs.534255	NM 004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM 002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM 000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM 001002	RPLPO	Ribosomal protein, large, PO	
H06	N/A	SA 00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA 00104	RTC	Reverse Transcription Control	
H08	N/A	SA 00104	RTC	Reverse Transcription Control	
H09	N/A	SA 00104	RTC	Reverse Transcription Control	
H10	N/A	SA 00103	PPC	Positive PCR Control	
H11	N/A	SA 00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

