RT² Profiler PCR Array (Rotor-Gene® Format) Human Neuronal Ion Channels

Cat. no. 330231 PAHS-036ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Human Neuronal Ion Channels RT² Profiler PCR Array was developed to profile expression of a panel of 84 genes encoding neuroscience-related ion channels and transporters. The genes represented on the array are listed below, grouped according to their functional and structural features. Included are calcium channels, potassium channels, sodium channels, chloride channels, and transporters. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to the neuronal ion channels and transporters with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.368417	NM 001094	ACCN1	Amiloride-sensitive cation channel 1, neuronal	
A02	Hs.274361	NM 020039	ACCN2	Amiloride-sensitive cation channel 2, neuronal	
A03	Hs.647113	NM 004769	ACCN3	Amiloride-sensitive cation channel 3	
A04	Hs.524910	s.524910 NM_004183		Bestrophin 1	
A05	Hs.501632	NM 000068	CACNA1A	Calcium channel, voltage-dependent, P/Q type, alpha 1A subunit	
A06	Hs.495522	NM 000718	CACNA1B	Calcium channel, voltage-dependent, N type, alpha 1B subunit	
A07	Hs.118262	NM 000719	CACNA1C	Calcium channel, voltage-dependent, L type, alpha 1C subunit	
A08	Hs.476358	NM 000720	CACNA1D	Calcium channel, voltage-dependent, L type, alpha 1D subunit	
A09	Hs.591169	NM 198397	CACNA1G	Calcium channel, voltage-dependent, T type, alpha 1G subunit	
A10	Hs.125116	NM 021096	CACNA1I	Calcium channel, voltage-dependent, T type, alpha 11 subunit	
A11	Hs.635	NM 000723	CACNB1	Calcium channel, voltage-dependent, beta 1 subunit	
A12	Hs.709353	NM 000724	CACNB2	Calcium channel, voltage-dependent, beta 2 subunit	
B01	Hs.250712	NM 000725	CACNB3	Calcium channel, voltage-dependent, beta 3 subunit	
B02	Hs.670146	NM 006078	CACNG2	Calcium channel, voltage-dependent, gamma subunit 2	
B03	Hs.514423	NM 014405	CACNG4	Calcium channel, voltage-dependent, gamma subunit 4	
B04	Hs.436847	NM 004366	CLCN2	Chloride channel 2	
B05	Hs.481186	NM 001829	CLCN3	Chloride channel 3	
B06	Hs.459649	NM 001287	CLCN7	Chloride channel 7	
B07	Hs.650434	NM 021072	HCN1	Hyperpolarization activated cyclic nucleotide-gated potassium channel 1	
B08	Hs.124161	NM 001194	HCN2	Hyperpolarization activated cyclic nucleotide-gated potassium channel 2	
		_		Potassium voltage-gated channel, shaker-related subfamily, member 1 (episodic	
B09	Hs.416139	NM_000217	KCNA1	ataxia with myokymia)	
B10	Hs.248139	NM 004974	KCNA2	Potassium voltage-gated channel, shaker-related subfamily, member 2	
B10	Hs.150208	NM 002234	KCNA5	Potassium voltage-gated channel, shaker-related subfamily, member 5	
B12	Hs.306190	NM 002234	KCNA6	Potassium voltage-gated channel, shaker-related subfamily, member 6	
C01	Hs.654519	NM 003471	KCNAB1	Potassium voltage-gated channel, shaker-related subfamily, member 0	
C01	Hs.440497	NM 003636	KCNAB1	Potassium voltage-gated channel, shaker-related subfamily, beta member 1 Potassium voltage-gated channel, shaker-related subfamily, beta member 2	
C02	Hs.435074	NM 004732	KCNAB2 KCNAB3	Potassium voltage-gated channel, shaker-related subfamily, beta member 2 Potassium voltage-gated channel, shaker-related subfamily, beta member 3	
C03	Hs.84244	NM 004975	KCNAB3 KCNB1	7.	
C04 C05			KCNB1	Potassium voltage-gated channel, Shab-related subfamily, member 1	
C05	Hs.661102	NM_004770 NM_004976	KCNC1	Potassium voltage-gated channel, Shab-related subfamily, member 2	
C06	Hs.552896 Hs.27214	NM 139137	KCNC1 KCNC2	Potassium voltage-gated channel, Shaw-related subfamily, member 1 Potassium voltage-gated channel, Shaw-related subfamily, member 2	
C07	Hs.654739	NM 012281	KCND2		
		NM_012281		Potassium voltage-gated channel, Shal-related subfamily, member 2	
C09 C10	Hs.666367		KCND3	Potassium voltage-gated channel, Shal-related subfamily, member 3	
	Hs.553187	NM_002238	KCNH1	Potassium voltage-gated channel, subfamily H (eag-related), member 1	
C11	Hs.647099	NM_000238	KCNH2	Potassium voltage-gated channel, subfamily H (eag-related), member 2	
C12	Hs.64064	NM_012284	KCNH3	Potassium voltage-gated channel, subfamily H (eag-related), member 3	
D01	Hs.591177	NM_173092	KCNH6	Potassium voltage-gated channel, subfamily H (eag-related), member 6	
D02	Hs.730187	NM_173162	KCNH7	Potassium voltage-gated channel, subfamily H (eag-related), member 7	
D03	Hs.527830	NM_000220	KCNJ1	Potassium inwardly-rectifying channel, subfamily J, member 1	
D04	Hs.248141	NM_000525	KCNJ11	Potassium inwardly-rectifying channel, subfamily J, member 11	
D05	Hs.200629	NM_021012	KCNJ12	Potassium inwardly-rectifying channel, subfamily J, member 12	
D06	Hs.467338	NM_002242	KCNJ13	Potassium inwardly-rectifying channel, subfamily J, member 13	
D07	Hs.590945	NM_013348	KCNJ14	Potassium inwardly-rectifying channel, subfamily J, member 14	
D08	Hs.411299	NM_002243	KCNJ15	Potassium inwardly-rectifying channel, subfamily J, member 15	
D09	Hs.463985	NM_018658	KCNJ16	Potassium inwardly-rectifying channel, subfamily J, member 16	
D10	Hs.1547	NM_000891	KCNJ2	Potassium inwardly-rectifying channel, subfamily J, member 2	
D11	Hs.591606	NM_002239	KCNJ3	Potassium inwardly-rectifying channel, subfamily J, member 3	
D12	Hs.32505	NM_004981	KCNJ4	Potassium inwardly-rectifying channel, subfamily J, member 4	
E01	Hs.632109	NM_000890	KCNJ5	Potassium inwardly-rectifying channel, subfamily J, member 5	
E02	Hs.658533	NM_002240	KCNJ6	Potassium inwardly-rectifying channel, subfamily J, member 6	
E03	Hs.66726	NM_004983	KCNJ9	Potassium inwardly-rectifying channel, subfamily J, member 9	
E04	Hs.208544	NM_002245	KCNK1	Potassium channel, subfamily K, member 1	
E05	Hs.144795	NM_002247	KCNMA1	Potassium large conductance calcium-activated channel, subfamily M, alpha member 1	
E06	Hs.525529	NM_014505	KCNMB4	Potassium large conductance calcium-activated channel, subfamily M, beta member 4	
	1			monipor 4	

Position	UniGene	GenBank	Symbol	Description	
E07	Hs.158173	NM 002248	KCNN1	Potassium intermediate/small conductance calcium-activated channel, subfamily	
EU/ IS.1361/3		14M_002246	KCNNI	N, member 1	
E08	Hs.98280	NM 021614	KCNN2	Potassium intermediate/small conductance calcium-activated channel, subfamily	
LUU	115.70200	14/4/_021014	RCININZ	N, member 2	
E09	Hs.490765	NM 002249	KCNN3	Potassium intermediate/small conductance calcium-activated channel, subfamily	
	·	_		N, member 3	
E10	Hs.95162	NM_000218	KCNQ1	Potassium voltage-gated channel, KQT-like subfamily, member 1	
E11	Hs.161851	NM_004518	KCNQ2	Potassium voltage-gated channel, KQT-like subfamily, member 2	
E12	Hs.374023	NM_004519	KCNQ3	Potassium voltage-gated channel, KQT-like subfamily, member 3	
F01	Hs.117780	NM_002251	KCNS1	Potassium voltage-gated channel, delayed-rectifier, subfamily S, member 1	
F02	Hs.709373	NM_001036	RYR3	Ryanodine receptor 3	
F03	Hs.250443	NM_006514	SCN10A	Sodium channel, voltage-gated, type X, alpha subunit	
F04	Hs.591657	NM_014139	SCN11A	Sodium channel, voltage-gated, type XI, alpha subunit	
F05	Hs.22654	NM_006920	SCN1A	Sodium channel, voltage-gated, type I, alpha subunit	
F06	Hs.436646	NM_001037	SCN1B	Sodium channel, voltage-gated, type I, beta	
F07	Hs.93485	NM_021007	SCN2A	Sodium channel, voltage-gated, type II, alpha subunit	
F08	Hs.129783	NM_004588	SCN2B	Sodium channel, voltage-gated, type II, beta	
F09	Hs.435274	NM_006922	SCN3A	Sodium channel, voltage-gated, type III, alpha subunit	
F10	Hs.710638	NM_014191	SCN8A	Sodium channel, voltage gated, type VIII, alpha subunit	
F11	Hs.439145	NM_002977	SCN9A	Sodium channel, voltage-gated, type IX, alpha subunit	
F12	Hs.21413	NM_020708	SLC12A5	Solute carrier family 12 (potassium/chloride transporter), member 5	
G01	Hs.667156	NM_007332	TRPA1	Transient receptor potential cation channel, subfamily A, member 1	
G02	Hs.250687	NM_003304	TRPC1	Transient receptor potential cation channel, subfamily C, member 1	
G03	Hs.150981	NM_003305	TRPC3	Transient receptor potential cation channel, subfamily C, member 3	
G04	Hs.159003	NM_004621	TRPC6	Transient receptor potential cation channel, subfamily C, member 6	
G05	Hs.155942	NM_002420	TRPM1	Transient receptor potential cation channel, subfamily M, member 1	
G06	Hs.369759	NM_003307	TRPM2	Transient receptor potential cation channel, subfamily M, member 2	
G07	Hs.272225	NM_017662	TRPM6	Transient receptor potential cation channel, subfamily M, member 6	
G08	Hs.366053	NM_024080	TRPM8	Transient receptor potential cation channel, subfamily M, member 8	
G09	Hs.655380	NM_018727	TRPV1	Transient receptor potential cation channel, subfamily V, member 1	
G10	Hs.279746	NM_016113	TRPV2	Transient receptor potential cation channel, subfamily V, member 2	
G11	Hs.446255	NM_145068	TRPV3	Transient receptor potential cation channel, subfamily V, member 3	
G12	Hs.506713	NM_021625	TRPV4	Transient receptor potential cation channel, subfamily V, member 4	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT2 Profiler PCR Arrays should be used together with the RT2 First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.giagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

Canada • 800-572-9613 www.aiaaen.com China • 8621-3865-3865 Denmark ■ 80-885945 Australia • 1-800-243-800 Finland • 0800-914416 France • 01-60-920-930 Austria = 0800/281010 **Belgium** • 0800-79612 Germany ■ 02103-29-12000 Brazil • 0800-557779 Hong Kong • 800 933 965

Ireland = 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico = 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway ■ 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland • 055-254-22-11 UK • 01293-422-911

