

RT² Profiler PCR Array (Rotor-Gene® Format)

Human WNT Signaling Pathway Plus

Cat. no. 330231 PAHS-043YR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human WNT Signaling Pathway Plus RT² Profiler PCR Array profiles the expression of 84 genes related to WNT-mediated signal transduction. It also determines whether canonical WNT/ β -catenin pathway activity is activated, repressed, or unchanged in experimental samples. The WNT family of secreted growth factors regulates the developmental processes of cell fate and polarity, as well as general cell maintenance processes such as homeostasis and cell cycle regulation. There are 19 WNT ligands in humans, which bind to the Frizzled (FZD) family of receptors and the co-receptors LRP5 and LRP6. WNT signaling comprises three pathways: the canonical pathway and 2 non-canonical pathways, planar cell polarity (PCP) and a calcium ion-dependent pathway. The well-studied canonical WNT pathway signals through β -catenin and regulates the cell cycle, cell growth, and proliferation. The PCP pathway regulates cytoskeletal dynamics and cell motility, and the WNT/calcium pathway promotes NFAT transcription, both independently of β -catenin signaling. This array contains WNT signaling ligands and receptors as well as other downstream signaling molecules for all three pathways. In addition, regulators of WNT signaling are included as well as downstream target genes. The array also includes 16 experimentally derived Signature Biomarker Genes which, along with classification algorithms, are used to generate the activity score. A set of controls present on each array enables data analysis using the $\Delta\Delta$ CT method of relative quantification, assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably determine canonical WNT/ β -catenin pathway activity and analyze the expression of a focused panel of genes related to WNT-mediated signal transduction with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.158932	NM_000038	APC	Adenomatous polyposis coli
A02	Hs.592082	NM_003502	AXIN1	Axin 1
A03	Hs.156527	NM_004655	AXIN2	Axin 2
A04	Hs.643802	NM_033637	BTRC	Beta-transducin repeat containing
A05	Hs.712555	NM_001892	CSNK1A1	Casein kinase 1, alpha 1
A06	Hs.208597	NM_001328	CTBP1	C-terminal binding protein 1
A07	Hs.476018	NM_001904	CTNNA1	Catenin (cadherin-associated protein), beta 1, 88kDa
A08	Hs.463759	NM_020248	CTNNA2	Catenin, beta interacting protein 1
A09	Hs.19156	NM_014992	DAAM1	Dishevelled associated activator of morphogenesis 1
A10	Hs.696631	NM_001343	DAB2	Disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)
A11	Hs.40499	NM_012242	DKK1	Dickkopf homolog 1 (Xenopus laevis)
A12	Hs.731954	NM_015881	DKK3	Dickkopf homolog 3 (Xenopus laevis)
B01	Hs.731450	NM_004421	DVL1	Dishevelled, dsh homolog 1 (Drosophila)
B02	Hs.118640	NM_004422	DVL2	Dishevelled, dsh homolog 2 (Drosophila)
B03	Hs.655211	NM_001429	EP300	E1A binding protein p300
B04	Hs.484138	NM_012300	FBXW11	F-box and WD repeat domain containing 11
B05	Hs.1755	NM_002007	FGF4	Fibroblast growth factor 4
B06	Hs.283565	NM_005438	FOSL1	FOS-like antigen 1
B07	Hs.126057	NM_005479	FRAT1	Frequently rearranged in advanced T-cell lymphomas
B08	Hs.128453	NM_001463	FRZB	Frizzled-related protein
B09	Hs.94234	NM_003505	FZD1	Frizzled family receptor 1
B10	Hs.732654	NM_001466	FZD2	Frizzled family receptor 2
B11	Hs.734277	NM_017412	FZD3	Frizzled family receptor 3
B12	Hs.591968	NM_012193	FZD4	Frizzled family receptor 4
C01	Hs.17631	NM_003468	FZD5	Frizzled family receptor 5
C02	Hs.676099	NM_003506	FZD6	Frizzled family receptor 6
C03	Hs.173859	NM_003507	FZD7	Frizzled family receptor 7
C04	Hs.302634	NM_031866	FZD8	Frizzled family receptor 8
C05	Hs.647029	NM_003508	FZD9	Frizzled family receptor 9
C06	Hs.445733	NM_002093	GSK3B	Glycogen synthase kinase 3 beta
C07	Hs.696684	NM_002228	JUN	Jun proto-oncogene
C08	Hs.229335	NM_001039570	KREMEN1	Kringle containing transmembrane protein 1
C09	Hs.6347	NM_002335	LRP5	Low density lipoprotein receptor-related protein 5
C10	Hs.658913	NM_002336	LRP6	Low density lipoprotein receptor-related protein 6
C11	Hs.522924	NM_002750	MAPK8	Mitogen-activated protein kinase 8
C12	Hs.2256	NM_002423	MMP7	Matrix metalloproteinase 7 (matrilysin, uterine)
D01	Hs.701518	NM_172390	NFATC1	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
D02	Hs.187578	NM_033119	NKD1	Naked cuticle homolog 1 (Drosophila)
D03	Hs.208759	NM_016231	NLK	Nemo-like kinase
D04	Hs.738484	NM_000325	PITX2	Paired-like homeodomain 2
D05	Hs.386453	NM_022825	PORCN	Porcupine homolog (Drosophila)
D06	Hs.696032	NM_006238	PPAR	Peroxisome proliferator-activated receptor delta
D07	Hs.720221	NM_153026	PRICKLE1	Prickle homolog 1 (Drosophila)
D08	Hs.247077	NM_001664	RHOA	Ras homolog gene family, member A
D09	Hs.272822	NM_003707	RUVBL1	RuvB-like 1 (E. coli)
D10	Hs.213424	NM_003012	SFRP1	Secreted frizzled-related protein 1
D11	Hs.658169	NM_003014	SFRP4	Secreted frizzled-related protein 4
D12	Hs.98367	NM_022454	SOX17	SRY (sex determining region Y)-box 17
E01	Hs.573153	NM_003202	TCF7	Transcription factor 7 (T-cell specific, HMG-box)
E02	Hs.516297	NM_031283	TCF7L1	Transcription factor 7-like 1 (T-cell specific, HMG-box)
E03	Hs.99477	NM_020335	VANGL2	Vang-like 2 (van gogh, Drosophila)
E04	Hs.284122	NM_007191	WIF1	WNT inhibitory factor 1
E05	Hs.492974	NM_003882	WISP1	WNT1 inducible signaling pathway protein 1
E06	Hs.248164	NM_005430	WNT1	Wingless-type MMTV integration site family, member 1
E07	Hs.121540	NM_025216	WNT10A	Wingless-type MMTV integration site family, member 10A
E08	Hs.108219	NM_004626	WNT11	Wingless-type MMTV integration site family, member 11
E09	Hs.567356	NM_003391	WNT2	Wingless-type MMTV integration site family member 2

Position	UniGene	GenBank	Symbol	Description
E10	Hs.258575	NM_004185	WNT2B	Wingless-type MMTV integration site family, member 2B
E11	Hs.745220	NM_030753	WNT3	Wingless-type MMTV integration site family, member 3
E12	Hs.336930	NM_033131	WNT3A	Wingless-type MMTV integration site family, member 3A
F01	Hs.25766	NM_030761	WNT4	Wingless-type MMTV integration site family, member 4
F02	Hs.643085	NM_003392	WNT5A	Wingless-type MMTV integration site family, member 5A
F03	Hs.306051	NM_032642	WNT5B	Wingless-type MMTV integration site family, member 5B
F04	Hs.29764	NM_006522	WNT6	Wingless-type MMTV integration site family, member 6
F05	Hs.72290	NM_004625	WNT7A	Wingless-type MMTV integration site family, member 7A
F06	Hs.512714	NM_058238	WNT7B	Wingless-type MMTV integration site family, member 7B
F07	Hs.591274	NM_058244	WNT8A	Wingless-type MMTV integration site family, member 8A
F08	Hs.149504	NM_003395	WNT9A	Wingless-type MMTV integration site family, member 9A
F09	Hs.425091	NM_138369	BOD1	Biorientation of chromosomes in cell division 1
F10	Hs.282410	NM_006888	CALM1	Calmodulin 1 (phosphorylase kinase, delta)
F11	Hs.523852	NM_053056	CCND1	Cyclin D1
F12	Hs.376071	NM_001759	CCND2	Cyclin D2
G01	Hs.110488	NM_014918	CHSY1	Chondroitin sulfate synthase 1
G02	Hs.627078	NM_001338	CXADR	Coxsackie virus and adenovirus receptor
G03	Hs.587231	NM_207352	CYP4V2	Cytochrome P450, family 4, subfamily v, polypeptide 2
G04	Hs.648448	NM_025015	HSPA12A	Heat shock 70kDa protein 12A
G05	Hs.743478	NM_016269	LEF1	Lymphoid enhancer-binding factor 1
G06	Hs.655199	NM_005946	MT1A	Metallothionein 1A
G07	Hs.713636	NM_016498	MTFP1	Mitochondrial fission process 1
G08	Hs.336994	NM_014751	MTSS1	Metastasis suppressor 1
G09	Hs.202453	NM_002467	MYC	V-myc myelocytomatosis viral oncogene homolog (avian)
G10	Hs.639427	NM_145117	NAV2	Neuron navigator 2
G11	Hs.26006	NM_018137	PRMT6	Protein arginine methyltransferase 6
G12	Hs.23348	NM_005983	SKP2	S-phase kinase-associated protein 2 (p45)
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.544577	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies