RT² Profiler PCR Array (Rotor-Gene® Format) Human Stem Cell Signaling

Cat. no. 330231 PAHS-047ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Human Stem Cell Signaling RT² Profiler PCR Array profiles the expression of 84 key genes involved in signal transduction pathways important for embryonic stem cell (ESC) and induced pluripotent stem cell (iPSC) maintenance and differentiation. A variety of growth factors maintains pluripotent status and directs differentiation of ESC and iPSC cells. If an initial stem cell line lacks the corresponding signaling effectors recognizing those growth factors, precious time and resources would be wasted attempting to differentiate unresponsive cells. Therefore, evaluating the expression of signaling genes in pluripotent and multipotent stem cells helps researchers screen clones for the presence of the differentiation signaling machinery. The array represents the receptors and transcription factors of the major signaling pathways involved in pluripotent cell maintenance and differentiation, including Fibroblast Growth Factor, Hedgehog, Notch, TGF? and WNT. Monitoring the expression of receptors and co-receptors insures that stem cells can recognize the necessary growth factors or other receptor ligands. Monitoring the expression of transcription factors and co-factors insures that the activated signaling pathway can successfully regulate gene transcription for the desired differentiation program. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of signaling genes involved in ESC and iPSC maintenance and differentiation with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.470316	NM 001105	ACVR1	Activin A receptor, type I	
A02	Hs.438918	NM 004302	ACVR1B	Activin A receptor, type IB	
A03	Hs.562901	NM_145259	ACVR1C	Activin A receptor, type IC	
A04	Hs.470174	NM 001616	ACVR2A	Activin A receptor, type IIA	
A05	Hs.174273	NM 001106	ACVR2B	Activin A receptor, type IIB	
A06	Hs.591026	NM 000020	ACVRL1	Activin A receptor type II-like 1	
A07	Hs.659889	NM 020547	AMHR2	Anti-Mullerian hormone receptor, type II	
A08	Hs.415209	NM 004326	BCL9	B-cell CLL/lymphoma 9	
A09	Hs.414740	NM 182557	BCL9L	B-cell CLL/lymphoma 9-like	
A10	Hs.524477	NM 004329	BMPR1A	Bone morphogenetic protein receptor, type IA	
A11	Hs.598475	NM 001203	BMPR1B	Bone morphogenetic protein receptor, type IB	
A12	Hs.471119	NM 001204	BMPR2	Bone morphogenetic protein receptor, type II (serine/threonine kinase)	
B01	Hs.174249	NM 001265	CDX2	Caudal type homeobox 2	
B02	Hs.459759	NM 004380	CREBBP	CREB binding protein	
B03	Hs.476018	NM 001904	CTNNB1	Catenin (cadherin-associated protein), beta 1, 88kDa	
B04	Hs.445758	NM 001951	E2F5	E2F transcription factor 5, p130-binding	
B05	Hs.76753	NM 000118	ENG	Endoglin	
B06	Hs.517517	NM 001429	EP300	E1A binding protein p300	
B07	Hs.264887	NM 015850	FGFR1	Fibroblast growth factor receptor 1	
B08	Hs.533683	NM 000141	FGFR2	Fibroblast growth factor receptor 2	
B09	Hs.1420	NM 000141	FGFR3		
B10	Hs.165950	NM 002011	FGFR4	Fibroblast growth factor receptor 3 Fibroblast growth factor receptor 4	
B10	Hs.94234	NM 003505	FZD1		
B12	Hs.142912		FZD1	Frizzled family receptor 1	
C01		NM_001466	FZD2 FZD3	Frizzled family receptor 2	
	Hs.40735	NM_017412		Frizzled family receptor 3	
C02	Hs.19545	NM_012193	FZD4	Frizzled family receptor 4	
C03	Hs.17631	NM_003468	FZD5	Frizzled family receptor 5	
C04	Hs.591863	NM_003506	FZD6	Frizzled family receptor 6	
C05	Hs.173859	NM_003507	FZD7	Frizzled family receptor 7	
C06	Hs.302634	NM_031866	FZD8	Frizzled family receptor 8	
C07	Hs.647029	NM_003508	FZD9	Frizzled family receptor 9	
C08	Hs.632702	NM_005269	GLI1	GLI family zinc finger 1	
C09	Hs.111867	NM_005270	GLI2	GLI family zinc finger 2	
C10	Hs.21509	NM_000168	GLI3	GLI family zinc finger 3	
C11	Hs.532082	NM_002184	IL6ST	Interleukin 6 signal transducer (gp130, oncostatin M receptor)	
C12	Hs.555947	NM_016269	LEF1	Lymphoid enhancer-binding factor 1	
D01	Hs.133421	NM_002310	LIFR	Leukemia inhibitory factor receptor alpha	
D02	Hs.6347	NM_002335	LRP5	Low density lipoprotein receptor-related protein 5	
D03	Hs.584775	NM_002336	LRP6	Low density lipoprotein receptor-related protein 6	
D04	Hs.713533	NM_000627	LTBP1	Latent transforming growth factor beta binding protein 1	
D05	Hs.512776	NM_000428	LTBP2	Latent transforming growth factor beta binding protein 2	
D06	Hs.289019	NM_021070	LTBP3	Latent transforming growth factor beta binding protein 3	
D07	Hs.466766	NM_003573	LTBP4	Latent transforming growth factor beta binding protein 4	
D08	Hs.517249	NM_015331	NCSTN	Nicastrin	
D09	Hs.371987	NM_006599	NFAT5	Nuclear factor of activated T-cells 5, tonicity-responsive	
D10	Hs.534074	NM_172390	NFATC1	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1	
D11	Hs.713650	NM_012340	NFATC2	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2	
D12	Hs.632209	NM_004555	NFATC3	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3	
E01	Hs.77810	NM_004554	NFATC4	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 4	
E02	Hs.495473	NM_017617	NOTCH1	Notch 1	
E03	Hs.487360	NM_024408	NOTCH2	Notch 2	
E04	Hs.8546	NM_000435	NOTCH3	Notch 3	
E05	Hs.436100	NM_004557	NOTCH4	Notch 4	
E06	Hs.3260	NM_000021	PSEN1	Presenilin 1	
		NM 000447	PSEN2	Presenilin 2 (Alzheimer disease 4)	
E07	Hs.25363	19/91 UUU447	I JLINZ	r resemini z (Alzhenner disedse 4)	
E07 E08	Hs.25363 Hs.534465	NM 172341	PSENEN	Presenilin enhancer 2 homolog (C. elegans)	

Position	UniGene	GenBank	Symbol	Description	
E10	Hs.202355	NM_020780	PTCHD2	Patched domain containing 2	
E11	Hs.533597	NM_138300	PYGO2	Pygopus homolog 2 (Drosophila)	
E12	Hs.207745	NM_002895	RBL1	Retinoblastoma-like 1 (p107)	
F01	Hs.513609	NM_005611	RBL2	Retinoblastoma-like 2 (p130)	
F02	Hs.248217	NM_014276	RBPJL	Recombination signal binding protein for immunoglobulin kappa J region-like	
F03	Hs.271277	NM_020211	RGMA	RGM domain family, member A	
F04	Hs.604588	NM_005900	SMAD1	SMAD family member 1	
F05	Hs.12253	NM_005901	SMAD2	SMAD family member 2	
F06	Hs.714621	NM_005902	SMAD3	SMAD family member 3	
F07	Hs.75862	NM_005359	SMAD4	SMAD family member 4	
F08	Hs.167700	NM_005903	SMAD5	SMAD family member 5	
F09	Hs.153863	NM_005585	SMAD6	SMAD family member 6	
F10	Hs.465087	NM_005904	SMAD7	SMAD family member 7	
F11	Hs.123119	NM_005905	SMAD9	SMAD family member 9	
F12	Hs.437846	NM_005631	SMO	Smoothened, frizzled family receptor	
G01	Hs.620754	NM_138473	SP1	Sp1 transcription factor	
G02	Hs.463059	NM_003150	STAT3	Signal transducer and activator of transcription 3 (acute-phase response factor)	
G03	Hs.404089	NM_016169	SUFU	Suppressor of fused homolog (Drosophila)	
G04	Hs.573153	NM_003202	TCF7	Transcription factor 7 (T-cell specific, HMG-box)	
G05	Hs.516297	NM_031283	TCF7L1	Transcription factor 7-like 1 (T-cell specific, HMG-box)	
G06	Hs.593995	NM_030756	TCF7L2	Transcription factor 7-like 2 (T-cell specific, HMG-box)	
G07	Hs.494622	NM_004612	TGFBR1	Transforming growth factor, beta receptor 1	
G08	Hs.604277	NM_003242	TGFBR2	Transforming growth factor, beta receptor II (70/80kDa)	
G09	Hs.482390	NM_003243	TGFBR3	Transforming growth factor, beta receptor III	
G10	Hs.446350	NM_004257	TGFBRAP1	Transforming growth factor, beta receptor associated protein 1	
G11	Hs.99477	NM_020335	VANGL2	Vang-like 2 (van gogh, Drosophila)	
G12	Hs.34871	NM_014795	ZEB2	Zinc finger E-box binding homeobox 2	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

