

RT² Profiler PCR Array (Rotor-Gene® Format)

Human HIV Infection and Host Response

Cat. no. 330231 PAHS-051YR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human HIV Infection and Host Response RT² Profiler PCR Array profiles the expression of 84

genes involved in the host response to HIV Infection. This array represents the genes involved in

innate and adaptive immunity related to HIV infection along with the key cellular cofactors for HIV replication. The host genes involved in HIV viral processes such as binding, fusion, uncoating, reverse transcription, nuclear import, integration, transcription, RNA export, assembly and budding are included on this array. The array also represents the host response to HIV infection with key genes involved in HIV innate response and host genes involved in HIV immune evasion. Using real-time PCR, your research study can easily and reliably analyze the expression of a focused panel of genes related to HIV infection and host response with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.73722	NM_080649	APEX1	APEX nuclease (multifunctional DNA repair enzyme) 1
A02	Hs.660143	NM_021822	APOBEC3G	Apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3G
A03	Hs.370254	NM_004322	BAD	BCL2-associated agonist of cell death
A04	Hs.433759	NM_003860	BANF1	Barrier to autointegration factor 1
A05	Hs.624291	NM_004324	BAX	BCL2-associated X protein
A06	Hs.709690	NM_022898	BCL11B	B-cell CLL/lymphoma 11B (zinc finger protein)
A07	Hs.150749	NM_000633	BCL2	B-cell CLL/lymphoma 2
A08	Hs.643802	NM_033637	BTRC	Beta-transducin repeat containing
A09	Hs.141125	NM_004346	CASP3	Caspase 3, apoptosis-related cysteine peptidase
A10	Hs.599762	NM_001228	CASP8	Caspase 8, apoptosis-related cysteine peptidase
A11	Hs.349283	NM_012117	CBX5	Chromobox homolog 5
A12	Hs.303649	NM_002982	CCL2	Chemokine (C-C motif) ligand 2
B01	Hs.514107	NM_002983	CCL3	Chemokine (C-C motif) ligand 3
B02	Hs.75703	NM_002984	CCL4	Chemokine (C-C motif) ligand 4
B03	Hs.514821	NM_002985	CCL5	Chemokine (C-C motif) ligand 5
B04	Hs.271387	NM_005623	CCL8	Chemokine (C-C motif) ligand 8
B05	Hs.92308	NM_001240	CCNT1	Cyclin T1
B06	Hs.511794	NM_001123396	CCR2	Chemokine (C-C motif) receptor 2
B07	Hs.506190	NM_001837	CCR3	Chemokine (C-C motif) receptor 3
B08	Hs.184926	NM_005508	CCR4	Chemokine (C-C motif) receptor 4
B09	Hs.450802	NM_000579	CCR5	Chemokine (C-C motif) receptor 5
B10	Hs.278694	NM_021155	CD209	CD209 molecule
B11	Hs.156445	NM_000734	CD247	CD247 molecule
B12	Hs.631659	NM_000616	CD4	CD4 molecule
C01	Hs.502328	NM_000610	CD44	CD44 molecule (Indian blood group)
C02	Hs.208854	NM_001781	CD69	CD69 molecule
C03	Hs.436568	NM_004355	CD74	CD74 molecule, major histocompatibility complex, class II invariant chain
C04	Hs.184298	NM_001799	CDK7	Cyclin-dependent kinase 7
C05	Hs.150423	NM_001261	CDK9	Cyclin-dependent kinase 9
C06	Hs.370771	NM_000389	CDKN1A	Cyclin-dependent kinase inhibitor 1A (p21, Cip1)
C07	Hs.517106	NM_005194	CEBPB	CCAAT/enhancer binding protein (C/EBP), beta
C08	Hs.15591	NM_006833	COPS6	COP9 constitutive photomorphogenic homolog subunit 6 (Arabidopsis)
C09	Hs.445757	NM_001877	CR2	Complement component (3d/Epstein Barr virus) receptor 2
C10	Hs.459759	NM_004380	CREBBP	CREB binding protein
C11	Hs.531668	NM_002996	CX3CL1	Chemokine (C-X3-C motif) ligand 1
C12	Hs.522891	NM_000609	CXCL12	Chemokine (C-X-C motif) ligand 12
D01	Hs.593413	NM_003467	CXCR4	Chemokine (C-X-C motif) receptor 4
D02	Hs.99863	NM_001972	ELANE	Elastase, neutrophil expressed
D03	Hs.517517	NM_001429	EP300	E1A binding protein p300
D04	Hs.659872	NM_002000	FCAR	Fc fragment of IgA, receptor for
D05	Hs.25647	NM_005252	FOS	FBJ murine osteosarcoma viral oncogene homolog
D06	Hs.80409	NM_001924	GADD45A	Growth arrest and DNA-damage-inducible, alpha
D07	Hs.655210	NM_002110	HCK	Hemopoietic cell kinase
D08	Hs.204475	NM_014500	HTATSF1	HIV-1 Tat specific factor 1
D09	Hs.37026	NM_024013	IFNA1	Interferon, alpha 1
D10	Hs.93177	NM_002176	IFNB1	Interferon, beta 1, fibroblast
D11	Hs.856	NM_000619	IFNG	Interferon, gamma
D12	Hs.193717	NM_000572	IL10	Interleukin 10
E01	Hs.674	NM_002187	IL12B	Interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40)
E02	Hs.459095	NM_004513	IL16	Interleukin 16
E03	Hs.126256	NM_000576	IL1B	Interleukin 1, beta
E04	Hs.89679	NM_000586	IL2	Interleukin 2
E05	Hs.624	NM_000584	CXCL8	Interleukin 8
E06	Hs.436061	NM_002198	IRF1	Interferon regulatory factor 1
E07	Hs.654566	NM_002199	IRF2	Interferon regulatory factor 2
E08	Hs.562457	NM_002262	KLRD1	Killer cell lectin-like receptor subfamily D, member 1

Position	UniGene	GenBank	Symbol	Description
E09	Hs.11116	NM_002342	LTBR	Lymphotoxin beta receptor (TNFR superfamily, member 3)
E10	Hs.186486	NM_005923	MAP3K5	Mitogen-activated protein kinase kinase kinase 5
E11	Hs.499674	NM_000242	MBL2	Mannose-binding lectin (protein C) 2, soluble
E12	Hs.534074	NM_172390	NFATC1	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
F01	Hs.618430	NM_003998	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
F02	Hs.81328	NM_020529	NFKBIA	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
F03	Hs.356331	NM_021130	PPIA	Peptidylprolyl isomerase A (cyclophilin A)
F04	Hs.180909	NM_002574	PRDX1	Peroxiredoxin 1
F05	Hs.491322	NM_004103	PTK2B	PTK2B protein tyrosine kinase 2 beta
F06	Hs.513609	NM_005611	RBL2	Retinoblastoma-like 2 (p130)
F07	Hs.728756	NM_000655	SELL	Selectin L
F08	Hs.525557	NM_000295	SERPINA1	Serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 1
F09	Hs.75599	NM_000488	SERPINC1	Serpin peptidase inhibitor, clade C (antithrombin), member 1
F10	Hs.517070	NM_003064	SLPI	Secretory leukocyte peptidase inhibitor
F11	Hs.534350	NM_003073	SMARCB1	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily b, member 1
F12	Hs.642990	NM_007315	STAT1	Signal transducer and activator of transcription 1, 91kDa
G01	Hs.463059	NM_003150	STAT3	Signal transducer and activator of transcription 3 (acute-phase response factor)
G02	Hs.48849	NM_005653	TFCP2	Transcription factor CP2
G03	Hs.645227	NM_000660	TGFB1	Transforming growth factor, beta 1
G04	Hs.241570	NM_000594	TNF	Tumor necrosis factor
G05	Hs.256278	NM_001066	TNFRSF1B	Tumor necrosis factor receptor superfamily, member 1B
G06	Hs.478275	NM_003810	TNFSF10	Tumor necrosis factor (ligand) superfamily, member 10
G07	Hs.125300	NM_033093	TRIM5	Tripartite motif containing 5
G08	Hs.523512	NM_006292	TSG101	Tumor susceptibility gene 101
G09	Hs.128420	NM_013245	VPS4A	Vacuolar protein sorting 4 homolog A (S. cerevisiae)
G10	Hs.546295	NM_002995	XCL1	Chemokine (C motif) ligand 1
G11	Hs.370770	NM_003400	XPO1	Exportin 1 (CRM1 homolog, yeast)
G12	Hs.388927	NM_003403	YY1	YY1 transcription factor
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems Corporation or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies