

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Human Drug Metabolism: Phase II Enzymes

Cat. no. 330231 PAHS-069ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Human Drug Metabolism Phase II Enzymes RT² Profiler PCR Array contains 84 genes involved in the enzymatic processes of drug biotransformation. Phase II drug metabolism enzymes catalyze the conjugation of lipophilic compounds with hydrophilic functional groups or moieties to form water-soluble conjugates that can be cleared from cells and from the body. This array represents genes encoding the seven major classes of phase II drug metabolism enzymes catalyzing such reactions as glutathione conjugation, glucuronidation, sulfation, methylation, amino acid conjugation, epoxidation, and esterification. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of drug metabolism enzymes with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	AANAT	ACSL1	ACSL3	ACSL4	ACSM1	ACSM2B	ACSM3	AGXT	AS3MT	ASMT	BAAT	CCBL1
B	CES1	CES2	CES3	CES5A	CHST7	COMT	DDOST	EPHX1	EPHX2	GALNT1	GALNT4	GAMT
C	GCNT1	GLYAT	GNMT	GSTA1	GSTA3	GSTA4	GSTA5	GSTK1	GSTM2	GSTM3	GSTM4	GSTM5
D	GSTO1	GSTO2	GSTP1	GSTT1	HNMT	INMT	MGAT1	MGAT2	MGST1	MGST2	MGST3	NAA20
E	NAT1	NAT2	NNMT	NQO1	NQO2	PNMT	POMGNT1	PTGES	SAT1	SULT1A1	SULT1A2	SULT1B1
F	SULT1C2	SULT1C3	SULT1C4	SULT1E1	SULT2A1	SULT2B1	SULT4A1	SULT6B1	TPMT	TST	UGCG	UGT1A1
G	UGT1A4	UGT1A9	UGT2A1	UGT2A3	UGT2B10	UGT2B17	UGT2B28	UGT2B4	UGT2B7	UGT3A1	UGT8	XDH
H	ACTB	B2M	GAPDH	HPRT1	RPLP0	HGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.431417	NM_001088	AANAT	Aralkylamine N-acetyltransferase
A02	Hs.406678	NM_001995	ACSL1	Acyl-CoA synthetase long-chain family member 1
A03	Hs.655772	NM_004457	ACSL3	Acyl-CoA synthetase long-chain family member 3
A04	Hs.268785	NM_004458	ACSL4	Acyl-CoA synthetase long-chain family member 4
A05	Hs.306812	NM_052956	ACSM1	Acyl-CoA synthetase medium-chain family member 1
A06	Hs.567879	NM_182617	ACSM2B	Acyl-CoA synthetase medium-chain family member 2B
A07	Hs.706754	NM_005622	ACSM3	Acyl-CoA synthetase medium-chain family member 3
A08	Hs.144567	NM_000030	AGXT	Alanine-glyoxylate aminotransferase
A09	Hs.123461	NM_020682	AS3MT	Arsenic (+3 oxidation state) methyltransferase
A10	Hs.522572	NM_004043	ASMT	Acetylserotonin O-methyltransferase
A11	Hs.284712	NM_001701	BAAT	Bile acid CoA: amino acid N-acyltransferase (glycine N-choloyltransferase)
A12	Hs.495250	NM_004059	CCBL1	Cysteine conjugate-beta lyase, cytoplasmic
B01	Hs.558865	NM_001266	CES1	Carboxylesterase 1
B02	Hs.282975	NM_198061	CES2	Carboxylesterase 2
B03	Hs.268700	NM_024922	CES3	Carboxylesterase 3
B04	Hs.350800	NM_145024	CES5A	Carboxylesterase 5A
B05	Hs.138155	NM_019886	CHST7	Carbohydrate (N-acetylglucosamine 6-O) sulfotransferase 7
B06	Hs.370408	NM_000754	COMT	Catechol-O-methyltransferase
B07	Hs.523145	NM_005216	DDOST	Dolichyl-diphosphooligosaccharide--protein glycosyltransferase
B08	Hs.89649	NM_000120	EPHX1	Epoxide hydrolase 1, microsomal (xenobiotic)
B09	Hs.212088	NM_001979	EPHX2	Epoxide hydrolase 2, cytoplasmic
B10	Hs.514806	NM_020474	GALNT1	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylglactosaminyltransferase 1 (GalNAc-T1)
B11	Hs.251130	NM_003774	GALNT4	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylglactosaminyltransferase 4 (GalNAc-T4)
B12	Hs.811131	NM_000156	GAMT	Guanidinoacetate N-methyltransferase
C01	Hs.521568	NM_001490	GCNT1	Glucosaminyl (N-acetyl) transferase 1, core 2
C02	Hs.145384	NM_005838	GLYAT	Glycine-N-acyltransferase
C03	Hs.144914	NM_018960	GNMT	Glycine N-methyltransferase
C04	Hs.446309	NM_145740	GSTA1	Glutathione S-transferase alpha 1
C05	Hs.102484	NM_000847	GSTA3	Glutathione S-transferase alpha 3
C06	Hs.485557	NM_001512	GSTA4	Glutathione S-transferase alpha 4
C07	Hs.646984	NM_153699	GSTA5	Glutathione S-transferase alpha 5
C08	Hs.390667	NM_015917	GSTK1	Glutathione S-transferase kappa 1
C09	Hs.279837	NM_000848	GSTM2	Glutathione S-transferase mu 2 (muscle)
C10	Hs.2006	NM_000849	GSTM3	Glutathione S-transferase mu 3 (brain)
C11	Hs.348387	NM_000850	GSTM4	Glutathione S-transferase mu 4
C12	Hs.75652	NM_000851	GSTM5	Glutathione S-transferase mu 5
D01	Hs.190028	NM_004832	GSTO1	Glutathione S-transferase omega 1
D02	Hs.203634	NM_183239	GSTO2	Glutathione S-transferase omega 2
D03	Hs.523836	NM_000852	GSTP1	Glutathione S-transferase pi 1
D04	Hs.268573	NM_000853	GSTT1	Glutathione S-transferase theta 1
D05	Hs.42151	NM_006895	HNMT	Histamine N-methyltransferase
D06	Hs.632629	NM_006774	INMT	Indolethylamine N-methyltransferase
D07	Hs.519818	NM_002406	MGAT1	Mannosyl (alpha-1,3-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase

Position	UniGene	GenBank	Symbol	Description
D08	Hs.93338	NM_002408	MGAT2	Mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase
D09	Hs.389700	NM_020300	MGST1	Microsomal glutathione S-transferase 1
D10	Hs.81874	NM_002413	MGST2	Microsomal glutathione S-transferase 2
D11	Hs.191734	NM_004528	MGST3	Microsomal glutathione S-transferase 3
D12	Hs.368783	NM_016100	NAA20	N(alpha)-acetyltransferase 20, NatB catalytic subunit
E01	Hs.591847	NM_000662	NAT1	N-acetyltransferase 1 (arylamine N-acetyltransferase)
E02	Hs.2	NM_000015	NAT2	N-acetyltransferase 2 (arylamine N-acetyltransferase)
E03	Hs.503911	NM_006169	NNMT	Nicotinamide N-methyltransferase
E04	Hs.406515	NM_000903	NQO1	NAD(P)H dehydrogenase, quinone 1
E05	Hs.533050	NM_000904	NQO2	NAD(P)H dehydrogenase, quinone 2
E06	Hs.1892	NM_002686	PNMT	Phenylethanolamine N-methyltransferase
E07	Hs.525134	NM_017739	POMGNT1	Protein O-linked mannose beta 1,2-N-acetylglucosaminyltransferase
E08	Hs.146688	NM_004878	PTGES	Prostaglandin E synthase
E09	Hs.28491	NM_002970	SAT1	Spermidine/spermine N1-acetyltransferase 1
E10	Hs.567342	NM_001055	SULT1A1	Sulfotransferase family, cytosolic, 1A, phenol-preferring, member 1
E11	Hs.546304	NM_177528	SULT1A2	Sulfotransferase family, cytosolic, 1A, phenol-preferring, member 2
E12	Hs.129742	NM_014465	SULT1B1	Sulfotransferase family, cytosolic, 1B, member 1
F01	Hs.436123	NM_001056	SULT1C2	Sulfotransferase family, cytosolic, 1C, member 2
F02	Hs.535156	NM_001008743	SULT1C3	Sulfotransferase family, cytosolic, 1C, member 3
F03	Hs.312644	NM_006588	SULT1C4	Sulfotransferase family, cytosolic, 1C, member 4
F04	Hs.479898	NM_005420	SULT1E1	Sulfotransferase family 1E, estrogen-preferring, member 1
F05	Hs.515835	NM_003167	SULT2A1	Sulfotransferase family, cytosolic, 2A, dehydroepiandrosterone (DHEA)-preferring, member 1
F06	Hs.369331	NM_004605	SULT2B1	Sulfotransferase family, cytosolic, 2B, member 1
F07	Hs.189810	NM_014351	SULT4A1	Sulfotransferase family 4A, member 1
F08	Hs.631892	NM_001032377	SULT6B1	Sulfotransferase family, cytosolic, 6B, member 1
F09	Hs.444319	NM_000367	TPMT	Thiopurine S-methyltransferase
F10	Hs.474783	NM_003312	TST	Thiosulfate sulfurtransferase (rhodanese)
F11	Hs.304249	NM_003358	UGCG	UDP-glucose ceramide glucosyltransferase
F12	Hs.554822	NM_000463	UGT1A1	UDP glucuronosyltransferase 1 family, polypeptide A1
G01	Hs.554822	NM_007120	UGT1A4	UDP glucuronosyltransferase 1 family, polypeptide A4
G02	Hs.554822	NM_021027	UGT1A9	UDP glucuronosyltransferase 1 family, polypeptide A9
G03	Hs.225950	NM_006798	UGT2A1	UDP glucuronosyltransferase 2 family, polypeptide A1, complex locus
G04	Hs.122583	NM_024743	UGT2A3	UDP glucuronosyltransferase 2 family, polypeptide A3
G05	Hs.201634	NM_001075	UGT2B10	UDP glucuronosyltransferase 2 family, polypeptide B10
G06	Hs.575083	NM_001077	UGT2B17	UDP glucuronosyltransferase 2 family, polypeptide B17
G07	Hs.653154	NM_053039	UGT2B28	UDP glucuronosyltransferase 2 family, polypeptide B28
G08	Hs.285887	NM_021139	UGT2B4	UDP glucuronosyltransferase 2 family, polypeptide B4
G09	Hs.654424	NM_001074	UGT2B7	UDP glucuronosyltransferase 2 family, polypeptide B7
G10	Hs.254699	NM_152404	UGT3A1	UDP glucosyltransferase 3 family, polypeptide A1
G11	Hs.144197	NM_003360	UGT8	UDP glucosyltransferase 8
G12	Hs.250	NM_000379	XDH	Xanthine dehydrogenase
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX [™] qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779



Sample & Assay Technologies