RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Human Heat Shock Proteins & Chaperones

Cat. no. 330231 PAHS-076ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm [®] BioMark™



Description

The Human Heat Shock Proteins & Chaperones RT² Profiler PCR Array profiles the expression of 84 Heat Shock Protein genes that regulate protein folding. Heat shock proteins (HSPs, or molecular chaperones) are important components of cellular networks. HSPs can either aid in the folding and maintenance of newly translated proteins or they can lead to the degradation of misfolded and destabilized proteins. Included on this PCR Array are HSP90 (81 to 99 kD), HSP70 (65 to 80 kD), HSP60 (55 to 64 kD), HSP40 (35 to 54 kD), small HSPs (=34 kD) and other chaperone cofactors that are directly involved in the response to unfolded/misfolded proteins or that are involved in protein folding in general. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of heat shock proteins and chaperones with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the RT^2 Profiler PCR Array Handbook for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
А	ADCK3	ATF6	BAG1	BAG2	BAG3	BAG4	BAG5	ccs	CCT2	ССТ3	CCT4	CCT5
В	CCT6A	CCT6B	CCT7	CRYAA	CRYAB	DNAJA1	DNAJA2	DNAJA3	DNAJA4	DNAJB1	DNAJB11	DNAJB12
С	DNAJB13	DNAJB14	DNAJB2	DNAJB5	DNAJB6	DNAJB7	DNAJB8	DNAJB9	DNAJC1	DNAJC10	DNAJC11	DNAJC12
D	DNAJC13	DNAJC14	DNAJC15	DNAJC16	DNAJC17	DNAJC18	DNAJC21	DNAJC3	DNAJC4	DNAJC5	DNAJC5B	DNAJC5G
E	DNAJC6	DNAJC7	DNAJC8	DNAJC9	HSF1	HSF2	HSF4	HSP90AA1	HSP90AB1	HSP90B1	HSPA14	HSPA1A
F	HSPA1B	HSPA1L	HSPA2	HSPA4	HSPA4L	HSPA5	HSPA6	HSPA8	HSPA9	HSPB1	HSPB2	HSPB3
G	HSPB6	HSPB7	HSPB8	HSPD1	HSPE1	HSPH1	PFDN1	PFDN2	SERPINH1	SIL1	TCP1	TORIA
н	ACTB	B2M	GAPDH	HPRT1	RPLPO	HGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.118241	NM_020247	ADCK3	AarF domain containing kinase 3
A02	Hs.492740	NM_007348	ATF6	Activating transcription factor 6
A03	Hs.377484	NM_004323	BAG1	BCL2-associated athanogene
A04	Hs.729098	NM_004282	BAG2	BCL2-associated athanogene 2
A05	Hs.523309	NM_004281	BAG3	BCL2-associated athanogene 3
A06	Hs.194726	NM_004874	BAG4	BCL2-associated athanogene 4
A07	Hs.5443	NM_004873	BAG5	BCL2-associated athanogene 5
A08	Hs.502917	NM_005125	CCS	Copper chaperone for superoxide dismutase
A09	Hs.189772	NM_006431	CCT2	Chaperonin containing TCP1, subunit 2 (beta)
A10	Hs.491494	NM_005998	CCT3	Chaperonin containing TCP1, subunit 3 (gamma)
A11	Hs.421509	NM_006430	CCT4	Chaperonin containing TCP1, subunit 4 (delta)
A12	Hs.1600	NM_012073	CCT5	Chaperonin containing TCP1, subunit 5 (epsilon)
B01	Hs.82916	NM_001762	CCT6A	Chaperonin containing TCP1, subunit 6A (zeta 1)
B02	Hs.73072	NM_006584	CCT6B	Chaperonin containing TCP1, subunit 6B (zeta 2)
B03	Hs.368149	NM_006429	CCT7	Chaperonin containing TCP1, subunit 7 (eta)
B04	Hs.184085	NM_000394	CRYAA	Crystallin, alpha A
B05	Hs.408767	NM_001885	CRYAB	Crystallin, alpha B
B06	Hs.445203	NM_001539	DNAJA1	DnaJ (Hsp40) homolog, subfamily A, member 1
B07	Hs.368078	NM_005880	DNAJA2	DnaJ (Hsp40) homolog, subfamily A, member 2
B08	Hs.459779	NM_005147	DNAJA3	DnaJ (Hsp40) homolog, subfamily A, member 3
B09	Hs.513053	NM_018602	DNAJA4	DnaJ (Hsp40) homolog, subfamily A, member 4
B10	Hs.515210	NM_006145	DNAJB1	DnaJ (Hsp40) homolog, subfamily B, member 1
B11	Hs.317192	NM_016306	DNAJB11	DnaJ (Hsp40) homolog, subfamily B, member 11
B12	Hs.696014	NM_017626	DNAJB12	DnaJ (Hsp40) homolog, subfamily B, member 12
C01	Hs.567888	NM_153614	DNAJB13	DnaJ (Hsp40) homolog, subfamily B, member 13
C02	Hs.577426	NM_001031723	DNAJB14	DnaJ (Hsp40) homolog, subfamily B, member 14
C03	Hs.77768	NM_006736	DNAJB2	DnaJ (Hsp40) homolog, subfamily B, member 2
C04	Hs.237506	NM_012266	DNAJB5	DnaJ (Hsp40) homolog, subfamily B, member 5
C05	Hs.490745	NM_005494	DNAJB6	DnaJ (Hsp40) homolog, subfamily B, member 6
C06	Hs.585042	NM_145174	DNAJB7	DnaJ (Hsp40) homolog, subfamily B, member 7
C07	Hs.518241	NM_153330	DNAJB8	DnaJ (Hsp40) homolog, subfamily B, member 8
C08	Hs.6790	NM_012328	DNAJB9	DnaJ (Hsp40) homolog, subfamily B, member 9
C09	Hs.499000	NM_022365	DNAJC1	DnaJ (Hsp40) homolog, subfamily C, member 1
C10	Hs.516632	NM_018981	DNAJC10	DnaJ (Hsp40) homolog, subfamily C, member 10
C11	Hs.462640	NM_018198	DNAJC11	DnaJ (Hsp40) homolog, subfamily C, member 11
C12	Hs.260720	NM_201262	DNAJC12	DnaJ (Hsp40) homolog, subfamily C, member 12
D01	Hs.12707	NM_015268	DNAJC13	DnaJ (Hsp40) homolog, subfamily C, member 13
D02	Hs.709320	NM_032364	DNAJC14	DnaJ (Hsp40) homolog, subfamily C, member 14
D03	Hs.438830	NM_013238	DNAJC15	DnaJ (Hsp40) homolog, subfamily C, member 15
D04	Hs.655410	NM_015291	DNAJC16	DnaJ (Hsp40) homolog, subfamily C, member 16
D05	Hs.511069	NM_018163	DNAJC17	DnaJ (Hsp40) homolog, subfamily C, member 17
D06	Hs.483537	NM_152686	DNAJC18	DnaJ (Hsp40) homolog, subfamily C, member 18
D07	Hs.131887	NM_194283	DNAJC21	DnaJ (Hsp40) homolog, subfamily C, member 21
D08	Hs.59214	NM_006260	DNAJC3	DnaJ (Hsp40) homolog, subfamily C, member 3
D09	Hs.172847	NM_005528	DNAJC4	DnaJ (Hsp40) homolog, subfamily C, member 4

Position	UniGene	GenBank	Symbol	Description		
D10	Hs.164419	NM_025219	DNAJC5	DnaJ (Hsp40) homolog, subfamily C, member 5		
D11	Hs.491885	NM_033105	DNAJC5B	DnaJ (Hsp40) homolog, subfamily C, member 5 beta		
D12	Hs.116303	NM_173650	DNAJC5G	DnaJ (Hsp40) homolog, subfamily C, member 5 gamma		
E01	Hs.647643	NM_014787	DNAJC6	DnaJ (Hsp40) homolog, subfamily C, member 6		
E02	Hs.500156	NM_003315	DNAJC7	DnaJ (Hsp40) homolog, subfamily C, member 7		
E03	Hs.433540	NM_014280	DNAJC8	DnaJ (Hsp40) homolog, subfamily C, member 8		
E04	Hs.654694	NM_015190	DNAJC9	DnaJ (Hsp40) homolog, subfamily C, member 9		
E05	Hs.530227	NM_005526	HSF1	Heat shock transcription factor 1		
E06	Hs.158195	NM_004506	HSF2	Heat shock transcription factor 2		
E07	Hs.512156	NM_001538	HSF4	Heat shock transcription factor 4		
E08	Hs.525600	NM 001017963	HSP90AA1	Heat shock protein 90kDa alpha (cytosolic), class A member 1		
E09	Hs.509736	NM 007355	HSP90AB1	Heat shock protein 90kDa alpha (cytosolic), class B member 1		
E10	Hs.192374	NM 003299	HSP90B1	Heat shock protein 90kDa beta (Grp94), member 1		
E11	Hs.534169	NM 016299	HSPA14	Heat shock 70kDa protein 14		
E12	Hs.728810	NM 005345	HSPA1A	Heat shock 70kDa protein 1A		
F01	Hs.274402	NM 005346	HSPA1B	Heat shock 70kDa protein 1B		
F02	Hs.690634	NM 005527	HSPA1L	Heat shock 70kDa protein 1-like		
F03	Hs.728938	NM 021979	HSPA2	Heat shock 70kDa protein 2		
F04	Hs.90093	NM_002154	HSPA4	Heat shock 70kDa protein 4		
F05	Hs.135554	NM 014278	HSPA4L	Heat shock 70kDa protein 4-like		
F06	Hs.716396	NM 005347	HSPA5	Heat shock 70kDa protein 5 (glucose-regulated protein, 78kDa)		
F07	Hs.654614	NM 002155	HSPA6	Heat shock 70kDa protein 6 (HSP70B')		
F08	Hs.702021	NM 006597	HSPA8	Heat shock 70kDa protein 8		
F09	Hs.184233	NM 004134	HSPA9	Heat shock 70kDa protein 9 (mortalin)		
F10	Hs.520973	NM 001540	HSPB1	Heat shock 27kDa protein 1		
F11	Hs.709660	NM 001541	HSPB2	Heat shock 27kDa protein 2		
F12	Hs.41707	NM 006308	HSPB3	Heat shock 27kDa protein 3		
G01	Hs.534538	NM 144617	HSPB6	Heat shock protein, alpha-crystallin-related, B6		
G02	Hs.502612	NM 014424	HSPB7	Heat shock 27kDa protein family, member 7 (cardiovascular)		
G03	Hs.400095	NM 014365	HSPB8	Heat shock 27kDa protein 8		
G04	Hs.595053	NM 002156	HSPD1	Heat shock 60kDa protein 1 (chaperonin)		
G05	Hs.1197	NM 002157	HSPE1	Heat shock 10kDa protein 1 (chaperonin 10)		
G06	Hs.36927	NM 006644	HSPH1	Heat shock 105kDa/110kDa protein 1		
G07	Hs.483564	NM 002622	PFDN1	Prefoldin subunit 1		
G08	Hs.492516	NM 012394	PFDN2	Prefoldin subunit 2		
	113.472310	14/4_012374	110142	Serpin peptidase inhibitor, clade H (heat shock protein 47), member 1, (collagen		
G09	Hs.596449	NM_001235	SERPINH1	binding protein 1)		
G10	Hs.483521	NM_022464	SIL1	SIL1 homolog, endoplasmic reticulum chaperone (S. cerevisiae)		
G11	Hs.363137	NM_030752	TCP1	T-complex 1		
G12	Hs.534312	NM_000113	TOR1A	Torsin family 1, member A (torsin A)		
H01	Hs.520640	NM 001101	ACTB	Actin, beta		
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin		
H03	Hs.592355	NM 002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase		
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1		
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO		
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination		
H07	N/A	SA_00104	RTC	Reverse Transcription Control		
H08	N/A	SA_00104	RTC	Reverse Transcription Control		
H09	N/A	SA_00104	RTC	Reverse Transcription Control		
H10	N/A	SA 00103	PPC	Positive PCR Control		
H11	N/A	SA 00103	PPC	Positive PCR Control		
H12	N/A	SA 00103	PPC	Positive PCR Control		
	· · · · · · · · · · · · · · · · · · ·			1		

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT2 SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX [™] qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applera Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.)Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm[®] BioMark[™] (Fluidigm Corporation); SYBR[®] (Molecular Probes, Inc.). 1066029 03/2011 © 2011 QIAGEN, all rights reserved.

Canada • 800-572-9613 www.aiaaen.com China • 8621-3865-3865 Denmark ■ 80-885945 Australia • 1-800-243-800 Finland • 0800-914416 Austria • 0800/281010 France • 01-60-920-930 Belgium • 0800-79612 Germany ■ 02103-29-12000 Brazil • 0800-557779 Hong Kong • 800 933 965

Ireland = 1800 555 049 Italy • 800-787980 Japan • 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico = 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway ■ 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland • 055-254-22-11 UK • 01293-422-911

