# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Human Mesenchymal Stem Cells

#### Cat. no. 330231 PAHS-082ZR

#### For pathway expression analysis

| Format                              | For use with the following real-time cyclers |  |  |
|-------------------------------------|--|--|--|
| RT <sup>2</sup> Profiler PCR Array, | Rotor-Gene Q, other Rotor-Gene cyclers       |  |  |
| Format R                            |  |  |  |

#### Description

The Human Mesenchymal Stem Cell RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes involved in maintaining pluripotency and self-renewal status. Mesenchymal stem cells (MSC) are multipotent adult stem cells able to differentiate into a variety of cell types such as osteoblasts, chondrocytes, myocytes, adipocytes, and beta-pancreatic islets cells. Because MSC can easily be isolated from a variety of tissues and expanded in vitro, they may serve as a valuable resource for regenerative medicine. However, diverse MSC isolation protocols make it difficult to compare results between laboratories. Examining gene expression profiles with this PCR Array may help you better interpret the nature of the initial MSC isolates and their behavior afterwards. The array includes genes that define the "stemness" of these cells and that maintain their pluripotency and self-renewal characteristics. The array has a collection of genes shown to be MSC-specific markers that distinguish them from embryonic stem cells (ESC). The array also includes differentiation markers that can be used to monitor early MSC differentiation events. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in mesenchymal stem cell maintenance and differentiation with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time

cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

## Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

### Gene table: RT<sup>2</sup> Profiler PCR Array

| Position   | UniGene                | GenBank      | Symbol | Description   |
|------------|------------------------|--------------|--------|---|
| A01        | Hs.489033              | NM_000927    | ABCB1  | ATP-binding cassette, sub-family B (MDR/TAP), member 1  |
| A02        | Hs.500483              | NM_001613    | ACTA2  | Actin, alpha 2, smooth muscle, aorta  |
| A03        | Hs.591293              | NM_001627    | ALCAM  | Activated leukocyte cell adhesion molecule  |
| A04        | Hs.1239                | NM 001150    | ANPEP  | Alanyl (membrane) aminopeptidase  |
| A05        | Hs.480653              | NM 001154    | ANXA5  | Annexin A5  |
| A06        | Hs.502182              | NM 001709    | BDNF   | Brain-derived neurotrophic factor   |
| A07        | Hs.654541              | NM 199173    | BGLAP  | Bone gamma-carboxyglutamate (gla) protein   |
| A08        | Hs.73853               | NM 001200    | BMP2   | Bone morphogenetic protein 2  |
| A09        | Hs.68879               | NM 130851    | BMP4   | Bone morphogenetic protein 4  |
| A10        | Hs.285671              | NM 001718    | BMP6   | Bone morphogenetic protein 6  |
| A11        | Hs.473163              | NM 001719    | BMP7   | Bone morphogenetic protein 7  |
| A12        | Hs.141125              | NM 004346    | CASP3  | Caspase 3, apoptosis-related cysteine peptidase   |
| B01        | Hs.502328              | NM 000610    | CD44   | CD44 molecule (Indian blood group)  |
| B01<br>B02 | Hs.172928              | NM 000088    | COL1A1 |   |
|            |                        | -            |        | Collagen, type I, alpha 1   |
| B03        | Hs.1349                | NM_000758    | CSF2   | Colony stimulating factor 2 (granulocyte-macrophage)  |
| B04        | Hs.2233                | NM_000759    | CSF3   | Colony stimulating factor 3 (granulocyte)   |
| B05        | Hs.476018              | NM_001904    | CTNNB1 | Catenin (cadherin-associated protein), beta 1, 88kDa  |
| B06        | Hs.419815              | NM_001963    | EGF    | Epidermal growth factor   |
| B07        | Hs.76753               | NM_000118    | ENG    | Endoglin  |
| B08        | Hs.446352              | NM 004448    | ERBB2  | V-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma   |
| 000        | 113.440332             | 1111_004440  | LKDDZ  | derived oncogene homolog (avian)  |
| B09        | Hs.664499              | NM_004465    | FGF10  | Fibroblast growth factor 10   |
| B10        | Hs.284244              | NM_002006    | FGF2   | Fibroblast growth factor 2 (basic)  |
| B11        | Hs.69747               | NM 000148    | FUT1   | Fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, H blood group)  |
| B12        | Hs.390420              | NM 002033    | FUT4   | Fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific)   |
| C01        | Hs.647029              | NM 003508    | FZD9   | Frizzled family receptor 9  |
| C02        | Hs.616962              | NM 004864    | GDF15  | Growth differentiation factor 15  |
| C03        | Hs.1573                | NM 000557    | GDF5   | Growth differentiation factor 5   |
| C04        | Hs.492277              | NM 001001557 | GDF6   | Growth differentiation factor 6   |
| C05        | Hs.447688              | NM 182828    | GDF7   | Growth differentiation factor 7   |
| C06        | Hs.445977              | NM 002097    | GTF3A  | General transcription factor IIIA   |
| C07        | Hs.632532              | NM 003642    | HAT1   | Histone acetyltransferase 1   |
| C08        | Hs.88556               | NM 004964    | HDAC1  | Histone deacetylase 1   |
| C09        |                        | NM 000601    | HGF    | ,   |
| C10        | Hs.396530<br>Hs.654455 | NM 000545    | HNF1A  | Hepatocyte growth factor (hepapoietin A; scatter factor)<br>HNF1 homeobox A   |
| C10<br>C11 |                        | -            |        |   |
|            | Hs.643447              | NM_000201    | ICAM1  | Intercellular adhesion molecule 1   |
| C12        | Hs.856                 | NM_000619    | IFNG   | Interferon, gamma   |
| D01        | Hs.160562              | NM_000618    | IGF1   | Insulin-like growth factor 1 (somatomedin C)  |
| D02        | Hs.193717              | NM_000572    | IL10   | Interleukin 10  |
| D03        | Hs.126256              | NM_000576    | IL1B   | Interleukin 1, beta   |
| D04        | Hs.654458              | NM_000600    | IL6    | Interleukin 6 (interferon, beta 2)  |
| D05        | Hs.654579              | NM_000207    | INS    | Insulin   |
| D06        | Hs.133397              | NM_000210    | ITGA6  | Integrin, alpha 6   |
| D07        | Hs.436873              | NM_002210    | ITGAV  | Integrin, alpha V (vitronectin receptor, alpha polypeptide, antigen CD51)   |
| D08        | Hs.248472              | NM_000887    | ITGAX  | Integrin, alpha X (complement component 3 receptor 4 subunit)   |
| D09        | Hs.643813              | NM_002211    | ITGB1  | Integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes<br>MDF2, MSK12)                             |
| D10        | Hs.728907              | NM_000214    | JAG1   | Jagged 1  |
| D11        | Hs.533055              | NM_003884    | KAT2B  | K(lysine) acetyltransferase 2B  |
| D12        | Hs.479756              | NM 002253    | KDR    | Kinase insert domain receptor (a type III receptor tyrosine kinase)   |
| E01        | Hs.1048                | NM 003994    | KITLG  | KIT ligand  |
| E02        | Hs.2250                | NM 002309    | LIF    | Leukemia inhibitory factor (cholinergic differentiation factor)   |
| E02        | Hs.599039              | NM 006500    | MCAM   | Melanoma cell adhesion molecule   |
| E03        | Hs.513617              | NM_004530    | MMP2   | Melanonia cen adnesion molecule<br>Matrix metallopeptidase 2 (gelatinase A, 72kDa gelatinase, 72kDa type IV<br>collagenase) |
| E05        | Hs.527971              | NM 006617    | NES    | Nestin  |
|            |                        |              |        | Nerve growth factor receptor  |

| Position | UniGene   | GenBank      | Symbol  | Description  |  |
|----------|-----------|--------------|---------|--|--|
| E07      | Hs.495473 | NM_017617    | NOTCH1  | Notch 1  |  |
| E08      | Hs.153952 | NM_002526    | NT5E    | 5'-nucleotidase, ecto (CD73)                                 |  |
| E09      | Hs.558459 | NM_007083    | NUDT6   | Nudix (nucleoside diphosphate linked moiety X)-type motif 6  |  |
| E10      | Hs.509067 | NM_002609    | PDGFRB  | Platelet-derived growth factor receptor, beta polypeptide    |  |
| E11      | Hs.462550 | NM 033198    | PIGS    | Phosphatidylinositol glycan anchor biosynthesis, class S     |  |
| E12      | Hs.249184 | NM_002701    | POU5F1  | POU class 5 homeobox 1                                       |  |
| F01      | Hs.162646 | NM_015869    | PPARG   | Peroxisome proliferator-activated receptor gamma             |  |
| F02      | Hs.614734 | NM_006017    | PROM1   | Prominin 1   |  |
| F03      | Hs.395482 | NM 005607    | PTK2    | PTK2 protein tyrosine kinase 2                               |  |
| F04      | Hs.654514 | NM 002838    | PTPRC   | Protein tyrosine phosphatase, receptor type, C               |  |
| F05      | Hs.247077 | NM 001664    | RHOA    | Ras homolog gene family, member A                            |  |
| F06      | Hs.535845 | NM 004348    | RUNX2   | Runt-related transcription factor 2                          |  |
| F07      | Hs.597422 | NM 012434    | SLC17A5 | Solute carrier family 17 (anion/sugar transporter), member 5 |  |
| F08      | Hs.75862  | NM 005359    | SMAD4   | SMAD family member 4   |  |
| F09      | Hs.189329 | NM 020429    | SMURF1  | SMAD specific E3 ubiquitin protein ligase 1                  |  |
| F10      | Hs.705442 | NM 022739    | SMURF2  | SMAD specific E3 ubiquitin protein ligase 2                  |  |
| F11      | Hs.518438 | NM 003106    | SOX2    | SRY (sex determining region Y)-box 2                         |  |
| F12      | Hs.647409 | NM 000346    | SOX9    | SRY (sex determining region Y)-box 9                         |  |
| G01      | Hs.381715 | NM 181486    | TBX5    | T-box 5  |  |
| G02      | Hs.492203 | NM 198253    | TERT    | Telomerase reverse transcriptase                             |  |
| G03      | Hs.645227 | NM 000660    | TGFB1   | Transforming growth factor, beta 1                           |  |
| G04      | Hs.592317 | NM 003239    | TGFB3   | Transforming growth factor, beta 3                           |  |
| G05      | Hs.644697 | NM 006288    | THY1    | Thy-1 cell surface antigen                                   |  |
| G06      | Hs.241570 | NM 000594    | TNF     | Tumor necrosis factor  |  |
| G07      | Hs.109225 | NM 001078    | VCAM1   | Vascular cell adhesion molecule 1                            |  |
| G08      | Hs.73793  | NM 003376    | VEGFA   | Vascular endothelial growth factor A                         |  |
| G09      | Hs.642813 | NM 003380    | VIM     | Vimentin   |  |
| G10      | Hs.440848 | NM 000552    | VWF     | Von Willebrand factor  |  |
| G11      | Hs.336930 | NM 033131    | WNT3A   | Wingless-type MMTV integration site family, member 3A        |  |
| G12      | Hs.335787 | NM 174900    | ZFP42   | Zinc finger protein 42 homolog (mouse)                       |  |
| H01      | Hs.520640 | NM 001101    | ACTB    | Actin, beta  |  |
| H02      | Hs.534255 | NM 004048    | B2M     | Beta-2-microglobulin   |  |
| H03      | Hs.592355 | NM 002046    | GAPDH   | Glyceraldehyde-3-phosphate dehydrogenase                     |  |
| H04      | Hs.412707 | NM 000194    | HPRT1   | Hypoxanthine phosphoribosyltransferase 1                     |  |
| H05      | Hs.546285 | NM 001002    | RPLPO   | Ribosomal protein, large, P0                                 |  |
| H06      | N/A       | SA 00105     | HGDC    | Human Genomic DNA Contamination                              |  |
| H07      | N/A       | <br>SA 00104 | RTC     | Reverse Transcription Control                                |  |
| H08      | N/A       |              | RTC     | Reverse Transcription Control                                |  |
| H09      | N/A       | SA 00104     | RTC     | Reverse Transcription Control                                |  |
| H10      | N/A       |              | PPC     | Positive PCR Control   |  |
| H11      | N/A       | SA 00103     | PPC     | Positive PCR Control   |  |
| H12      | N/A       | SA 00103     | PPC     | Positive PCR Control   |  |

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

| Product                                    | Contents   | Cat. no. |
|--|--|----------|
| RT <sup>2</sup> First Strand Kit (12)      | Enzymes and reagents for cDNA synthesis  | 330401   |
| RT² SYBR Green ROX™ FAST<br>Mastermix (2)* | For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers | 330620   |

\* Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN<sup>®</sup>, Rotor-Gene<sup>®</sup>, Rotor-Disc<sup>™</sup> (QIAGEN Group); ROX<sup>™</sup> (Applera Corporation or its subsidiaries); SYBR<sup>®</sup> (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

| www.qiagen.com            | <b>Canada =</b> 800-572-9613 | Ireland = 1800 555 049                | Norway = 800-18859          |   |
|---------------------------|------------------------------|---------------------------------------|-----------------------------|---|
|                           | China • 8621-3865-3865       | Italy = 800-787980                    | Singapore = 1800-742-4368   |   |
|                           | <b>Denmark</b> • 80-885945   | Japan = 03-6890-7300                  | <b>Spain</b> ■ 91-630-7050  | $\bullet \bullet \bullet \bullet \bullet \bullet \bullet$ |
| Australia • 1-800-243-800 | Finland • 0800-914416        | Korea (South) = 080-000-7145          | Sweden = 020-790282         |   |
| Austria = 0800/281010     | France = 01-60-920-930       | Luxembourg = 8002 2076                | Switzerland • 055-254-22-11 |   |
| Belgium = 0800-79612      | Germany • 02103-29-12000     | Mexico = 01-800-7742-436              | UK • 01293-422-911          | QIAGEN  |
| Brazil • 0800-557779      | Hong Kong  ■ 800 933 965     | <b>The Netherlands</b> • 0800 0229592 | <b>USA •</b> 800-426-8157   | GIAGEN  |

Sample & Assay Technologies