RT² Profiler PCR Array (Rotor-Gene® Format) Human Lung Cancer

Cat. no. 330231 PAHS-134ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Human Lung Cancer RT² Profiler PCR Array profiles the expression of 84 key genes commonly involved in lung cancer development. Most instances of lung cancer arise from cigarette smoking, but also exposure to other environmental hazards such as passive cigarette smoke, radon gas, asbestos, and viral infection. The major subtype of lung cancer in patients with smoking history, non-small-cell lung carcinoma (NSCLC), includes adenocarcinoma (AC) which derives from peripheral lung tissue and squamous-cell carcinoma (SCC) which derives from central bronchi. While the exact molecular mechanisms behind lung cancer are still under heavy investigation, tumor suppressor gene inhibition and oncogene activation play important roles. The affected tumor suppressors and oncogenes regulate immune response, apoptosis, cell cycle, PI3K/AKT, and cell adhesion pathways. Research directed at these pathways and genes differentially expressed in lung cancer subtypes versus normal tissue may yield insights into the molecular mechanisms behind lung oncogenesis. This array includes genes detected routinely in molecular analysis of lung cancer samples and discovered via high-throughput microarray profiling studies, as well as genes known to have differentially methylated promoters in lung cancer. Lung cancers tend to metastasize; therefore, the array includes genes associated with metastatic potential. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in lung cancer initiation, progression, and metastasis with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.706739	NM_001136	AGER	Advanced glycosylation end product-specific receptor	
A02	Hs.530009	NM_006408	AGR2	Anterior gradient homolog 2 (Xenopus laevis)	
A03	Hs.525622	NM_005163	AKT1	V-akt murine thymoma viral oncogene homolog 1	
A04	Hs.480653	NM_001154	ANXA5	Annexin A5	
A05	Hs.171939	NM_001163	APBA1	Amyloid beta (A4) precursor protein-binding, family A, member 1	
A06	Hs.158932	NM_000038	APC	Adenomatous polyposis coli	
A07	Hs.150749	NM 000633	BCL2	B-cell CLL/lymphoma 2	
A08	Hs.728893	NM 001168	BIRC5	Baculoviral IAP repeat containing 5	
A09	Hs.550061	NM 004333	BRAF	V-raf murine sarcoma viral oncogene homolog B1	
A10	Hs.89485	NM_000717	CA4	Carbonic anhydrase IV	
A11	Hs.370510	NM_014333	CADM1	Cell adhesion molecule 1	
A12	Hs.461086	NM 004360	CDH1	Cadherin 1, type 1, E-cadherin (epithelial)	
B01	Hs.654386	NM 001257	CDH13	Cadherin 13, H-cadherin (heart)	
B02	Hs.106070	NM 000076	CDKN1C	Cyclin-dependent kinase inhibitor 1C (p57, Kip2)	
B03	Hs.512599	NM 000077	CDKN2A	Cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)	
B04	Hs.72901	NM 004936	CDKN2B	Cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)	
B05	Hs.709196	NM 004363	CEACAM5	Carcinoembryonic antigen-related cell adhesion molecule 5	
		_		Carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cros	
B06	Hs.466814	NM_002483	CEACAM6	reacting antigen)	
B07	Hs.241551	NM 006536	CLCA2	Chloride channel accessory 2	
B08	Hs.655324	NM 016369	CLDN18	Claudin 18	
B09	Hs.485489	NM 016929	CLIC5	Chloride intracellular channel 5	
B10	Hs.523446	NM 080629	COL11A1	Collagen, type XI, alpha 1	
B11	Hs.558314	NM 000096	СР	Ceruloplasmin (ferroxidase)	
B12	Hs.2233	NM 000759	CSF3	Colony stimulating factor 3 (granulocyte)	
C01	Hs.522891	NM 000609	CXCL12	Chemokine (C-X-C motif) ligand 12	
C02	Hs.100431	NM 006419	CXCL13	Chemokine (C-X-C motif) ligand 13	
C03	Hs.154654	NM 000104	CYP1B1	Cytochrome P450, family 1, subfamily B, polypeptide 1	
C04	Hs.134296	NM 006094	DLC1	Deleted in liver cancer 1	
C05	Hs.1925	NM 001944	DSG3	Desmoglein 3	
C06	Hs.298654	NM 001946	DUSP6	Dual specificity phosphatase 6	
C07	Hs.488293	NM 005228	EGFR	Epidermal growth factor receptor	
		_		V-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastom	
C08	Hs.446352	NM_004448	ERBB2	derived oncogene homolog (avian)	
C09	Hs.118681	NM 001982	ERBB3	V-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (avian)	
C10	Hs.391561	NM 001442	FABP4	Fatty acid binding protein 4, adipocyte	
C11	Hs.715588	NM 002012	FHIT	Fragile histidine triad gene	
C12	Hs.75819	NM 201591	GPM6A	Glycoprotein M6A	
D01	Hs.40098	NM 013372	GREM1	Gremlin 1	
D02	Hs.396530	NM 000601	HGF		
D02	Hs.72550	NM 012484	HMMR	Hepatocyte growth factor (hepapoietin A; scatter factor)	
D03	Hs.37003	NM 005343	HRAS	Hyaluronan-mediated motility receptor (RHAMM)	
D04	Hs.401013	NM 002460	IRF4	V-Ha-ras Harvey rat sarcoma viral oncogene homolog	
D05	Hs.505033	NM 004985	KRAS	Interferon regulatory factor 4	
D06	Hs.654380	NM 000526	KRT14	V-Ki-ras2 Kirsten rat sarcoma viral oncogene homolog Keratin 14	
D07	Hs.433845	NM 000424	KRT5		
D08	Hs.470627	NM 005356	LCK	Keratin 5	
D10	Hs.149585	NM_005356	LGSN	Lymphocyte-specific protein tyrosine kinase Lengsin, lens protein with glutamine synthetase domain	
D10	Hs.132966	NM 000245	MET		
		_		Met proto-oncogene (hepatocyte growth factor receptor)	
D12	Hs.501522	NM_002412	MGMT	O-6-methylguanine-DNA methyltransferase	
E01	Hs.689823	NM_002417	MKI67	Antigen identified by monoclonal antibody Ki-67	
E02	Hs.195364	NM_000249	MLH1	MutL homolog 1, colon cancer, nonpolyposis type 2 (E. coli)	
E03	Hs.463483	NM_012329	MMD	Monocyte to macrophage differentiation-associated	
E04	Hs.83169	NM_002421	MMP1	Matrix metallopeptidase 1 (interstitial collagenase)	
E05	Hs.1695	NM_002426	MMP12	Matrix metallopeptidase 12 (macrophage elastase)	
E06	Hs.297413	NM_004994	MMP9	Matrix metallopeptidase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)	

Position	UniGene	GenBank	Symbol	Description	
E07	Hs.214142	NM_005957	MTHFR	Methylenetetrahydrofolate reductase (NAD(P)H)	
E08	Hs.113577	NM_000267	NF1	Neurofibromin 1	
E09	Hs.654408	NM_003998	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1	
E10	Hs.705388	NM_003317	NKX2-1	NK2 homeobox 1	
E11	Hs.4817	NM_002545	OPCML	Opioid binding protein/cell adhesion molecule-like	
E12	Hs.654464	NM_016734	PAX5	Paired box 5	
F01	Hs.371823	NM_015866	PRDM2	PR domain containing 2, with ZNF domain	
F02	Hs.196384	NM_000963	PTG\$2	Prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase)	
F03	Hs.476270	NM_007182	RASSF1	Ras association (RalGDS/AF-6) domain family member 1	
F04	Hs.631504	NM 014737	RASSF2	Ras association (RalGDS/AF-6) domain family member 2	
F05	Hs.408528	NM 000321	RB1	Retinoblastoma 1	
F06	Hs.523732	NM 003357	SCGB1A1	Secretoglobin, family 1A, member 1 (uteroglobin)	
F07	Hs.713546	NM_003012	SFRP1	Secreted frizzled-related protein 1	
F08	Hs.509165	NM 001101341	SFTA3	Surfactant associated 3	
F09	Hs.1074	NM 003018	SFTPC	Surfactant protein C	
F10	Hs.648106	NM 015464	SOSTDC1	Sclerostin domain containing 1	
F11	Hs.407856	NM 003122	SPINK1	Serine peptidase inhibitor, Kazal type 1	
F12	Hs.313	NM 000582	SPP1	Secreted phosphoprotein 1	
G01	Hs.46320	NM_005987	SPRR1A	Small proline-rich protein 1A	
G02	Hs.642990	NM_007315	STAT1	Signal transducer and activator of transcription 1, 91kDa	
G03	Hs.530595	NM 005419	STAT2	Signal transducer and activator of transcription 2, 113kDa	
G04	Hs.78061	NM_003206	TCF21	Transcription factor 21	
G05	Hs.492203	NM_198253	TERT	Telomerase reverse transcriptase	
G06	Hs.645227	NM_000660	TGFB1	Transforming growth factor, beta 1	
G07	Hs.241570	NM_000594	TNF	Tumor necrosis factor	
G08	Hs.156346	NM_001067	TOP2A	Topoisomerase (DNA) II alpha 170kDa	
G09	Hs.460789	NM_001080430	TOX3	TOX high mobility group box family member 3	
G10	Hs.654481	NM_000546	TP53	Tumor protein p53	
G11	Hs.73793	NM_003376	VEGFA	Vascular endothelial growth factor A	
G12	Hs.284122	NM_007191	WIF1	WNT inhibitory factor 1	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

