RT² Profiler PCR Array (Rotor-Gene® Format) Human Male Infertility

Cat. no. 330231 PAHS-165ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Human Male Infertility RT² Profiler PCR Array profiles the expression of 84 key gene transcripts detected in spermatozoa. During spermatogenesis, primary sperm cells undergo meiosis, ultimately dividing and forming mature spermatozoa (sperm cells). Each sperm cell contains mRNA transcripts, although sperm are transcriptionally inactive. Initially, these mRNA transcripts were thought to be originally expressed by the primary sperm cells, and therefore a non-biologically relevant by-product of the spermatogenic process. However, recent studies have identified mRNAs differentially detected in the sperm of fertile males relative to infertile males. One hypothesis presumes that the initial stages of fertilization and embryogenesis require sperm-derived mRNAs. For example, epigenetic regulation of imprinted genes occurs during embryogenesis, and sperm-derived mRNAs expressing chromatin modification enzymes and remodeling factors may be necessary to complete this process. Sperm-derived mRNAs are also expressed in the testis. Therefore, the analysis of sperm mRNA, unlike a testicular biopsy, potentially provides a less-invasive method to research infertility in males. This array includes genes differentially detected in the sperm of fertile and infertile males. A set of controls present on each array enables data analysis using the DDCT method of relative quantification, assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in male infertility with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.465720	NM_030924	ACSBG2	Acyl-CoA synthetase bubblegum family member 2	
A02	Hs.320892	NM_018417	ADCY10	Adenylate cyclase 10 (soluble)	
A03	Hs.171189	NM_001621	AHR	Aryl hydrocarbon receptor	
A04	Hs.592245	NM_178813	AKAP14	A kinase (PRKA) anchor protein 14	
A05	Hs.97633	NM 003886	AKAP4	A kinase (PRKA) anchor protein 4	
A06	Hs.112432	NM_000479	AMH	Anti-Mullerian hormone	
A07	Hs.120759	NM 000384	APOB	Apolipoprotein B (including Ag(x) antigen)	
A08	Hs.496240	NM 000044	AR	Androgen receptor	
A09	Hs.169797	NM 197970	BOLL	Bol, boule-like (Drosophila)	
A10	Hs.75243	NM 005104	BRD2	Bromodomain containing 2	
A11	Hs.482520	NM 001726	BRDT	Bromodomain, testis-specific	
A12	Hs.459857	NM 014316	CARHSP1	Calcium regulated heat stable protein 1, 24kDa	
B01	Hs.189105	NM 053054	CATSPER1	Cation channel, sperm associated 1	
B02	Hs.123532	NM 198137	CATSPER4	Cation channel, sperm associated 4	
B03	Hs.23960	NM 031966	CCNB1	Cyclin B1	
B04	Hs.510402	NM 172361	CD46	CD46 molecule, complement regulatory protein	
B05	Hs.442378	NM 001801	CDO1	Cysteine dioxygenase, type I	
B06	Hs.516646	NM 004379	CREB1	CAMP responsive element binding protein 1	
B07	Hs.200250	NM 183011	CREM	CAMP responsive element modulator	
B08	Hs.109620	NM 001131	CRISP1	Cysteine-rich secretory protein 1	
B09	Hs.2042	NM 003296	CRISP2	Cysteine-rich secretory protein 2	
B10	Hs.372286	NM 003590	CUL3	Cullin 3	
B11	Hs.260074	NM 000103	CYP19A1	Cytochrome P450, family 19, subfamily A, polypeptide 1	
B12	Hs.131179	NM 001351	DAZL	Deleted in azoospermia-like	
C01	Hs.420263	NM_013264	DDX25	DEAD (Asp-Glu-Ala-Asp) box polypeptide 25	
C02	Hs.223581	NM 024415	DDX23	DEAD (Asp-Glu-Ala-Asp) box polypeptide 4	
C02	Hs.98586	NM 021951	DMRT1	Doublesex and mab-3 related transcription factor 1	
C04	Hs.518241	NM 153330	DNAJB8	DnaJ (Hsp40) homolog, subfamily B, member 8	
C05	Hs.458308	NM 017833	DNAJC28	DnaJ (Hsp40) homolog, subfamily C, member 28	
C06	Hs.169474	NM 172195	EIF2B4	Eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa	
C07	Hs.467084	NM 003760	EIF4G3	Eukaryotic translation initiation factor 4 gamma, 3	
C08	Hs.104894	NM 022142	ELSPBP1	Epididymal sperm binding protein 1	
C09	Hs.244139	NM 000043	FAS	Fas (TNF receptor superfamily, member 6)	
C10	Hs.520506	NM 012177	FBXO5	F-box protein 5	
C10	Hs.728789	NM 005252	FOS	FBJ murine osteosarcoma viral oncogene homolog	
C12	Hs.21509	NM 000168	GLI3	GLI family zinc finger 3	
D01	Hs.146978	NM 005756	GPR64	G protein-coupled receptor 64	
D01	Hs.76686	NM 000581	GPX1		
D02				Glutathione peroxidase 1	
D03	Hs.88556 Hs.517581	NM_004964 NM_002133	HDAC1 HMOX1	Histone deacetylase 1	
D04	Hs.492925	NM_002133 NM_016371	HSD17B7	Heme oxygenase (decycling) 1	
D05	Hs.158195	NM_016371 NM 004506	HSF2	Hydroxysteroid (17-beta) dehydrogenase 7	
D06			HSPA4L	Heat shock transcription factor 2	
	Hs.135554	NM_014278		Heat shock 70kDa protein 4-like	
D08	Hs.459095	NM_004513	IL16	Interleukin 16	
D09	Hs.127510	NM_152467	KLHL10	Kelch-like 10 (Drosophila)	
D10	Hs.473256	NM_005560	LAMA5	Laminin, alpha 5	
D11	Hs.194236	NM_000230	LEP	Leptin	
D12	Hs.468490	NM_000233	LHCGR	Luteinizing hormone/choriogonadotropin receptor	
E01	Hs.594444	NM_005572	LMNA	Lamin A/C	
E02	Hs.631506	NM_182802	MCM8	Minichromosome maintenance complex component 8	
E03	Hs.591085	NM_004529	MLLT3	Myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 3	
E04	Hs.211914	NM_024407	NDUF\$7	NADH dehydrogenase (ubiquinone) Fe-S protein 7, 20kDa (NADH-coenzyme C reductase)	
E05	Hs.433222	NM 006432	NPC2	Niemann-Pick disease, type C2	
E06	Hs.159274	NM 024410	ODF1	Outer dense fiber of sperm tails 1	
E07	Hs.419640	NM 007262	PARK7	Parkinson protein 7	

Position	UniGene	GenBank	Symbol	Description	
E08	Hs.46884	NM_017573	PCSK4	Proprotein convertase subtilisin/kexin type 4	
E09	Hs.501149	NM_173791	PDZD8	PDZ domain containing 8	
E10	Hs.367727	NM_138733	PGK2	Phosphoglycerate kinase 2	
E11	Hs.405659	NM_004764	PIWIL1	Piwi-like 1 (Drosophila)	
E12	Hs.97542	NM_033123	PLCZ1	Phospholipase C, zeta 1	
F01	Hs.2909	NM_002761	PRM1	Protamine 1	
F02	Hs.2324	NM_002762	PRM2	Protamine 2	
F03	Hs.510334	NM_000624	SERPINA5	Serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 5	
F04	Hs.632282	NM_001152	SLC25A5	Solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5	
F05	Hs.435836	NM_052961	SLC26A8	Solute carrier family 26, member 8	
F06	Hs.298990	NM_003070	SMARCA2	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2	
F07	Hs.443914	NM_000454	SOD1	Superoxide dismutase 1, soluble	
F08	Hs.487046	NM_000636	SOD2	Superoxide dismutase 2, mitochondrial	
F09	Hs.159737	NM_012444	SPO11	SPO11 meiotic protein covalently bound to DSB homolog (S. cerevisiae)	
F10	Hs.519403	NM_032567	SPZ1	Spermatogenic leucine zipper 1	
F11	Hs.443861	NM_003137	SRPK1	SRSF protein kinase 1	
F12	Hs.592283	NM_012447	STAG3	Stromal antigen 3	
G01	Hs.506504	NM_153694	SYCP3	Synaptonemal complex protein 3	
G02	Hs.590872	NM_003194	TBP	TATA box binding protein	
G03	Hs.435371	NM_018679	TCP11	T-complex 11 homolog (mouse)	
G04	Hs.121776	NM_031276	TEX11	Testis expressed 11	
G05	Hs.3017	NM_003284	TNP1	Transition protein 1 (during histone to protamine replacement)	
G06	Hs.351815	NM_033516	TPD52L3	Tumor protein D52-like 3	
G07	Hs.519514	NM_018700	TRIM36	Tripartite motif containing 36	
G08	Hs.120267	NM_182911	TSGA10	Testis specific, 10	
G09	Hs.493739	NM_018449	UBAP2	Ubiquitin associated protein 2	
G10	Hs.518731	NM_004181	UCHL1	Ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)	
G11	Hs.203099	NM_015045	WAPAL	Wings apart-like homolog (Drosophila)	
G12	Hs.656137	NM_007155	ZP3	Zona pellucida glycoprotein 3 (sperm receptor)	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

