

RT² Profiler PCR Array (Rotor-Gene® Format)

Human Retinoic Acid Signaling

Cat. no. 330231 PAHS-180ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human Retinoic Acid Pathway RT² Profiler PCR Array profiles the expression of 84 key genes involved in retinoic acid signaling. Retinoic acid (RA) is the primary functional derivative of vitamin A (retinol) and its activity is implicated in many aspects of vertebrate development and homeostasis, while disruptions in this pathway cause developmental abnormalities and disrupt function in adipose, cardiac, nervous, reproductive, and integumentary tissues, among others. RA acts primarily by binding a family of nuclear receptors (the retinoic acid receptors alpha, beta, and gamma) that then heterodimerize with their partners (the retinoid X receptors alpha, beta, and gamma) and alter transcription. Additionally, recent evidence suggests that an alternative receptor (PPAR delta) also responds to RA signaling in some tissues and that retinol, and RA may also induce non-genomic cellular effects. Thus, the effect of RA depends on the expression of its cognate receptors, enzymes responsible for converting retinol to RA, metabolic enzymes that reduce RA levels, and transport proteins, some of which act as signal transducers that appear to influence the distribution of RA and its metabolic precursors. This array includes genes encoding the known receptors and proteins responsible for synthesis, transport and metabolism of RA and its precursors, as well as downstream targets of RA signaling. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in retinoic acid signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cyclers (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.654433	NM_000667	ADH1A	Alcohol dehydrogenase 1A (class I), alpha polypeptide
A02	Hs.76392	NM_000689	ALDH1A1	Aldehyde dehydrogenase 1 family, member A1
A03	Hs.643455	NM_003888	ALDH1A2	Aldehyde dehydrogenase 1 family, member A2
A04	Hs.459538	NM_000693	ALDH1A3	Aldehyde dehydrogenase 1 family, member A3
A05	Hs.237658	NM_001643	APOA2	Apolipoprotein A-II
A06	Hs.703025	NM_004316	ASCL1	Achaete-scute complex homolog 1 (Drosophila)
A07	Hs.744856	NM_003670	BHLHE40	Basic helix-loop-helix family, member e40
A08	Hs.73853	NM_001200	BMP2	Bone morphogenetic protein 2
A09	Hs.479214	NM_001775	CD38	CD38 molecule
A10	Hs.1545	NM_001804	CDX1	Caudal type homeobox 1
A11	Hs.733236	NM_017780	CHD7	Chromodomain helicase DNA binding protein 7
A12	Hs.346950	NM_004378	CRABP1	Cellular retinoic acid binding protein 1
B01	Hs.405662	NM_001878	CRABP2	Cellular retinoic acid binding protein 2
B02	Hs.154654	NM_000104	CYP1B1	Cytochrome P450, family 1, subfamily B, polypeptide 1
B03	Hs.150595	NM_000783	CYP26A1	Cytochrome P450, family 26, subfamily A, polypeptide 1
B04	Hs.91546	NM_019885	CYP26B1	Cytochrome P450, family 26, subfamily B, polypeptide 1
B05	Hs.369993	NM_183374	CYP26C1	Cytochrome P450, family 26, subfamily C, polypeptide 1
B06	Hs.34780	NM_178153	DCX	Doublecortin
B07	Hs.289347	NM_004753	DHRS3	Dehydrogenase/reductase (SDR family) member 3
B08	Hs.179608	NM_005771	DHRS9	Dehydrogenase/reductase (SDR family) member 9
B09	Hs.99348	NM_005221	DLX5	Distal-less homeobox 5
B10	Hs.144700	NM_004429	EFNB1	Ephrin-B1
B11	Hs.708393	NM_001964	EGR1	Early growth response 1
B12	Hs.2303	NM_000799	EPO	Erythropoietin
C01	Hs.408061	NM_001444	FABP5	Fatty acid binding protein 5 (psoriasis-associated)
C02	Hs.57710	NM_006119	FGF8	Fibroblast growth factor 8 (androgen-induced)
C03	Hs.163484	NM_004496	FOXA1	Forkhead box A1
C04	Hs.741222	NM_005249	FOXP1	Forkhead box G1
C05	Hs.243987	NM_002052	GATA4	GATA binding protein 4
C06	Hs.184945	NM_001485	GBX2	Gastrulation brain homeobox 2
C07	Hs.632702	NM_005269	GLI1	GLI family zinc finger 1
C08	Hs.191144	NM_000458	HNF1B	HNF1 homeobox B
C09	Hs.67397	NM_005522	HOXA1	Homeobox A1
C10	Hs.655218	NM_019102	HOXA5	Homeobox A5
C11	Hs.99992	NM_002144	HOXB1	Homeobox B1
C12	Hs.664706	NM_024015	HOXB4	Homeobox B4
D01	Hs.162795	NM_002153	HSD17B2	Hydroxysteroid (17-beta) dehydrogenase 2
D02	Hs.505	NM_002202	ISL1	ISL LIM homeobox 1
D03	Hs.626544	NM_000214	JAG1	Jagged 1
D04	Hs.376206	NM_004235	KLF4	Kruppel-like factor 4 (gut)
D05	Hs.656214	NM_020997	LEFTY1	Left-right determination factor 1
D06	Hs.443727	NM_005568	LHX1	LIM homeobox 1
D07	Hs.658427	NM_004744	LRAT	Lecithin retinol acyltransferase (phosphatidylcholine--retinol O-acyltransferase)
D08	Hs.169487	NM_005461	MAFB	V-maf musculoaponeurotic fibrosarcoma oncogene homolog B (avian)
D09	Hs.510989	NM_172316	MEIS2	Meis homeobox 2
D10	Hs.89404	NM_002449	MSX2	Msh homeobox 2
D11	Hs.202453	NM_002467	MYC	V-myc myelocytomatosis viral oncogene homolog (avian)
D12	Hs.635882	NM_024865	NANOG	Nanog homeobox
E01	Hs.709709	NM_002500	NEUROD1	Neurogenic differentiation 1
E02	Hs.155017	NM_003489	NRIP1	Nuclear receptor interacting protein 1
E03	Hs.732068	NM_005806	OLIG2	Oligodendrocyte lineage transcription factor 2
E04	Hs.741558	NM_021728	OTX2	Orthodenticle homeobox 2
E05	Hs.611376	NM_000280	PAX6	Paired box 6
E06	Hs.738484	NM_000325	PITX2	Paired-like homeodomain 2
E07	Hs.491582	NM_000930	PLAT	Plasminogen activator, tissue
E08	Hs.592209	NM_005036	PPARA	Peroxisome proliferator-activated receptor alpha
E09	Hs.696032	NM_006238	PPARD	Peroxisome proliferator-activated receptor delta

Position	UniGene	GenBank	Symbol	Description
E10	Hs.162646	NM_015869	PPARG	Peroxisome proliferator-activated receptor gamma
E11	Hs.654583	NM_000964	RARA	Retinoic acid receptor, alpha
E12	Hs.733004	NM_000965	RARB	Retinoic acid receptor, beta
F01	Hs.733399	NM_000966	RARG	Retinoic acid receptor, gamma
F02	Hs.17466	NM_004585	RARRES3	Retinoic acid receptor responder (tazarotene induced) 3
F03	Hs.529571	NM_002899	RBP1	Retinol binding protein 1, cellular
F04	Hs.655516	NM_004164	RBP2	Retinol binding protein 2, cellular
F05	Hs.50223	NM_006744	RBP4	Retinol binding protein 4, plasma
F06	Hs.244940	NM_172037	RDH10	Retinol dehydrogenase 10 (all-trans)
F07	Hs.350321	NM_020630	RET	Ret proto-oncogene
F08	Hs.590886	NM_002957	RXRA	Retinoid X receptor, alpha
F09	Hs.388034	NM_021976	RXRB	Retinoid X receptor, beta
F10	Hs.26550	NM_006917	RXRG	Retinoid X receptor, gamma
F11	Hs.164537	NM_000193	SHH	Sonic hedgehog
F12	Hs.732963	NM_003106	SOX2	SRY (sex determining region Y)-box 2
G01	Hs.647409	NM_000346	SOX9	SRY (sex determining region Y)-box 9
G02	Hs.733635	NM_004176	SREBF1	Sterol regulatory element binding transcription factor 1
G03	Hs.24553	NM_022369	STRA6	Stimulated by retinoic acid gene 6 homolog (mouse)
G04	Hs.592279	NM_182489	STRA8	Stimulated by retinoic acid gene 8 homolog (mouse)
G05	Hs.173984	NM_005992	TBX1	T-box 1
G06	Hs.473152	NM_003222	TFAP2C	Transcription factor AP-2 gamma (activating enhancer binding protein 2 gamma)
G07	Hs.133379	NM_003238	TGFB2	Transforming growth factor, beta 2
G08	Hs.517033	NM_004613	TGM2	Transglutaminase 2 (C polypeptide, protein-glutamine-gamma-glutamyltransferase)
G09	Hs.511743	NM_006086	TUBB3	Tubulin, beta 3
G10	Hs.249211	NM_021833	UCP1	Uncoupling protein 1 (mitochondrial, proton carrier)
G11	Hs.643085	NM_003392	WNT5A	Wingless-type MMTV integration site family, member 5A
G12	Hs.591274	NM_058244	WNT8A	Wingless-type MMTV integration site family, member 8A
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.544577	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies