RT² Profiler PCR Array (Rotor-Gene® Format) Human Cell Death PathwayFinder

Cat. no. 330231 PAHS-212ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Human Cell Death PathwayFinder RT² Profiler PCR Array profiles the expression of 84 key genes important for the central mechanisms of cellular death: apoptosis, autophagy, and necrosis. Apoptosis, or programmed cell death, results in controlled cell shrinkage and fragmentation via the action of caspases, as well as an anti-inflammatory cytokine release. In contrast, necrosis signals via RIPK1 (RIP1), leading to cell swelling, lysis, and a pro-inflammatory cytokine release. Autophagy destroys the cell's damaged proteins and organelles via an intracellular catabolic process in the lysosome. Multiple cellular processes require the removal of specific cells by a controlled cell-death program. For example, tissue remodeling activates apoptosis, whereas energy metabolism and growth regulation responses rely on autophagy. Developmental processes often activate apoptosis, while bodily injuries or infection more commonly induce necrosis. The molecular mechanisms behind these cell death pathways overlap and more than one form of cell death occur simultaneously during some cellular functions. Apoptosis and necrosis both signal through the death domain receptors FAS, TNFRSF1A (TNFR1), and TNFRSF10A (TRAIL-R), while autophagy and apoptosis share BCL2 family members as key players. The results of this array can yield insights into which central cell death mechanism(s) drive normal biological or pathophysiological processes. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in cellular death pathways with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Hs.431048	NM_005157	ABL1	C-abl oncogene 1, non-receptor tyrosine kinase	
A02	Hs.525622	NM 005163	AKT1	V-akt murine thymoma viral oncogene homolog 1	
A03	Hs.728891	NM_001160	APAF1	Apoptotic peptidase activating factor 1	
A04	Hs.434980	NM_000484	APP	Amyloid beta (A4) precursor protein	
A05	Hs.264482	NM_004707	ATG12	ATG12 autophagy related 12 homolog (S. cerevisiae)	
A06	Hs.529322	NM_017974	ATG16L1	ATG16 autophagy related 16-like 1 (S. cerevisiae)	
A07	Hs.477126	NM 022488	ATG3	ATG3 autophagy related 3 homolog (S. cerevisiae)	
A08	Hs.486063	NM 004849	ATG5	ATG5 autophagy related 5 homolog (S. cerevisiae)	
A09	Hs.716466	NM 006395	ATG7	ATG7 autophagy related 7 homolog (S. cerevisiae)	
A10	Hs.249227	NM 130463	ATP6V1G2	ATPase, H+ transporting, lysosomal 13kDa, V1 subunit G2	
A11	Hs.624291	NM 004324	BAX	BCL2-associated X protein	
A12	Hs.150749	NM 000633	BCL2	B-cell CLL/lymphoma 2	
B01	Hs.227817	NM 004049	BCL2A1	BCL2-related protein A1	
B02	Hs.516966	NM 138578	BCL2L1	BCL2-like 1	
B03	Hs.469658	NM 006538	BCL2L11	BCL2-like 11 (apoptosis facilitator)	
B04	Hs.12272	NM 003766	BECN1	Beclin 1, autophagy related	
B05	Hs.696238	NM 001166	BIRC2	Baculoviral IAP repeat containing 2	
B06	Hs.127799	NM 001165	BIRC3	Baculoviral IAP repeat containing 3	
B07	Hs.591104	NM 033503	BMF	Bcl2 modifying factor	
B08	Hs.235095	NM 017891	Clorf159	Chromosome 1 open reading frame 159	
B09	Hs.2490	NM 033292	CASP1	Caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase	
B10	Hs.368982	NM 032982	CASP2	Caspase 2, apoptosis-related cysteine peptidase	
B11	Hs.141125	NM 004346	CASP3	Caspase 3, apoptosis-related cysteine peptidase	
B12	Hs.654616	NM 032992	CASP6	Caspase 6, apoptosis-related cysteine peptidase	
C01	Hs.9216	NM_001227	CASP7	Caspase 7, apoptosis-related cysteine peptidase	
C02	Hs.329502	NM 001227	CASP9	Caspase 7, apoptosis-related cysteine peptidase Caspase 9, apoptosis-related cysteine peptidase	
C02	Hs.514222			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		NM_213607	CCDC103	Coiled-coil domain containing 103	
C04	Hs.472860	NM_001250	CD40	CD40 molecule, TNF receptor superfamily member 5	
C05	Hs.592244	NM_000074	CD40LG	CD40 ligand	
C06	Hs.390736	NM_003879	CFLAR	CASP8 and FADD-like apoptosis regulator	
C07	Hs.351327	NM_017828	COMMD4	COMM domain containing 4	
C08	Hs.520898	NM_001908	CTSB	Cathepsin B	
C09	Hs.181301	NM_004079	CTSS	Cathepsin S	
C10	Hs.578973	NM_015247	CYLD	Cylindromatosis (turban tumor syndrome)	
C11	Hs.32949	NM_005218	DEFB1	Defensin, beta 1	
C12	Hs.654567	NM_005848	DENND4A	DENN/MADD domain containing 4A	
D01	Hs.484782	NM_004401	DFFA	DNA fragmentation factor, 45kDa, alpha polypeptide	
D02	Hs.100058	NM_006426	DPYSL4	Dihydropyrimidinase-like 4	
D03	Hs.158688	NM_015904	EIF5B	Eukaryotic translation initiation factor 5B	
D04	Hs.208124	NM_000125	ESR1	Estrogen receptor 1	
D05	Hs.244139	NM_000043	FAS	Fas (TNF receptor superfamily, member 6)	
D06	Hs.2007	NM_000639	FASLG	Fas ligand (TNF superfamily, member 6)	
D07	Hs.87236	NM_012188	FOXI1	Forkhead box I1	
D08	Hs.1437	NM_000152	GAA	Glucosidase, alpha; acid	
D09	Hs.80409	NM_001924	GADD45A	Growth arrest and DNA-damage-inducible, alpha	
D10	Hs.269027	NM_014568	GALNT5	UDP-N-acetyl-alpha-D-galactosamine:polypeptide	
DIO	115.207027	14/4_014300	GALIVIS	N-acetylgalactosaminyltransferase 5 (GalNAc-T5)	
D11	Hs.444356	NM_002086	GRB2	Growth factor receptor-bound protein 2	
D12	Hs.29169	NM_024610	HSPBAP1	HSPB (heat shock 27kDa) associated protein 1	
E01	Hs.518450	NM_002111	HTT	Huntingtin	
E02	Hs.856	NM_000619	IFNG	Interferon, gamma	
E03	Hs.160562	NM_000618	IGF1	Insulin-like growth factor 1 (somatomedin C)	
E04	Hs.643120	NM 000875	IGF1R	Insulin-like growth factor 1 receptor	
E05	Hs.654579	NM 000207	INS	Insulin	
E06	Hs.519680	NM 001145805	IRGM	Immunity-related GTPase family, M	
E07	Hs.592068	NM 020655	JPH3	Junctophilin 3	
E08	Hs.484111	NM_014592	KCNIP1	Kv channel interacting protein 1	

Position	UniGene	GenBank	Symbol	Description	
E09	Hs.643440	NM_002361	MAG	Myelin associated glycoprotein	
E10	Hs.632273	NM_181509	MAP1LC3A	Microtubule-associated protein 1 light chain 3 alpha	
E11	Hs.138211	NM_002750	MAPK8	Mitogen-activated protein kinase 8	
E12	Hs.632486	NM_021960	MCL1	Myeloid cell leukemia sequence 1 (BCL2-related)	
F01	Hs.654408	NM_003998	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1	
F02	Hs.513667	NM_003946	NOL3	Nucleolar protein 3 (apoptosis repressor with CARD domain)	
F03	Hs.553833	NM_001004467	OR10J3	Olfactory receptor, family 10, subfamily J, member 3	
F04	Hs.177766	NM_001618	PARP1	Poly (ADP-ribose) polymerase 1	
F05	Hs.409412	NM_005484	PARP2	Poly (ADP-ribose) polymerase 2	
F06	Hs.464971	NM_002647	PIK3C3	Phosphoinositide-3-kinase, class 3	
F07	Hs.171844	NM_006505	P∨R	Poliovirus receptor	
F08	Hs.632469	NM_020387	RAB25	RAB25, member RAS oncogene family	
F09	Hs.463642	NM_003161	RPS6KB1	Ribosomal protein S6 kinase, 70kDa, polypeptide 1	
F10	Hs.442337	NM_176823	\$100A7A	S100 calcium binding protein A7A	
F11	Hs.271771	NM_000345	SNCA	Synuclein, alpha (non A4 component of amyloid precursor)	
F12	Hs.48513	NM_006038	SPATA2	Spermatogenesis associated 2	
G01	Hs.437277	NM_003900	SQSTM1	Sequestosome 1	
G02	Hs.202676	NM_014258	SYCP2	Synaptonemal complex protein 2	
G03	Hs.189782	NM_018202	TMEM57	Transmembrane protein 57	
G04	Hs.241570	NM_000594	TNF	Tumor necrosis factor	
G05	Hs.591834	NM_003844	TNFRSF10A	Tumor necrosis factor receptor superfamily, member 10a	
G06	Hs.81791	NM_002546	TNFRSF11B	Tumor necrosis factor receptor superfamily, member 11b	
G07	Hs.279594	NM_001065	TNFRSF1A	Tumor necrosis factor receptor superfamily, member 1A	
G08	Hs.654481	NM_000546	TP53	Tumor protein p53	
G09	Hs.522506	NM_021138	TRAF2	TNF receptor-associated factor 2	
G10	Hs.134406	NM_017853	TXNL4B	Thioredoxin-like 4B	
G11	Hs.47061	NM_003565	ULK1	Unc-51-like kinase 1 (C. elegans)	
G12	Hs.356076	NM_001167	XIAP	X-linked inhibitor of apoptosis	
H01	Hs.520640	NM_001101	ACTB	Actin, beta	
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin	
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1	
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, PO	
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

