

RT² Profiler PCR Array (Rotor-Gene[®] Format)

Human miR-153 Targets

Cat. no. 330231 PAHS-6013ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human miR-153 Targets RT² Profiler PCR Array profiles the expression of 84 hsa-miR-153-3p target genes. This panel of 84 genes includes currently known experimentally verified plus bioinformatically predicted target genes regulated by hsa-miR-153-3p. The target genes would also be predicted to be regulated by any other yet to be discovered miRNAs that would have the same seed sequence as hsa-miR-153-3p. miRNA target gene expression analysis provides further insight into the function of these specific miRNAs. A set of controls present on each array enables data analysis using the $\Delta\Delta$ CT method of relative quantification as well as assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes likely to be regulated by miR-153 with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.270291	NM_004924	ACTN4	Actinin, alpha 4
A02	Hs.709184	NM_001642	APLP2	Amyloid beta (A4) precursor-like protein 2
A03	Hs.286221	NM_001658	ARF1	ADP-ribosylation factor 1
A04	Hs.512908	NM_006628	ARPP19	CAMP-regulated phosphoprotein, 19kDa
A05	Hs.654801	NM_015570	AUTS2	Autism susceptibility candidate 2
A06	Hs.150749	NM_000633	BCL2	B-cell CLL/lymphoma 2
A07	Hs.498890	NM_001164579	C16orf52	Chromosome 16 open reading frame 52
A08	Hs.467868	NM_001040710	C2orf84	Chromosome 2 open reading frame 84
A09	Hs.532296	NM_017998	C9orf40	Chromosome 9 open reading frame 40
A10	Hs.460988	NM_001755	CBFB	Core-binding factor, beta subunit
A11	Hs.233552	NM_003718	CDK13	Cyclin-dependent kinase 13
A12	Hs.309288	NM_006561	CELF2	CUGBP, Elav-like family member 2
B01	Hs.82071	NM_006079	CITED2	Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2
B02	Hs.706617	NM_001839	CNN3	Calponin 3, acidic
B03	Hs.459759	NM_004380	CREBBP	CREB binding protein
B04	Hs.654389	NM_181552	CUX1	Cut-like homeobox 1
B05	Hs.495912	NM_000109	DMD	Dystrophin
B06	Hs.492618	NM_000127	EXT1	Exostosin 1
B07	Hs.534679	NM_001009993	FAM168B	Family with sequence similarity 168, member B
B08	Hs.66762	NM_001010924	FAM171A1	Family with sequence similarity 171, member A1
B09	Hs.461988	NM_018999	FAM190B	Family with sequence similarity 190, member B
B10	Hs.131673	NM_138426	GLCC11	Glucocorticoid induced transcript 1
B11	Hs.144287	NM_012259	HEY2	Hairy/enhancer-of-split related with YRPW motif 2
B12	Hs.712598	NM_002271	IPO5	Importin 5
C01	Hs.432562	NM_006277	ITSN2	Intersectin 2
C02	Hs.728907	NM_000214	JAG1	Jagged 1
C03	Hs.74050	NM_002035	KDSR	3-ketodihydrosphingosine reductase
C04	Hs.152385	NM_019600	KIAA1370	KIAA1370
C05	Hs.525752	NM_015995	KLF13	Kruppel-like factor 13
C06	Hs.508234	NM_001730	KLF5	Kruppel-like factor 5 (intestinal)
C07	Hs.494419	NM_005561	LAMP1	Lysosomal-associated membrane protein 1
C08	Hs.130491	NM_006575	MAP4K5	Mitogen-activated protein kinase kinase kinase kinase 5
C09	Hs.632486	NM_021960	MCL1	Myeloid cell leukemia sequence 1 (BCL2-related)
C10	Hs.529948	NM_014611	MDN1	MDN1, midasin homolog (yeast)
C11	Hs.21160	NM_002395	ME1	Malic enzyme 1, NADP(+)-dependent, cytosolic
C12	Hs.421150	NM_015358	MORC3	MORC family CW-type zinc finger 3
D01	Hs.514941	NM_020963	MOV10	Mov10, Moloney leukemia virus 10, homolog (mouse)
D02	Hs.289795	NM_001584	MPPED2	Metallophosphoesterase domain containing 2
D03	Hs.31016	NM_007358	MTF2	Metal response element binding transcription factor 2
D04	Hs.502116	NM_182964	NAV2	Neuron navigator 2
D05	Hs.696132	NM_033116	NEK9	NIMA (never in mitosis gene a)- related kinase 9
D06	Hs.155396	NM_006164	NFE2L2	Nuclear factor (erythroid-derived 2)-like 2
D07	Hs.31588	NM_002515	NOVA1	Neuro-oncological ventral antigen 1
D08	Hs.187866	NM_017455	NPTN	Neuroplastin
D09	Hs.506325	NM_199040	NUDT4	Nudix (nucleoside diphosphate linked moiety X)-type motif 4
D10	Hs.106795	NM_000912	OPRK1	Opioid receptor, kappa 1
D11	Hs.482038	NM_182789	PAIP1	Poly(A) binding protein interacting protein 1
D12	Hs.591908	NM_001037293	PALM2	Paralemmin 2
E01	Hs.481542	NM_006999	PAPD7	PAP associated domain containing 7
E02	Hs.155644	NM_000278	PAX2	Paired box 2
E03	Hs.368160	NM_003735	PCDHGA12	Protocadherin gamma subfamily A, 12
E04	Hs.368160	NM_018915	PCDHGA2	Protocadherin gamma subfamily A, 2
E05	Hs.368160	NM_018916	PCDHGA3	Protocadherin gamma subfamily A, 3
E06	Hs.591184	NM_003620	PPM1D	Protein phosphatase, Mg2+/Mn2+ dependent, 1D
E07	Hs.435479	NM_020700	PPM1H	Protein phosphatase, Mg2+/Mn2+ dependent, 1H
E08	Hs.498317	NM_016076	PPPDE1	PPPDE peptidase domain containing 1

Position	UniGene	GenBank	Symbol	Description
E09	Hs.371823	NM_015866	PRDM2	PR domain containing 2, with ZNF domain
E10	Hs.436429	NM_002829	PTPN3	Protein tyrosine phosphatase, non-receptor type 3
E11	Hs.664080	NM_002890	RASA1	RAS p21 protein activator (GTPase activating protein) 1
E12	Hs.558528	NM_022118	RBM26	RNA binding motif protein 26
F01	Hs.13305	NM_002942	ROBO2	Roundabout, axon guidance receptor, homolog 2 (Drosophila)
F02	Hs.306307	NM_005406	ROCK1	Rho-associated, coiled-coil containing protein kinase 1
F03	Hs.654809	NM_173630	RTTN	Rotafin
F04	Hs.709373	NM_001036	RYR3	Ryanodine receptor 3
F05	Hs.591569	NM_014755	SERTAD2	SERTA domain containing 2
F06	Hs.613417	NM_013257	SGK3	Serum/glucocorticoid regulated kinase family, member 3
F07	Hs.522087	NM_005866	SIGMAR1	Sigma non-opioid intracellular receptor 1
F08	Hs.483877	NM_181776	SLC36A2	Solute carrier family 36 (proton/amino acid symporter), member 2
F09	Hs.5462	NM_003759	SLC4A4	Solute carrier family 4, sodium bicarbonate cotransporter, member 4
F10	Hs.558422	NM_003601	SMARCA5	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 5
F11	Hs.271771	NM_000345	SNCA	Synuclein, alpha (non A4 component of amyloid precursor)
F12	Hs.438072	NM_025154	SUN1	Sad1 and UNC84 domain containing 1
G01	Hs.517622	NM_015374	SUN2	Sad1 and UNC84 domain containing 2
G02	Hs.670497	NM_032184	SYDE2	Synapse defective 1, Rho GTPase, homolog 2 (C. elegans)
G03	Hs.479403	NM_018317	TBC1D19	TBC1 domain family, member 19
G04	Hs.554594	NM_005648	TCEB1	Transcription elongation factor B (SIII), polypeptide 1 (15kDa, elongin C)
G05	Hs.126575	NM_174937	TCERG1L	Transcription elongation regulator 1-like
G06	Hs.591499	NM_007170	TESK2	Testis-specific kinase 2
G07	Hs.510833	NM_175610	TJP1	Tight junction protein 1 (zona occludens 1)
G08	Hs.522584	NM_021109	TMSB4X	Thymosin beta 4, X-linked
G09	Hs.387856	NM_001145418	TTC28	Tetratricopeptide repeat domain 28
G10	Hs.728774	NM_018299	UBE2W	Ubiquitin-conjugating enzyme E2W (putative)
G11	Hs.473583	NM_004559	YBX1	Y box binding protein 1
G12	Hs.323213	NM_024029	YIPF2	Yip1 domain family, member 2
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779



Sample & Assay Technologies