RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Drug Metabolism

Cat. no. 330231 PAMM-002ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Mouse Drug Metabolism RT² Profiler PCR Array contains 84 genes critical in the metabolism of drugs, toxic chemicals, hormones and micronutrients important to pharmacology, endocrinology and food science. Drug metabolism is also often implicated in many disease states including cancer, intoxification, addiction, and metabolic diseases. The genes encoding enzymes that are important for drug transport (such as metallothioneins and P-glycoproteins), phase I metabolism (specifically the P450 family), and phase II metabolism (such as transferases and hydrolases) are represented on the array. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to drug metabolism with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Mm.207354	NM_011076	Abcb1a	ATP-binding cassette, sub-family B (MDR/TAP), member 1A	
A02	Mm.146649	NM_011075	Abcb1b	ATP-binding cassette, sub-family B (MDR/TAP), member 1B	
A03	Mm.297825	NM_008830	Abcb4	ATP-binding cassette, sub-family B (MDR/TAP), member 4	
A04	Mm.196634	NM_008576	Abcc1	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	
A05	Mm.213898	NM_029638	Abp1	Amiloride binding protein 1 (amine oxidase, copper-containing)	
A06	Mm.2409	NM_007409	Adh1	Alcohol dehydrogenase 1 (class I)	
A07	Mm.158750	NM_011996	Adh4	Alcohol dehydrogenase 4 (class II), pi polypeptide	
A08	Mm.3874	NM_007410	Adh5	Alcohol dehydrogenase 5 (class III), chi polypeptide	
A09	Mm.341377	NM_013464	Ahr	Aryl-hydrocarbon receptor	
A10	Mm.6988	NM_008525	Alad	Aminolevulinate, delta-, dehydratase	
A11	Mm.250866	NM_013467	Aldh1a1	Aldehyde dehydrogenase family 1, subfamily A1	
A12	Mm.12286	NM_007440	Alox12	Arachidonate 12-lipoxygenase	
B01	Mm.4584	NM_009660	Alox15	Arachidonate 15-lipoxygenase	
B02	Mm.41072	NM_009662	Alox5	Arachidonate 5-lipoxygenase	
B03	Mm.305152	NM 009696	Apoe	Apolipoprotein E	
B04	Mm.250265	NM_009709	Arnt	Aryl hydrocarbon receptor nuclear translocator	
B05	Mm.41475	NM 019652	Asna1	ArsA arsenite transporter, ATP-binding, homolog 1 (bacterial)	
B06	Mm.22028	NM 026678	Blvra	Biliverdin reductase A	
B07	Mm.24021	NM 144923	Blvrb	Biliverdin reductase B (flavin reductase (NADPH))	
B08	Mm.22720	NM 021456	Ces1g	Carboxylesterase 1G	
B09	Mm.28191	NM 145603	Ces2c	Carboxylesterase 2C	
B10	Mm.38021	NM 023850	Chst1	Carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	
B11	Mm.100940	NM 007744	Comt	Catechol-O-methyltransferase	
B12	Mm.22560	NM 029787	Cyb5r3	Cytochrome b5 reductase 3	
C01	Mm.377079	NM 009991	Cyp11b2	Cytochrome P450, family 11, subfamily b, polypeptide 2	
C02	Mm.1262	NM 007809	Cyp17a1	Cytochrome P450, family 17, subfamily a, polypeptide 1	
C03	Mm.5199	NM 007810	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1	
C04	Mm.14089	NM 009992	Cyplal	Cytochrome P450, family 1, subfamily a, polypeptide 1	
C05	Mm.15537	NM 009993	Cyp1a2	Cytochrome P450, family 1, subfamily a, polypeptide 2	
C06	Mm.6216	NM 010009	Cyp27b1	Cytochrome P450, family 27, subfamily b, polypeptide 1	
C07	Mm.20764	NM 007815	Cyp2c29	Cytochrome P450, family 2, subfamily c, polypeptide 29	
C08	Mm.21758	NM 021282	Cyp2e1	Cytochrome P450, family 2, subfamily e, polypeptide 1	
C09	Mm.332844	NM 007818	Cyp3a11	Cytochrome P450, family 3, subfamily a, polypeptide 11	
C10	Mm.425301	NM 177380	Cyp3a44	Cytochrome P450, family 3, subfamily a, polypeptide 44	
C11	Mm.1840	NM 007823	Cyp4b1	Cytochrome P450, family 4, subfamily b, polypeptide 1	
C12	Mm.9075	NM 010145	Ephx1	Epoxide hydrolase 1, microsomal	
D01	Mm.15295	NM 007940	Ephx2	Epoxide hydrolase 2, cytoplasmic	
D02	Mm.256025	NM 010173	Faah	Fatty acid amide hydrolase	
D03	Mm.423078	NM 019395	Fbp1	Fructose bisphosphatase 1	
D04	Mm.272120	NM 008077	Gad1	Glutamic acid decarboxylase 1	
D05	Mm.4784	NM 008078	Gad2	Glutamic acid decarboxylase 1 Glutamic acid decarboxylase 2	
D06	Mm.100043	NM 144909	Gckr	Glucokinase regulatory protein	
D07	Mm.4559	NM 008116	Ggt1	Gamma-glutamyltransferase 1	
D08	Mm.589	NM 008155	Gpi1	Glucose phosphate isomerase 1	
D09	Mm.1090	NM 008160	Gpx1	Glutathione peroxidase 1	
D10	Mm.441856	NM 030677	Gpx2	Glutathione peroxidase 2	
D11	Mm.200916	NM 008161	Gpx3	Glutathione peroxidase 3	
D11	Mm.1332	NM 010343	Gpx5	Glutathione peroxidase 5	
E01	Mm.283573	NM 010344	Gsr	Glutathione reductase	
E02	Mm.467426	NM 008181	Gsta1	Glutathione S-transferase, alpha 1 (Ya)	
E02	Mm.394593	NM 010356	Gsta3		
E03	Mm.394593 Mm.2662	NM 010357	Gsta3 Gsta4	Glutathione S-transferase, alpha 3	
E04			Gstm1	Glutathione S-transferase, alpha 4	
E05	Mm.37199 Mm.440086	NM_010358	Gstm1 Gstm2	Glutathione S-transferase, mu 1	
		NM_008183		Glutathione S-transferase, mu 2	
E07	Mm.440885	NM_010359	Gstm3	Glutathione S-transferase, mu 3	
E08	Mm.31203	NM_026764	Gstm4	Glutathione S-transferase, mu 4	
E09	Mm.282351	NM_010360	Gstm5	Glutathione S-transferase, mu 5	

Position	UniGene	GenBank	Symbol	Description	
E10	Mm.299292	NM_013541	Gstp1	Glutathione S-transferase, pi 1	
E11	Mm.2746	NM_008185	Gs#1	Glutathione S-transferase, theta 1	
E12	Mm.29652	NM_010363	Gstz1	Glutathione transferase zeta 1 (maleylacetoacetate isomerase)	
F01	Mm.255848	NM_013820	Hk2	Hexokinase 2	
F02	Mm.188939	NM_010475	Hsd17b1	Hydroxysteroid (17-beta) dehydrogenase 1	
F03	Mm.276466	NM_008290	Hsd17b2	Hydroxysteroid (17-beta) dehydrogenase 2	
F04	Mm.5109	NM_008291	Hsd17b3	Hydroxysteroid (17-beta) dehydrogenase 3	
F05	Mm.41236	NM_080420	Lpo	Lactoperoxidase	
F06	Mm.14796	NM_019946	Mgst1	Microsomal glutathione S-transferase 1	
F07	Mm.24679	NM_174995	Mgst2	Microsomal glutathione S-transferase 2	
F08	Mm.218286	NM_025569	Mgst3	Microsomal glutathione S-transferase 3	
F09	Mm.4668	NM_010824	Мро	Myeloperoxidase	
F10	Mm.147226	NM_008630	Mt2	Metallothionein 2	
F11	Mm.2064	NM_013603	Mt3	Metallothionein 3	
F12	Mm.89959	NM_010840	Mthfr	5,10-methylenetetrahydrofolate reductase	
G01	Mm.14125	NM_008673	Nat1	N-acetyl transferase 1	
G02	Mm.4695	NM_010874	Nat2	N-acetyltransferase 2 (arylamine N-acetyltransferase)	
G03	Mm.258415	NM_008713	Nos3	Nitric oxide synthase 3, endothelial cell	
G04	Mm.252	NM_008706	Nqo1	NAD(P)H dehydrogenase, quinone 1	
G05	Mm.383180	NM_013631	Pklr	Pyruvate kinase liver and red blood cell	
G06	Mm.326167	NM_011099	Pkm2	Pyruvate kinase, muscle	
G07	Mm.237657	NM_011134	Pon1	Paraoxonase 1	
G08	Mm.126984	NM_183308	Pon2	Paraoxonase 2	
G09	Mm.9122	NM_173006	Pon3	Paraoxonase 3	
G10	Mm.325800	NM_009223	Snn	Stannin	
G11	Mm.451912	NM_175283	Srd5a1	Steroid 5 alpha-reductase 1	
G12	Mm.38933	NM_053188	Srd5a2	Steroid 5 alpha-reductase 2	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT2 Profiler PCR Arrays should be used together with the RT2 First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.giagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

Canada • 800-572-9613 www.aiaaen.com China • 8621-3865-3865 Denmark ■ 80-885945 Australia • 1-800-243-800 Finland • 0800-914416 France • 01-60-920-930 Austria = 0800/281010 **Belgium** • 0800-79612 Germany ■ 02103-29-12000 Brazil • 0800-557779 Hong Kong • 800 933 965

Ireland = 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico = 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway ■ 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland • 055-254-22-11 UK • 01293-422-911

