

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse DNA Damage Signaling Pathway

Cat. no. 330231 PAMM-029ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse DNA Damage Signaling RT² Profiler PCR Array profiles the expression of 84 genes involved in DNA damage signaling pathways. The genes featured are those associated with the ATR/ATM signaling network and transcriptional targets of DNA damage response. DNA damage can result in cell cycle arrest, apoptosis, and the stabilization and repair of the cellular genome. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to DNA Damage Signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.1318	NM_009594	Abl1	C-abl oncogene 1, non-receptor tyrosine kinase
A02	Mm.203	NM_009687	Apex1	Apurinic/apyrimidinic endonuclease 1
A03	Mm.5088	NM_007499	Atm	Ataxia telangiectasia mutated homolog (human)
A04	Mm.212462	NM_019864	Atr	Ataxia telangiectasia and rad3 related
A05	Mm.10141	NM_009530	Atrx	Alpha thalassemia/mental retardation syndrome X-linked homolog (human)
A06	Mm.19904	NM_007527	Bax	Bcl2-associated X protein
A07	Mm.12932	NM_007550	Blm	Bloom syndrome, RecQ helicase-like
A08	Mm.244975	NM_009764	Brcal	Breast cancer 1
A09	Mm.236256	NM_009765	Brcal2	Breast cancer 2
A10	Mm.186143	NM_178309	Brip1	BRCA1 interacting protein C-terminal helicase 1
A11	Mm.307103	NM_007658	Cdc25a	Cell division cycle 25 homolog A (S. pombe)
A12	Mm.286602	NM_009860	Cdc25c	Cell division cycle 25 homolog C (S. pombe)
B01	Mm.195663	NM_007669	Cdkn1a	Cyclin-dependent kinase inhibitor 1A (P21)
B02	Mm.16753	NM_007691	Chek1	Checkpoint kinase 1 homolog (S. pombe)
B03	Mm.279308	NM_016681	Chek2	CHK2 checkpoint homolog (S. pombe)
B04	Mm.2805	NM_018831	Dclre1a	DNA cross-link repair 1A, P502 homolog (S. cerevisiae)
B05	Mm.389334	NM_028119	Ddb2	Damage specific DNA binding protein 2
B06	Mm.110220	NM_007837	Ddit3	DNA-damage inducible transcript 3
B07	Mm.280913	NM_007948	Ercc1	Excision repair cross-complementing rodent repair deficiency, complementation group 1
B08	Mm.36524	NM_007949	Ercc2	Excision repair cross-complementing rodent repair deficiency, complementation group 2
B09	Mm.283046	NM_012012	Exo1	Exonuclease 1
B10	Mm.6536	NM_016925	Fanca	Fanconi anemia, complementation group A
B11	Mm.126106	NM_007985	Fancc	Fanconi anemia, complementation group C
B12	Mm.160061	NM_001033244	Fancd2	Fanconi anemia, complementation group D2
C01	Mm.23122	NM_053081	Fancg	Fanconi anemia, complementation group G
C02	Mm.2952	NM_007999	Fen1	Flap structure specific endonuclease 1
C03	Mm.72235	NM_007836	Gadd45a	Growth arrest and DNA-damage-inducible 45 alpha
C04	Mm.281298	NM_011817	Gadd45g	Growth arrest and DNA-damage-inducible 45 gamma
C05	Mm.245931	NM_010436	H2afx	H2A histone family, member X
C06	Mm.42201	NM_008316	Hus1	Hus1 homolog (S. pombe)
C07	Mm.288179	NM_010715	Lig1	Ligase I, DNA, ATP-dependent
C08	Mm.259308	NM_010774	Mbd4	Methyl-CpG binding domain protein 4
C09	Mm.235296	NM_173189	Mcp1	Microcephaly, primary autosomal recessive 1
C10	Mm.218511	NM_001010833	Mdc1	Mediator of DNA damage checkpoint 1
C11	Mm.440219	NM_008598	Mgmt	O-6-methylguanine-DNA methyltransferase
C12	Mm.2326	NM_010798	Mif	Macrophage migration inhibitory factor
D01	Mm.196006	NM_026810	Mlh1	MutL homolog 1 (E. coli)
D02	Mm.311981	NM_175337	Mlh3	MutL homolog 3 (E. coli)
D03	Mm.263161	NM_010822	Mpg	N-methylpurine-DNA glycosylase
D04	Mm.149071	NM_018736	Mre11a	Meiotic recombination 11 homolog A (S. cerevisiae)
D05	Mm.4619	NM_008628	Msh2	MutS homolog 2 (E. coli)
D06	Mm.343101	NM_010829	Msh3	MutS homolog 3 (E. coli)
D07	Mm.20866	NM_013752	Nbn	Nibrin
D08	Mm.148315	NM_008743	Nthl1	Nth (endonuclease III)-like 1 (E.coli)
D09	Mm.43612	NM_010957	Ogg1	8-oxoguanine DNA-glycosylase 1
D10	Mm.277779	NM_007415	Parp1	Poly (ADP-ribose) polymerase family, member 1
D11	Mm.281482	NM_009632	Parp2	Poly (ADP-ribose) polymerase family, member 2
D12	Mm.7141	NM_011045	Pcna	Proliferating cell nuclear antigen
E01	Mm.2950	NM_008886	Pms2	Postmeiotic segregation increased 2 (S. cerevisiae)
E02	Mm.35061	NM_011132	Pole	Polymerase (DNA directed), epsilon
E03	Mm.311585	NM_030715	Polh	Polymerase (DNA directed), eta (RAD 30 related)
E04	Mm.244352	NM_011972	Poli	Polymerase (DNA directed), iota
E05	Mm.45609	NM_016910	Ppm1d	Protein phosphatase 1D magnesium-dependent, delta isoform
E06	Mm.4048	NM_008654	Ppp1r15a	Protein phosphatase 1, regulatory (inhibitor) subunit 15A
E07	Mm.71	NM_011159	Prkdc	Protein kinase, DNA activated, catalytic polypeptide

Position	UniGene	GenBank	Symbol	Description
E08	Mm.6856	NM_013917	Pitg1	Pituitary tumor-transforming gene 1
E09	Mm.38376	NM_011232	Rad1	RAD1 homolog (S. pombe)
E10	Mm.248489	NM_011233	Rad17	RAD17 homolog (S. pombe)
E11	Mm.103812	NM_021385	Rad18	RAD18 homolog (S. cerevisiae)
E12	Mm.182628	NM_009009	Rad21	RAD21 homolog (S. pombe)
F01	Mm.4888	NM_009012	Rad50	RAD50 homolog (S. cerevisiae)
F02	Mm.471596	NM_011234	Rad51	RAD51 homolog (S. cerevisiae)
F03	Mm.37376	NM_053269	Rad51c	Rad51 homolog c (S. cerevisiae)
F04	Mm.341756	NM_009014	Rad51l1	RAD51-like 1 (S. cerevisiae)
F05	Mm.149	NM_011236	Rad52	RAD52 homolog (S. cerevisiae)
F06	Mm.277629	NM_011237	Rad9	RAD9 homolog (S. pombe)
F07	Mm.259294	NM_019570	Rev1	REV1 homolog (S. cerevisiae)
F08	Mm.305994	NM_021419	Rnf8	Ring finger protein 8
F09	Mm.180734	NM_026653	Rpa1	Replication protein A1
F10	Mm.482095	NM_019710	Smc1a	Structural maintenance of chromosomes 1A
F11	Mm.14910	NM_007790	Smc3	Structural maintenance of chromosomes 3
F12	Mm.362118	NM_009460	Sumo1	SMT3 suppressor of mif two 3 homolog 1 (yeast)
G01	Mm.4306	NM_009352	Terf1	Telomeric repeat binding factor 1
G02	Mm.259893	NM_176979	Topbp1	Topoisomerase (DNA) II binding protein 1
G03	Mm.222	NM_011640	Trp53	Transformation related protein 53
G04	Mm.215389	NM_013735	Trp53bp1	Transformation related protein 53 binding protein 1
G05	Mm.1393	NM_011677	Ung	Uracil DNA glycosylase
G06	Mm.228805	NM_011721	Wtn	Werner syndrome homolog (human)
G07	Mm.247036	NM_011728	Xpa	Xeroderma pigmentosum, complementation group A
G08	Mm.2806	NM_009531	Xpc	Xeroderma pigmentosum, complementation group C
G09	Mm.4347	NM_009532	Xrcc1	X-ray repair complementing defective repair in Chinese hamster cells 1
G10	Mm.143767	NM_020570	Xrcc2	X-ray repair complementing defective repair in Chinese hamster cells 2
G11	Mm.19082	NM_028875	Xrcc3	X-ray repair complementing defective repair in Chinese hamster cells 3
G12	Mm.288809	NM_010247	Xrcc6	X-ray repair complementing defective repair in Chinese hamster cells 6
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies