RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Cancer PathwayFinder

Cat. no. 330231 PAMM-033ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Mouse Cancer PathwayFinder RT2 Profiler PCR Array profiles the expression of 84 genes representative of 9 different biological pathways involved in transformation and tumorigenesis. During oncogenesis, gene mutations and related expression changes accumulate in pathways regulating specific aspects of cell growth. Biological pathways that, when deregulated, allow cells to grow and divide unchecked include apoptosis (or programmed cell death), cell cycle, DNA damage repair, cellular senescence, and telomere maintenance. Recent studies indicate that changes in metabolism also occur as tumors grow, due in part to altered gene expression. Angiogenesis, another commonly affected pathway, allows further tumor growth via vascularization and oxygenation when stimulated by tumor cell hypoxia signaling. Epithelial-to-mesenchymal transition (EMT) permits tumors to invade surrounding tissue and metastasize. Many genes mediate and control each of these pathways, and changes in the expression of any of those genes can deregulate its pathway. Thus, the combination of affected genes in any given cancer or tumor can be distinctive. Understanding the molecular mechanisms behind specific cancers and researching diagnostic and prognostic biomarkers requires analyses of not just one of these pathways in isolation, but of all the pathways together. This array includes target genes for these 9 important cancer-related pathways, and its results can suggest pathways that are potentially activated or inhibited in tumor cell samples for further follow-up studies. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes related to oncogenesis with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.282039	NM 134037	Acly	ATP citrate lyase
A02	Mm.391337	NM 019477	Acsl4	Acyl-CoA synthetase long-chain family member 4
A03	Mm.1408	NM_009627	Adm	Adrenomedullin
A04	Mm.309336	NM 009640	Angpt1	Angiopoietin 1
A05	Mm.439874	NM 007426	Angpt2	Angiopoietin 2
A06	Mm.220289	NM 009684	Apaf1	Apoptotic peptidase activating factor 1
A07	Mm.250265	NM 009709	Arnt	Aryl hydrocarbon receptor nuclear translocator
A08	Mm.276137	NM 007505	Atp5a1	ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit 1
A09	Mm.10141	NM 009530	Atrx	Alpha thalassemia/mental retardation syndrome X-linked homolog (human)
A10	Mm.249363	NM 011497	Aurka	Aurora kinase A
A11	Mm.141083	NM 009754	Bcl2l11	BCL2-like 11 (apoptosis facilitator)
A12	Mm.2026	NM 007464	Birc3	Baculoviral IAP repeat-containing 3
B01	Mm.289584	NM 007552	Bmi1	Bmi1 polycomb ring finger oncogene
B02	Mm.283682	NM 139305	Car9	Carbonic anhydrase 9
B03	Mm.3921	NM 007610	Casp2	Caspase 2
B03	Mm.35687	NM 007611	Casp2	Caspase 7
B05	Mm.88829	NM 015733	Casp7	Caspase 9
B05	Mm.290320	NM 011333	Cdsp9	
B07	Mm.290320 Mm.333406	NM_011333 NM_009829	Ccnd2	Chemokine (C-C motif) ligand 2 Cyclin D2
				,
B08	Mm.246520	NM_007632	Ccnd3	Cyclin D3
B09	Mm.289747	NM_023223	Cdc20	Cell division cycle 20 homolog (S. cerevisiae)
B10	Mm.257437	NM_007664	Cdh2	Cadherin 2
B11	Mm.336848	NM_009805	Cflar	CASP8 and FADD-like apoptosis regulator
B12	Mm.273403	NM_007747	Cox5a	Cytochrome c oxidase, subunit Va
C01	Mm.307620	NM_009949	Cpt2	Carnitine palmitoyltransferase 2
C02	Mm.389334	NM_028119	Ddb2	Damage specific DNA binding protein 2
C03	Mm.291062	NM_001030307	Dkc1	Dyskeratosis congenita 1, dyskerin homolog (human)
C04	Mm.355327	NM_023842	Dsp	Desmoplakin
C05	Mm.34554	NM_148952	E2f4	E2F transcription factor 4
C06	Mm.349116	NM_007942	Еро	Erythropoietin
C07	Mm.282335	NM_133658	Ercc3	Excision repair cross-complementing rodent repair deficiency, complementation group 3
C08	Mm.2213	NM_011729	Ercc5	Excision repair cross-complementing rodent repair deficiency, complementation group 5
C09	Mm.290207	NM 011809	Ets2	E26 avian leukemia oncogene 2, 3' domain
C10	Mm.3355	NM 010177	Fasl	Fas ligand (TNF superfamily, member 6)
C11	Mm.473689	NM 008006	Fgf2	Fibroblast growth factor 2
C12	Mm.389712	NM 010228	Flt1	FMS-like tyrosine kinase 1
D01	Mm.14092	NM 013519	Foxc2	Forkhead box C2
D02	Mm.27210	NM 008062	G6pdx	Glucose-6-phosphate dehydrogenase X-linked
D03	Mm.281298	NM 011817	Gadd45g	Growth arrest and DNA-damage-inducible 45 gamma
D04	Mm.3711	NM 010274	Gpd2	Glycerol phosphate dehydrogenase 2, mitochondrial
D05	Mm.129	NM 010351	Gsc	Goosecoid homeobox
D06	Mm.276389	NM 010442	Hmox1	Heme oxygenase (decycling) 1
D07	Mm.29254	NM 008343	Igfbp3	Insulin-like growth factor binding protein 3
D08	Mm.405761	NM 010518	lgfbp5	Insulin-like growth factor binding protein 5
D09	Mm,233470	NM 008048	Igfbp7	Insulin-like growth factor binding protein 7
D10	Mm.25709	NM 011919	Ing1	Inhibitor of growth family, member 1
D11	Mm.285	NM 010612	Kdr	Kinase insert domain protein receptor
D12	Mm.439898	NM 016958	Krt14	Keratin 14
E01	Mm.29324	NM 010699	Ldha	Lactate dehydrogenase A
E02	Mm.80584	NM 176953	Lig4	Ligase IV, DNA, ATP-dependent
E03	Mm.1514	NM 008509	Lig4 Lpl	Ligase IV, DINA, ATT-aependeni Lipoprotein lipase
E03	Mm.1314 Mm.248907	NM 008927	ьрі Мар2k1	Mitogen-activated protein kinase kinase 1
E05	Mm.18494			,
E06	Mm.18494 Mm.16711	NM_008928 NM_008564	Map2k3 Mcm2	Mitogen-activated protein kinase kinase 3
E06				Minichromosome maintenance deficient 2 mitotin (S. cerevisiae)
EU/	Mm.4078	NM_001081117	Mki67	Antigen identified by monoclonal antibody Ki 67

Position	UniGene	GenBank	Symbol	Description	
E08	Mm.475715	NM_030152	Nol3	Nucleolar protein 3 (apoptosis repressor with CARD domain)	
E09	Mm.4807	NM_008756	Ocln	Occludin	
E10	Mm.269649	NM_008826	Pfkl	Phosphofructokinase, liver, B-type	
E11	Mm.4809	NM_008827	Pgf	Placental growth factor	
E12	Mm.379214	NM_028228	Pinx1	PIN2/TERF1 interacting, telomerase inhibitor 1	
F01	Mm.4048	NM_008654	Ppp1r15a	Protein phosphatase 1, regulatory (inhibitor) subunit 15A	
F02	Mm.271870	NM_011111	Serpinb2	Serine (or cysteine) peptidase inhibitor, clade B, member 2	
F03	Mm.2044	NM_011340	Serpinf1	Serine (or cysteine) peptidase inhibitor, clade F, member 1	
F04	Mm.351459	NM_019812	Sirt1	Sirtuin 1 (silent mating type information regulation 2, homolog) 1 (S. cerevisiae)	
F05	Mm.272443	NM_022432	Sirt2	Sirtuin 2 (silent mating type information regulation 2, homolog) 2 (S. cerevisiae)	
F06	Mm.35584	NM_013787	Skp2	S-phase kinase-associated protein 2 (p45)	
F07	Mm.21002	NM_011400	Slc2a1	Solute carrier family 2 (facilitated glucose transporter), member 1	
F08	Mm.2093	NM_011427	Snai1	Snail homolog 1 (Drosophila)	
F09	Mm.4272	NM_011415	Snai2	Snail homolog 2 (Drosophila)	
F10	Mm.103673	NM_013914	Snai3	Snail homolog 3 (Drosophila)	
F11	Mm.276739	NM_011437	Sox10	SRY-box containing gene 10	
F12	Mm.378957	NM_019641	Stmn1	Stathmin 1	
G01	Mm.287052	NM_009324	Tbx2	T-box 2	
G02	Mm.14313	NM_013690	Tek	Endothelial-specific receptor tyrosine kinase	
G03	Mm.318736	NM_009351	Tep1	Telomerase associated protein 1	
G04	Mm.213064	NM_020584	Terf2ip	Telomeric repeat binding factor 2, interacting protein	
G05	Mm.29346	NM_145705	Tinf2	Terf1 (TRF1)-interacting nuclear factor 2	
G06	Mm.88364	NM_175091	Tnks	Tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase	
G07	Mm.249310	NM_001163635	Tnks2	Tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase 2	
G08	Mm.181933	NM_025710	Uqcrfs1	Ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1	
G09	Mm.1402	NM_009506	Vegfc	Vascular endothelial growth factor C	
G10	Mm.287173	NM_009516	Wee1	WEE 1 homolog 1 (S. pombe)	
G11	Mm.259879	NM_009688	Xiap	X-linked inhibitor of apoptosis	
G12	Mm.37531	NM_028012	Xrcc4	X-ray repair complementing defective repair in Chinese hamster cells 4	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

