

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse WNT Signaling Pathway

Cat. no. 330231 PAMM-043ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse WNT Signaling Pathway RT² Profiler PCR Array profiles the expression of 84 genes related to WNT-mediated signal transduction. The WNT family of secreted growth factors regulates the developmental processes of cell fate and polarity, as well as general cell maintenance processes such as homeostasis and cell cycle regulation. There are 19 WNT ligands in Mouses, which bind to the Frizzled (FZD) family of receptors and the co-receptors LRP5 and LRP6. WNT signaling comprises three pathways: the canonical pathway and two non-canonical pathways, planar cell polarity (PCP) and a calcium ion-dependent pathway. The well-studied canonical WNT pathway signals through β -catenin and regulates the cell cycle, cell growth, and proliferation. The PCP pathway regulates cytoskeletal dynamics and cell motility, and the WNT/calcium pathway promotes NFAT transcription, both independently of β -catenin signaling. This array contains WNT signaling ligands and receptors as well as other downstream signaling molecules for all three pathways. In addition, regulators of WNT signaling are included as well as downstream target genes. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to WNT-mediated signal transduction with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.180013	NM_010347	Aes	Amino-terminal enhancer of split
A02	Mm.384171	NM_007462	Apc	Adenomatosis polyposis coli
A03	Mm.23684	NM_009733	Axin1	Axin 1
A04	Mm.71710	NM_015732	Axin2	Axin2
A05	Mm.226175	NM_029933	Bcl9	B-cell CLL/lymphoma 9
A06	Mm.119717	NM_009771	Btrc	Beta-transducin repeat containing protein
A07	Mm.273049	NM_007631	Ccnd1	Cyclin D1
A08	Mm.333406	NM_009829	Ccnd2	Cyclin D2
A09	Mm.26908	NM_146087	Csnk1a1	Casein kinase 1, alpha 1
A10	Mm.23692	NM_007788	Csnk2a1	Casein kinase 2, alpha 1 polypeptide
A11	Mm.7286	NM_013502	Ctbp1	C-terminal binding protein 1
A12	Mm.291928	NM_007614	Ctnnb1	Catenin (cadherin associated protein), beta 1
B01	Mm.299735	NM_023465	Ctnnbip1	Catenin beta interacting protein 1
B02	Mm.474935	NM_172464	Daam1	Dishevelled associated activator of morphogenesis 1
B03	Mm.240830	NM_023118	Dab2	Disabled homolog 2 (Drosophila)
B04	Mm.82598	NM_178118	Dixdc1	DIX domain containing 1
B05	Mm.214717	NM_010051	Dkk1	Dickkopf homolog 1 (Xenopus laevis)
B06	Mm.55143	NM_015814	Dkk3	Dickkopf homolog 3 (Xenopus laevis)
B07	Mm.3400	NM_010091	Dvl1	Dishevelled, dsh homolog 1 (Drosophila)
B08	Mm.5114	NM_007888	Dvl2	Dishevelled 2, dsh homolog (Drosophila)
B09	Mm.258397	NM_177821	Ep300	E1A binding protein p300
B10	Mm.28017	NM_134015	Fbxw11	F-box and WD-40 domain protein 11
B11	Mm.254739	NM_013907	Fbxw4	F-box and WD-40 domain protein 4
B12	Mm.4956	NM_010202	Fgf4	Fibroblast growth factor 4
C01	Mm.6215	NM_010235	Fosl1	Fos-like antigen 1
C02	Mm.4496	NM_008238	Foxn1	Forkhead box N1
C03	Mm.4573	NM_008043	Frat1	Frequently rearranged in advanced T-cell lymphomas
C04	Mm.427436	NM_011356	Frzb	Frizzled-related protein
C05	Mm.246003	NM_021457	Fzd1	Frizzled homolog 1 (Drosophila)
C06	Mm.36416	NM_020510	Fzd2	Frizzled homolog 2 (Drosophila)
C07	Mm.214687	NM_021458	Fzd3	Frizzled homolog 3 (Drosophila)
C08	Mm.86755	NM_008055	Fzd4	Frizzled homolog 4 (Drosophila)
C09	Mm.150813	NM_022721	Fzd5	Frizzled homolog 5 (Drosophila)
C10	Mm.4769	NM_008056	Fzd6	Frizzled homolog 6 (Drosophila)
C11	Mm.297906	NM_008057	Fzd7	Frizzled homolog 7 (Drosophila)
C12	Mm.184289	NM_008058	Fzd8	Frizzled homolog 8 (Drosophila)
D01	Mm.6256	NM_010246	Fzd9	Frizzled homolog 9 (Drosophila)
D02	Mm.394930	NM_019827	Gsk3b	Glycogen synthase kinase 3 beta
D03	Mm.275071	NM_010591	Jun	Jun oncogene
D04	Mm.209989	NM_032396	Kremen1	Kringle containing transmembrane protein 1
D05	Mm.255219	NM_010703	Lef1	Lymphoid enhancer binding factor 1
D06	Mm.274581	NM_008513	Lrp5	Low density lipoprotein receptor-related protein 5
D07	Mm.321990	NM_008514	Lrp6	Low density lipoprotein receptor-related protein 6
D08	Mm.21495	NM_016700	Mapk8	Mitogen-activated protein kinase 8
D09	Mm.4825	NM_010810	Mmp7	Matrix metalloproteinase 7
D10	Mm.2444	NM_010849	Myc	Myelocytomatosis oncogene
D11	Mm.329560	NM_016791	Nfatc1	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 1
D12	Mm.30219	NM_027280	Nkd1	Naked cuticle 1 homolog (Drosophila)
E01	Mm.9001	NM_008702	Nlk	Nemo like kinase
E02	Mm.246804	NM_011098	Pitx2	Paired-like homeodomain transcription factor 2
E03	Mm.443425	NM_023638	Porcn	Porcupine homolog (Drosophila)
E04	Mm.328914	NM_011145	Ppard	Peroxisome proliferator activator receptor delta
E05	Mm.150314	NM_001033217	Prickle1	Prickle homolog 1 (Drosophila)
E06	Mm.273605	NM_028116	Pygo1	Pygopus 1
E07	Mm.757	NM_016802	Rhoa	Ras homolog gene family, member A
E08	Mm.168257	NM_133955	Rhou	Ras homolog gene family, member U
E09	Mm.42195	NM_019685	Ruvbl1	RuvB-like protein 1

Position	UniGene	GenBank	Symbol	Description
E10	Mm.281691	NM_013834	Sfrp1	Secreted frizzled-related protein 1
E11	Mm.19155	NM_009144	Sfrp2	Secreted frizzled-related protein 2
E12	Mm.42095	NM_016687	Sfrp4	Secreted frizzled-related protein 4
F01	Mm.279103	NM_011441	Sox17	SRY-box containing gene 17
F02	Mm.31630	NM_009331	Tcf7	Transcription factor 7, T-cell specific
F03	Mm.440067	NM_009332	Tcf7l1	Transcription factor 7-like 1 (T-cell specific, HMG box)
F04	Mm.278444	NM_011599	Tle1	Transducin-like enhancer of split 1, homolog of Drosophila E(spl)
F05	Mm.36148	NM_033509	Vangl2	Vang-like 2 (van gogh, Drosophila)
F06	Mm.32831	NM_011915	Wif1	Wnt inhibitory factor 1
F07	Mm.10222	NM_018865	Wisp1	WNT1 inducible signaling pathway protein 1
F08	Mm.1123	NM_021279	Wnt1	Wingless-related MMTV integration site 1
F09	Mm.5130	NM_009518	Wnt10a	Wingless related MMTV integration site 10a
F10	Mm.22182	NM_009519	Wnt11	Wingless-related MMTV integration site 11
F11	Mm.137403	NM_053116	Wnt16	Wingless-related MMTV integration site 16
F12	Mm.33653	NM_023653	Wnt2	Wingless-related MMTV integration site 2
G01	Mm.10740	NM_009520	Wnt2b	Wingless related MMTV integration site 2b
G02	Mm.159091	NM_009521	Wnt3	Wingless-related MMTV integration site 3
G03	Mm.1367	NM_009522	Wnt3a	Wingless-related MMTV integration site 3A
G04	Mm.20355	NM_009523	Wnt4	Wingless-related MMTV integration site 4
G05	Mm.287544	NM_009524	Wnt5a	Wingless-related MMTV integration site 5A
G06	Mm.321818	NM_009525	Wnt5b	Wingless-related MMTV integration site 5B
G07	Mm.268282	NM_009526	Wnt6	Wingless-related MMTV integration site 6
G08	Mm.56964	NM_009527	Wnt7a	Wingless-related MMTV integration site 7A
G09	Mm.306946	NM_009528	Wnt7b	Wingless-related MMTV integration site 7B
G10	Mm.558	NM_009290	Wnt8a	Wingless-related MMTV integration site 8A
G11	Mm.88365	NM_011720	Wnt8b	Wingless related MMTV integration site 8b
G12	Mm.218794	NM_139298	Wnt9a	Wingless-type MMTV integration site 9A
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies