

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse Nitric Oxide Signaling Pathway

Cat. no. 330231 PAMM-062ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse Nitric Oxide Signaling Pathway RT² Profiler PCR Array profiles the expression of 84 genes whose expression is controlled by or involved in signaling by the second messenger nitric oxide (NO). Nitric oxide is a dynamic and bioreactive molecule that can both participate in and inhibit the genesis of disease. Its ability to have an impact on a wide range of physiological events stems from its capacity to reversibly alter the expression of specific genes and the activities of a wide range of proteins and signaling pathways. This array contains genes involved in nitric oxide biosynthesis, superoxide metabolism and genes involved in response to oxidative stress. Also included are genes induced by or repressed by NO, which can be used as indicator for the activation of NO pathway in your cell system. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to the Nitric Oxide signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.18651	NM_013930	Aass	Aminoadipate-semialdehyde synthase
A02	Mm.272078	NM_028717	Als2	Amyotrophic lateral sclerosis 2 (juvenile) homolog (human)
A03	Mm.305152	NM_009696	Apoe	Apolipoprotein E
A04	Mm.19904	NM_007527	Bax	Bcl2-associated X protein
A05	Mm.238213	NM_009743	Bcl2l1	Bcl2-like 1
A06	Mm.285993	NM_009790	Calm1	Calmodulin 1
A07	Mm.439782	NM_009795	Capns1	Calpain, small subunit 1
A08	Mm.4215	NM_009804	Cat	Catalase
A09	Mm.28278	NM_007616	Cav1	Caveolin 1, caveolae protein
A10	Mm.273049	NM_007631	Ccnd1	Cyclin D1
A11	Mm.2103	NM_009831	Ccng1	Cyclin G1
A12	Mm.434411	NM_016892	Ccs	Copper chaperone for superoxide dismutase
B01	Mm.30246	NM_009842	Cd151	CD151 antigen
B02	Mm.195663	NM_007669	Cdkn1a	Cyclin-dependent kinase inhibitor 1A (P21)
B03	Mm.347919	NM_019952	Clcf1	Cardiotrophin-like cytokine factor 1
B04	Mm.236553	NM_007798	Ctsb	Cathepsin B
B05	Mm.271671	NM_007806	Cyba	Cytochrome b-245, alpha polypeptide
B06	Mm.234247	NM_026993	Ddah1	Dimethylarginine dimethylaminohydrolase 1
B07	Mm.1457	NM_016765	Ddah2	Dimethylarginine dimethylaminohydrolase 2
B08	Mm.27256	NM_007864	Dlg4	Discs, large homolog 4 (Drosophila)
B09	Mm.256858	NM_019682	Dynl1	Dynein light chain LC8-type 1
B10	Mm.181959	NM_007913	Egr1	Early growth response 1
B11	Mm.1315	NM_007946	Epx	Eosinophil peroxidase
B12	Mm.36524	NM_007949	Erc2	Excision repair cross-complementing rodent repair deficiency, complementation group 2
C01	Mm.1626	NM_007987	Fas	Fas (TNF receptor superfamily member 6)
C02	Mm.246513	NM_010234	Fos	FBJ osteosarcoma oncogene
C03	Mm.277409	NM_021356	Gab1	Growth factor receptor bound protein 2-associated protein 1
C04	Mm.72235	NM_007836	Gadd45a	Growth arrest and DNA-damage-inducible 45 alpha
C05	Mm.1090	NM_008160	Gpx1	Glutathione peroxidase 1
C06	Mm.441856	NM_030677	Gpx2	Glutathione peroxidase 2
C07	Mm.200916	NM_008161	Gpx3	Glutathione peroxidase 3
C08	Mm.359573	NM_008162	Gpx4	Glutathione peroxidase 4
C09	Mm.1332	NM_010343	Gpx5	Glutathione peroxidase 5
C10	Mm.46195	NM_145451	Gpx6	Glutathione peroxidase 6
C11	Mm.20164	NM_024198	Gpx7	Glutathione peroxidase 7
C12	Mm.278672	NM_008169	Grin1	Glutamate receptor, ionotropic, NMDA1 (zeta 1)
D01	Mm.313345	NM_010439	Hmgb1	High mobility group box 1
D02	Mm.19182	NM_008281	Hpn	Hepsin
D03	Mm.9925	NM_010497	Idh1	Isocitrate dehydrogenase 1 (NADP+), soluble
D04	Mm.29938	NM_008326	Irgm1	Immunity-related GTPase family M member 1
D05	Mm.22670	NM_010786	Mdm2	Transformed mouse 3T3 cell double minute 2
D06	Mm.282888	NM_026119	Med4	Mediator of RNA polymerase II transcription, subunit 4 homolog (yeast)
D07	Mm.4668	NM_010824	Mpo	Myeloperoxidase
D08	Mm.2444	NM_010849	Myc	Myelocytomatosis oncogene
D09	Mm.270307	NM_010877	Ncf2	Neutrophil cytosolic factor 2
D10	Mm.2998	NM_008682	Nedd1	Neural precursor cell expressed, developmentally down-regulated gene 1
D11	Mm.44249	NM_008712	Nos1	Nitric oxide synthase 1, neuronal
D12	Mm.2893	NM_010927	Nos2	Nitric oxide synthase 2, inducible
E01	Mm.258415	NM_008713	Nos3	Nitric oxide synthase 3, endothelial cell
E02	Mm.233865	NM_172203	Nox1	NADPH oxidase 1
E03	Mm.31748	NM_015760	Nox4	NADPH oxidase 4
E04	Mm.218774	NM_172204	Noxa1	NADPH oxidase activator 1
E05	Mm.390971	NM_027988	Noxo1	NADPH oxidase organizer 1
E06	Mm.386852	NM_172527	Nudt15	Nudix (nucleoside diphosphate linked moiety X)-type motif 15
E07	Mm.544	NM_011063	Pea15a	Phosphoprotein enriched in astrocytes 15A
E08	Mm.293628	NM_133819	Ppp1r15b	Protein phosphatase 1, regulatory (inhibitor) subunit 15b

Position	UniGene	GenBank	Symbol	Description
E09	Mm.331389	NM_008913	Ppp3ca	Protein phosphatase 3, catalytic subunit, alpha isoform
E10	Mm.30929	NM_011034	Prdx1	Peroxiredoxin 1
E11	Mm.347009	NM_011563	Prdx2	Peroxiredoxin 2
E12	Mm.186185	NM_007453	Prdx6	Peroxiredoxin 6
F01	Mm.19111	NM_008854	Prkaca	Protein kinase, cAMP dependent, catalytic, alpha
F02	Mm.648	NM_011170	Prnp	Prion protein
F03	Mm.30660	NM_027297	Prpf4	PRP4 pre-mRNA processing factor 4 homolog (yeast)
F04	Mm.8911	NM_011186	Psmb5	Proteasome (prosome, macropain) subunit, beta type 5
F05	Mm.276776	NM_008987	Ptx3	Pentraxin related gene
F06	Mm.273862	NM_009029	Rb1	Retinoblastoma 1
F07	Mm.18373	NM_058214	Recql4	RecQ protein-like 4
F08	Mm.27086	NM_023396	Rprm	Reprimo, TP53 dependent G2 arrest mediator candidate
F09	Mm.389894	NM_009101	Rras	Harvey rat sarcoma oncogene, subgroup R
F10	Mm.38344	NM_010925	Rrp1	Ribosomal RNA processing 1 homolog (S. cerevisiae)
F11	Mm.267377	NM_009127	Scd1	Stearoyl-Coenzyme A desaturase 1
F12	Mm.485035	NM_009128	Scd2	Stearoyl-Coenzyme A desaturase 2
G01	Mm.480594	NM_024450	Scd3	Stearoyl-coenzyme A desaturase 3
G02	Mm.44482	NM_018754	Sfn	Stratifin
G03	Mm.276325	NM_011434	Sod1	Superoxide dismutase 1, soluble
G04	Mm.290876	NM_013671	Sod2	Superoxide dismutase 2, mitochondrial
G05	Mm.2407	NM_011435	Sod3	Superoxide dismutase 3, extracellular
G06	Mm.4991	NM_009417	Tpo	Thyroid peroxidase
G07	Mm.222	NM_011640	Trp53	Transformation related protein 53
G08	Mm.410189	NM_023719	Txnip	Thioredoxin interacting protein
G09	Mm.390906	NM_013711	Txnrd2	Thioredoxin reductase 2
G10	Mm.331	NM_019639	Ubc	Ubiquitin C
G11	Mm.6254	NM_009464	Ucp3	Uncoupling protein 3 (mitochondrial, proton carrier)
G12	Mm.247036	NM_011728	Xpa	Xeroderma pigmentosum, complementation group A
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies