RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Mouse Drug Metabolism: Phase I Enzymes

Cat. no. 330231 PAMM-068ZA

-		•	
For	pathway	expression	analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Applied Biosystems [®] models 5700, 7000, 7300, 7500,
Format A	7700, 7900HT, ViiA [™] 7 (96-well block); Bio-Rad [®] models iCycler [®] , iQ [™] 5, MyiQ [™] , MyiQ2; Bio-Rad/MJ Research Chromo4 [™] ; Eppendorf [®] Mastercycler [®] ep realplex models 2, 2s, 4, 4s; Stratagene [®] models Mx3005P [®] , Mx3000P [®] ; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT² Profiler PCR Array, Format F	Roche [®] LightCycler [®] 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Mouse Drug Metabolism: Phase I Enzymes RT² Profiler PCR Array contains 84 genes involved in phase I drug metabolism. Phase I drug metabolism enzymes make compounds more hydrophilic and add functional groups necessary for the completion of Phase II drug metabolism. This array represents genes involved in Phase I drug metabolism reactions including oxidation, reduction, hydrolysis, cyclization, and decyclization. Members of the Cytochrome P450 enzyme familty that play a key role in mediating phase I drug metabolism reactions are also included on this array. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to drug phase I metabolism with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the RT^2 Profiler PCR Array Handbook for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Aadac	Adh1	Adh4	Adh5	Adh7	Aldh1a1	Aldh1a2	Aldh1a3	Aldh1a7	Aldh1b1	Aldh2	Aldh3a1
В	Aldh3a2	Aldh3b1	Aldh3b2	Aldh4a1	Aldh5a1	Aldh6a1	Aldh7a1	Aldh8a1	Aldh9a1	Cel	Cyp11a1	Cyp11b1
с	Cyp11b2	Cyp17a1	Cyp19a1	Cyp1a1	Cyp1a2	Cyp1b1	Cyp21a1	Cyp24a1	Cyp26a1	Cyp26b1	Cyp26c1	Cyp27a1
D	Cyp27b1	Cyp2a4	Cyp2a5	Cyp2c29	Cyp2c38	Cyp2c39	Cyp2c54	Cyp2c55	Cyp2c65	Cyp2c66	Cyp2d22	Cyp2e1
E	Cyp2f2	Cyp2r1	Cyp2s1	Cyp3a11	Cyp3a13	Cyp3a16	Cyp3a25	Cyp3a44	Cyp3a57	Cyp4a10	Cyp4a12a	Cyp4b1
F	Cyp4f14	Cyp4f15	Cyp4f18	Cyp7a1	Cyp7b1	Cyp8b1	Dhrs2	Dpyd	Esd	Fmo1	Fmo2	Fmo3
G	Fmo4	Fmo5	Gzma	Gzmb	Hsd17b10	Maoa	Maob	Ptgs1	Ptgs2	Uchl1	Uchl3	Xdh
н	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.24547	NM_023383	Aadac	Arylacetamide deacetylase (esterase)
A02	Mm.2409	NM_007409	Adh1	Alcohol dehydrogenase 1 (class I)
A03	Mm.158750	NM_011996	Adh4	Alcohol dehydrogenase 4 (class II), pi polypeptide
A04	Mm.3874	NM_007410	Adh5	Alcohol dehydrogenase 5 (class III), chi polypeptide
A05	Mm.8473	NM_009626	Adh7	Alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide
A06	Mm.250866	NM_013467	Aldh1a1	Aldehyde dehydrogenase family 1, subfamily A1
A07	Mm.42016	NM_009022	Aldh1a2	Aldehyde dehydrogenase family 1, subfamily A2
A08	Mm.140988	NM_053080	Aldh1a3	Aldehyde dehydrogenase family 1, subfamily A3
A09	Mm.14609	NM_011921	Aldh1a7	Aldehyde dehydrogenase family 1, subfamily A7
A10	Mm.331583	NM_028270	Aldh1b1	Aldehyde dehydrogenase 1 family, member B1
A11	Mm.284446	NM_009656	Aldh2	Aldehyde dehydrogenase 2, mitochondrial
A12	Mm.4257	NM_007436	Aldh3a1	Aldehyde dehydrogenase family 3, subfamily A1
B01	Mm.398221	NM_007437	Aldh3a2	Aldehyde dehydrogenase family 3, subfamily A2
B02	Mm.109341	NM_026316	Aldh3b1	Aldehyde dehydrogenase 3 family, member B1
B03	Mm.34137	NM_001177438	Aldh3b2	Aldehyde dehydrogenase 3 family, member B2
B04	Mm.273571	NM_175438	Aldh4a1	Aldehyde dehydrogenase 4 family, member A1
B05	Mm.393311	NM_172532	Aldh5a1	Aldhehyde dehydrogenase family 5, subfamily A1
B06	Mm.247510	NM_134042	Aldh6a1	Aldehyde dehydrogenase family 6, subfamily A1
B07	Mm.30250	NM_138600	Aldh7a1	Aldehyde dehydrogenase family 7, member A1
B08	Mm.90181	NM_178713	Aldh8a1	Aldehyde dehydrogenase 8 family, member A1
B09	Mm.330055	NM_019993	Aldh9a1	Aldehyde dehydrogenase 9, subfamily A1
B10	Mm.236017	NM_009885	Cel	Carboxyl ester lipase
B11	Mm.302865	NM_019779	Cypllal	Cytochrome P450, family 11, subfamily a, polypeptide 1
B12	Mm.322606	NM_001033229	Cyp11b1	Cytochrome P450, family 11, subfamily b, polypeptide 1
C01	Mm.377079	NM_009991	Cyp11b2	Cytochrome P450, family 11, subfamily b, polypeptide 2
C02	Mm.1262	NM_007809	Cyp17a1	Cytochrome P450, family 17, subfamily a, polypeptide 1
C03	Mm.5199	NM_007810	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1
C04	Mm.14089	NM_009992	Cyplal	Cytochrome P450, family 1, subfamily a, polypeptide 1
C05	Mm.15537	NM_009993	Cyp1a2	Cytochrome P450, family 1, subfamily a, polypeptide 2
C06	Mm.214016	NM_009994	Cyp1b1	Cytochrome P450, family 1, subfamily b, polypeptide 1
C07	Mm.440407	NM_009995	Cyp21a1	Cytochrome P450, family 21, subfamily a, polypeptide 1
C08	Mm.6575	NM_009996	Cyp24a1	Cytochrome P450, family 24, subfamily a, polypeptide 1
C09	Mm.42230	NM_007811	Cyp26a1	Cytochrome P450, family 26, subfamily a, polypeptide 1
C10	Mm.255246	NM_175475	Cyp26b1	Cytochrome P450, family 26, subfamily b, polypeptide 1
C11	Mm.457750	NM_001105201	Cyp26c1	Cytochrome P450, family 26, subfamily c, polypeptide 1
C12	Mm.85083	NM_024264	Cyp27a1	Cytochrome P450, family 27, subfamily a, polypeptide 1
D01	Mm.6216	NM_010009	Cyp27b1	Cytochrome P450, family 27, subfamily b, polypeptide 1
D02	Mm.154643	NM_009997	Cyp2a4	Cytochrome P450, family 2, subfamily a, polypeptide 4
D03	Mm.389848	NM_007812	Cyp2a5	Cytochrome P450, family 2, subfamily a, polypeptide 5
D04	Mm.20764	NM_007815	Cyp2c29	Cytochrome P450, family 2, subfamily c, polypeptide 29
D05	Mm.42100	NM_010002	Cyp2c38	Cytochrome P450, family 2, subfamily c, polypeptide 38
D06	Mm.42101	NM_010003	Cyp2c39	Cytochrome P450, family 2, subfamily c, polypeptide 39
D07	Mm.379575	NM_206537	Cyp2c54	Cytochrome P450, family 2, subfamily c, polypeptide 54
D08	Mm.142581	NM_028089	Cyp2c55	Cytochrome P450, family 2, subfamily c, polypeptide 55
D09	Mm.482578	NM_028191	Cyp2c65	Cytochrome P450, family 2, subfamily c, polypeptide 65

Position	UniGene	GenBank	Symbol	Description
D10	Mm.271190	NM 001011707	Cyp2c66	Cytochrome P450, family 2, subfamily c, polypeptide 66
D11	Mm.474216	 NM 019823	Cyp2d22	Cytochrome P450, family 2, subfamily d, polypeptide 22
D12	Mm.21758	NM 021282	Cyp2e1	Cytochrome P450, family 2, subfamily e, polypeptide 1
E01	Mm.4515	NM_007817	Cyp2f2	Cytochrome P450, family 2, subfamily f, polypeptide 2
E02	Mm.108037	NM_177382	Cyp2r1	Cytochrome P450, family 2, subfamily r, polypeptide 1
E03	Mm.275188	NM_028775	Cyp2s1	Cytochrome P450, family 2, subfamily s, polypeptide 1
E04	Mm.332844	NM_007818	Cyp3a11	Cytochrome P450, family 3, subfamily a, polypeptide 11
E05	Mm.289886	NM_007819	Cyp3a13	Cytochrome P450, family 3, subfamily a, polypeptide 13
E06	Mm.378905	NM_007820	Cyp3a16	Cytochrome P450, family 3, subfamily a, polypeptide 16
E07	Mm.384461	NM_019792	Cyp3a25	Cytochrome P450, family 3, subfamily a, polypeptide 25
E08	Mm.425301	NM_177380	Cyp3a44	Cytochrome P450, family 3, subfamily a, polypeptide 44
E09	Mm.359379	NM_001100180	Cyp3a57	Cytochrome P450, family 3, subfamily a, polypeptide 57
E10	Mm.10742	NM_010011	Cyp4a10	Cytochrome P450, family 4, subfamily a, polypeptide 10
E11	Mm.276106	NM_177406	Cyp4a12a	Cytochrome P450, family 4, subfamily a, polypeptide 12a
E12	Mm.1840	NM_007823	Cyp4b1	Cytochrome P450, family 4, subfamily b, polypeptide 1
F01	Mm.426027	NM_022434	Cyp4f14	Cytochrome P450, family 4, subfamily f, polypeptide 14
F02	Mm.26539	NM_134127	Cyp4f15	Cytochrome P450, family 4, subfamily f, polypeptide 15
F03	Mm.160020	NM_024444	Cyp4f18	Cytochrome P450, family 4, subfamily f, polypeptide 18
F04	Mm.57029	NM_007824	Cyp7a1	Cytochrome P450, family 7, subfamily a, polypeptide 1
F05	Mm.316000	NM_007825	Cyp7b1	Cytochrome P450, family 7, subfamily b, polypeptide 1
F06	Mm.20889	NM_010012	Cyp8b1	Cytochrome P450, family 8, subfamily b, polypeptide 1
F07	Mm.85484	NM_027790	Dhrs2	Dehydrogenase/reductase member 2
F08	Mm.27907	NM_170778	Dpyd	Dihydropyrimidine dehydrogenase
F09	Mm.38055	NM_016903	Esd	Esterase D/formylglutathione hydrolase
F10	Mm.976	NM_010231	Fmo1	Flavin containing monooxygenase 1
F11	Mm.10929	NM_018881	Fmo2	Flavin containing monooxygenase 2
F12	Mm.2900	NM_008030	Fmo3	Flavin containing monooxygenase 3
G01	Mm.155164	NM_144878	Fmo4	Flavin containing monooxygenase 4
G02	Mm.385180	NM_010232	Fmo5	Flavin containing monooxygenase 5
G03	Mm.15510	NM_010370	Gzma	Granzyme A
G04	Mm.14874	NM_013542	Gzmb	Granzyme B
G05	Mm.6994	NM_016763	Hsd17b10	Hydroxysteroid (17-beta) dehydrogenase 10
G06	Mm.21108	NM_173740	Maoa	Monoamine oxidase A
G07	Mm.241656	NM_172778	Maob	Monoamine oxidase B
G08	Mm.275434	NM_008969	Ptgs1	Prostaglandin-endoperoxide synthase 1
G09	Mm.292547	NM_011198	Ptgs2	Prostaglandin-endoperoxide synthase 2
G10	Mm.29807	NM_011670	Uchl1	Ubiquitin carboxy-terminal hydrolase L1
G11	Mm.275970	NM_016723	Uchl3	Ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase)
G12	Mm.11223	NM_011723	Xdh	Xanthine dehydrogenase
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H0/	N/A	SA_00104	RIC	Reverse Transcription Control
H08	N/A	SA_00104	RIC	Reverse Transcription Control
H09	N/A	SA_00104	RIC	Reverse Transcription Control
HIO	N/A	SA_00103	PPC	Positive PCR Control
HII	N/A	SA_00103	PPC	Positive PCR Control
ј H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT2 SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems[®], ViiA[™], StepOnePlus[™], ROX[™] (Applera Corporation or its subsidiaries); Bio-Rad[®], iCycler[®], iQ[™], MyiQ[™], Chromo4[™], CFX96[™], DNA Engine Opticon[®], CFX384[™] (Bio-Rad Laboratories, Inc.)Stratagene[®], Mx3005P[®], Mx3000P[®], Mx4000[®] (Stratagene); Eppendorf[®], Mastercycler[®] (Eppendorf AG); Roche[®], LightCycler[®] (Roche Group); Fluidigm[®] BioMark[™] (Fluidigm Corporation); SYBR[®] (Molecular Probes, Inc.). 1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	Canada = 800-572-9613	Ireland • 1800 555 049	Norway = 800-18859
	China = 8621-3865-3865	Italy = 800-787980	Singapore = 1800-742-4368
Australia = 1-800-243-800	Finland = 0800-914416	Korea (South) = 080-000-7145	Sweden = 020-790282
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland • 055-254-22-11
Belgium = 0800-79612	Germany • 02103-29-12000	Mexico = 01-800-7742-436	UK • 01293-422-911
Brazil = 0800-557779	Hong Kong ■ 800 933 965	The Netherlands = 0800 0229592	USA = 800-426-8157

Sample & Assay Technologies