

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse GPCR Signaling PathwayFinder

Cat. no. 330231 PAMM-071ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse G-Protein-Coupled Receptor Signaling PathwayFinder RT² Profiler PCR Array profiles the expression of 84 genes representative of and involved in GPCR-mediated signal transduction pathways. G-protein Coupled Receptors (GPCRs) that are represented on this array include bioactive lipid receptors, metabotropic glutamate receptors (mGluRs), GABA-B-like receptors, rhodopsin-like receptors, and secretin-like receptors. Members of the intricate network of intracellular signaling pathways involved in GPCR-mediated signal transduction are also represented on this array including the cAMP / PKA Pathway, Calcium / PKC Pathway, Calcium / NFAT Pathway, PLC Pathway, Protein Tyrosine Kinase Pathway, PKC / MEK Pathway, p43 / p44MAP Pathway, p38 MAP Pathway, PI-3 Kinase Pathway, NO-cGMP Pathway, Rho Pathway, NFκB Pathway and Jak / Stat Pathway. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to GPCR-mediated signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.41137	NM_001012765	Adcy5	Adenylate cyclase 5
A02	Mm.333734	NM_009630	Adora2a	Adenosine A2a receptor
A03	Mm.46797	NM_007419	Adrb1	Adrenergic receptor, beta 1
A04	Mm.5598	NM_007420	Adrb2	Adrenergic receptor, beta 2
A05	Mm.301626	NM_007428	Agt	Angiotensinogen (serpin peptidase inhibitor, clade A, member 8)
A06	Mm.35062	NM_177322	Agtr1a	Angiotensin II receptor, type 1a
A07	Mm.134863	NM_175086	Agtr1b	Angiotensin II receptor, type 1b
A08	Mm.2679	NM_007429	Agtr2	Angiotensin II receptor, type 2
A09	Mm.46247	NM_009642	Agtrap	Angiotensin II, type I receptor-associated protein
A10	Mm.6645	NM_009652	Akt1	Thymoma viral proto-oncogene 1
A11	Mm.260193	NM_177231	Arrb1	Arrestin, beta 1
A12	Mm.203747	NM_145429	Arrb2	Arrestin, beta 2
B01	Mm.43133	NM_174991	Bai1	Brain-specific angiogenesis inhibitor 1
B02	Mm.257460	NM_009741	Bcl2	B-cell leukemia/lymphoma 2
B03	Mm.238213	NM_009743	Bcl2l1	Bcl2-like 1
B04	Mm.4642	NM_007588	Calcr	Calcitonin receptor
B05	Mm.75467	NM_018782	Calclr	Calcitonin receptor-like
B06	Mm.103619	NM_013803	Casr	Calcium-sensing receptor
B07	Mm.290320	NM_011333	Ccl2	Chemokine (C-C motif) ligand 2
B08	Mm.244263	NM_013652	Ccl4	Chemokine (C-C motif) ligand 4
B09	Mm.273049	NM_007631	Ccnd1	Cyclin D1
B10	Mm.16110	NM_007633	Ccne1	Cyclin E1
B11	Mm.35867	NM_009830	Ccne2	Cyclin E2
B12	Mm.195663	NM_007669	Cdkn1a	Cyclin-dependent kinase inhibitor 1A (P21)
C01	Mm.2958	NM_009875	Cdkn1b	Cyclin-dependent kinase inhibitor 1B
C02	Mm.336848	NM_009805	Cflar	CASP8 and FADD-like apoptosis regulator
C03	Mm.277735	NM_007742	Col1a1	Collagen, type I, alpha 1
C04	Mm.1892	NM_007762	Crhr1	Corticotropin releasing hormone receptor 1
C05	Mm.236081	NM_009953	Crhr2	Corticotropin releasing hormone receptor 2
C06	Mm.390287	NM_010217	Ctgf	Connective tissue growth factor
C07	Mm.5199	NM_007810	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1
C08	Mm.54161	NM_010076	Drd1a	Dopamine receptor D1A
C09	Mm.41970	NM_010077	Drd2	Dopamine receptor D2
C10	Mm.240885	NM_019819	Dusp14	Dual specificity phosphatase 14
C11	Mm.14543	NM_010104	Edn1	Endothelin 1
C12	Mm.181959	NM_007913	Egr1	Early growth response 1
D01	Mm.254233	NM_007923	Elk4	ELK4, member of ETS oncogene family
D02	Mm.473689	NM_008006	Fgf2	Fibroblast growth factor 2
D03	Mm.246513	NM_010234	Fos	FBJ osteosarcoma oncogene
D04	Mm.57149	NM_010254	Galr2	Galanin receptor 2
D05	Mm.22329	NM_008101	Gcgr	Glucagon receptor
D06	Mm.439701	NM_008139	Gnaq	Guanine nucleotide binding protein, alpha q polypeptide
D07	Mm.125770	NM_010309	Gnas	GNAS (guanine nucleotide binding protein, alpha stimulating) complex locus
D08	Mm.391904	NM_016976	Grm1	Glutamate receptor, metabotropic 1
D09	Mm.410822	NM_001160353	Grm2	Glutamate receptor, metabotropic 2
D10	Mm.358940	NM_001013385	Grm4	Glutamate receptor, metabotropic 4
D11	Mm.235018	NM_001081414	Grm5	Glutamate receptor, metabotropic 5
D12	Mm.240881	NM_177328	Grm7	Glutamate receptor, metabotropic 7
E01	Mm.435508	NM_010493	Icam1	Intercellular adhesion molecule 1
E02	Mm.222830	NM_008361	Il1b	Interleukin 1 beta
E03	Mm.896	NM_008362	Il1r1	Interleukin 1 receptor, type I
E04	Mm.1349	NM_010555	Il1r2	Interleukin 1 receptor, type II
E05	Mm.14190	NM_008366	Il2	Interleukin 2
E06	Mm.275071	NM_010591	Jun	Jun oncogene
E07	Mm.1167	NM_008416	Junb	Jun-B oncogene
E08	Mm.399068	NM_001031811	Kcnh8	Potassium voltage-gated channel, subfamily H (eag-related), member 8
E09	Mm.1644	NM_013582	Lhcgr	Luteinizing hormone/choriogonadotropin receptor

Position	UniGene	GenBank	Symbol	Description
E10	Mm.4772	NM_010336	Lpar1	Lysophosphatidic acid receptor 1
E11	Mm.23253	NM_020028	Lpar2	Lysophosphatidic acid receptor 2
E12	Mm.268548	NM_008558	Max	Max protein
F01	Mm.4406	NM_013599	Mmp9	Matrix metalloproteinase 9
F02	Mm.2444	NM_010849	Myc	Myelocytomatosis oncogene
F03	Mm.2893	NM_010927	Nos2	Nitric oxide synthase 2, inducible
F04	Mm.5243	NM_013622	Oprd1	Opioid receptor, delta 1
F05	Mm.7977	NM_011011	Oprk1	Opioid receptor, kappa 1
F06	Mm.10504	NM_011062	Pdk1	3-phosphoinositide dependent protein kinase 1
F07	Mm.101369	NM_020272	Pik3cg	Phosphoinositide-3-kinase, catalytic, gamma polypeptide
F08	Mm.222178	NM_011101	Prkca	Protein kinase C, alpha
F09	Mm.5105	NM_008962	Ptgd	Prostaglandin D receptor
F10	Mm.292547	NM_011198	Ptgs2	Prostaglandin-endoperoxide synthase 2
F11	Mm.28262	NM_009061	Rgs2	Regulator of G-protein signaling 2
F12	Mm.2965	NM_145383	Rho	Rhodopsin
G01	Mm.982	NM_007901	S1pr1	Sphingosine-1-phosphate receptor 1
G02	Mm.46493	NM_010333	S1pr2	Sphingosine-1-phosphate receptor 2
G03	Mm.136736	NM_010101	S1pr3	Sphingosine-1-phosphate receptor 3
G04	Mm.189223	NM_001012322	Sctr	Secretin receptor
G05	Mm.250422	NM_008871	Serpine1	Serine (or cysteine) peptidase inhibitor, clade E, member 1
G06	Mm.130	NM_009896	Socs1	Suppressor of cytokine signaling 1
G07	Mm.1293	NM_013693	Tnf	Tumor necrosis factor
G08	Mm.173847	NM_011648	Tshr	Thyroid stimulating hormone receptor
G09	Mm.4177	NM_009463	Ucp1	Uncoupling protein 1 (mitochondrial, proton carrier)
G10	Mm.76649	NM_011693	Vcam1	Vascular cell adhesion molecule 1
G11	Mm.282184	NM_009505	Vegfa	Vascular endothelial growth factor A
G12	Mm.3360	NM_011740	Ywhaz	Tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems Corporation or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies