

# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format)

## Mouse Epithelial to Mesenchymal Transition

Cat. no. 330231 PAMM-090ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT <sup>2</sup> Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

### Description

The Mouse Epithelial to Mesenchymal Transition (EMT) RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes that either change their expression during this process or regulate those gene expression changes. EMT and the reciprocal mesenchymal to epithelial transition (MET) are key processes involved in both tumor metastasis and stem cell differentiation and development. During EMT, epithelial cells lose their apical and basolateral polarity, break their intercellular tight junctions, and degrade basement membrane extracellular matrix components to become migratory mesenchymal cells. As such, the array includes cell surface receptor, extracellular matrix, and cytoskeletal genes mediating cell adhesion, migration, motility, and morphogenesis; genes controlling cell differentiation, development, growth, and proliferation; as well as signal transduction and transcription factor genes that cause EMT and all of its associated processes. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in tumor metastasis or stem cell differentiation and development with this array.

For further details, consult the *RT<sup>2</sup> Profiler PCR Array Handbook*.

### Shipping and storage


RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

**Note:** Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cycler (see table above).

---

**Note:** Open the package and store the products appropriately immediately on receipt.



---

Sample & Assay Technologies

## Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

## Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.203866	NM_001039959	Ahnak	AHNAK nucleoprotein (desmoyokin)
A02	Mm.6645	NM_009652	Akt1	Thymoma viral proto-oncogene 1
A03	Mm.27757	NM_009755	Bmp1	Bone morphogenetic protein 1
A04	Mm.595	NM_007557	Bmp7	Bone morphogenetic protein 7
A05	Mm.308134	NM_145575	Cald1	Caldesmon 1
A06	Mm.41603	NM_025451	Camk2n1	Calcium/calmodulin-dependent protein kinase II inhibitor 1
A07	Mm.396075	NM_016900	Cav2	Caveolin 2
A08	Mm.35605	NM_009864	Cdh1	Cadherin 1
A09	Mm.257437	NM_007664	Cdh2	Cadherin 2
A10	Mm.277792	NM_007743	Col1a2	Collagen, type I, alpha 2
A11	Mm.249555	NM_009930	Col3a1	Collagen, type III, alpha 1
A12	Mm.10299	NM_007737	Col5a2	Collagen, type V, alpha 2
B01	Mm.291928	NM_007614	Cttnb1	Catenin (cadherin associated protein), beta 1
B02	Mm.280547	NM_013505	Dsc2	Desmocollin 2
B03	Mm.355327	NM_023842	Dsp	Desmoplakin
B04	Mm.8534	NM_007912	Egfr	Epidermal growth factor receptor
B05	Mm.373043	NM_010153	ErbB3	V-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (avian)
B06	Mm.9213	NM_007956	Esr1	Estrogen receptor 1 (alpha)
B07	Mm.294882	NM_172647	F11r	F11 receptor
B08	Mm.46053	NM_008009	Fgfbp1	Fibroblast growth factor binding protein 1
B09	Mm.193099	NM_010233	Fn1	Fibronectin 1
B10	Mm.14092	NM_013519	Foxc2	Forkhead box C2
B11	Mm.297906	NM_008057	Fzd7	Frizzled homolog 7 (Drosophila)
B12	Mm.25547	NM_025331	Gng11	Guanine nucleotide binding protein (G protein), gamma 11
C01	Mm.129	NM_010351	Gsc	Goosecoid homeobox
C02	Mm.394930	NM_019827	Gsk3b	Glycogen synthase kinase 3 beta
C03	Mm.233799	NM_010517	Igfbp4	Insulin-like growth factor binding protein 4
C04	Mm.882	NM_031167	Il1rn	Interleukin 1 receptor antagonist
C05	Mm.274846	NM_010562	Ilk	Integrin linked kinase
C06	Mm.16234	NM_010577	Itga5	Integrin alpha 5 (fibronectin receptor alpha)
C07	Mm.227	NM_008402	Itgav	Integrin alpha V
C08	Mm.263396	NM_010578	Itgb1	Integrin beta 1 (fibronectin receptor beta)
C09	Mm.22398	NM_013822	Jag1	Jagged 1
C10	Mm.439898	NM_016958	Krt14	Keratin 14
C11	Mm.439699	NM_008471	Krt19	Keratin 19
C12	Mm.289377	NM_033073	Krt7	Keratin 7
D01	Mm.333284	NM_008601	Mif	Microphthalmia-associated transcription factor
D02	Mm.29564	NM_008610	Mmp2	Matrix metalloproteinase 2
D03	Mm.4993	NM_010809	Mmp3	Matrix metalloproteinase 3
D04	Mm.4406	NM_013599	Mmp9	Matrix metalloproteinase 9
D05	Mm.138876	NM_010833	Msn	Moesin
D06	Mm.3901	NM_009074	Mst1r	Macrophage stimulating 1 receptor (c-met-related tyrosine kinase)
D07	Mm.4173	NM_008634	Mtap1b	Microtubule-associated protein 1B
D08	Mm.57195	NM_013611	Nodal	Nodal
D09	Mm.290610	NM_008714	Notch1	Notch gene homolog 1 (Drosophila)
D10	Mm.317636	NM_026341	Nudt13	Nudix (nucleoside diphosphate linked moiety X)-type motif 13
D11	Mm.4807	NM_008756	Ocln	Occludin
D12	Mm.4146	NM_008809	Pdgfrb	Platelet derived growth factor receptor, beta polypeptide
E01	Mm.103380	NM_013738	Plek2	Pleckstrin 2
E02	Mm.474453	NM_134095	Pppde2	PPPDE peptidase domain containing 2
E03	Mm.254494	NM_007982	Plk2	PTK2 protein tyrosine kinase 2
E04	Mm.374437	NM_011200	Ptp4a1	Protein tyrosine phosphatase 4a1
E05	Mm.292510	NM_009007	Rac1	RAS-related C3 botulinum substrate 1
E06	Mm.28262	NM_009061	Rgs2	Regulator of G-protein signaling 2
E07	Mm.250422	NM_008871	Serpine1	Serine (or cysteine) peptidase inhibitor, clade E, member 1
E08	Mm.35353	NM_025656	Sip1	Survival of motor neuron protein interacting protein 1
E09	Mm.391091	NM_010754	Smad2	MAD homolog 2 (Drosophila)

Position	UniGene	GenBank	Symbol	Description
E10	Mm.2093	NM_011427	Snai1	Snail homolog 1 (Drosophila)
E11	Mm.4272	NM_011415	Snai2	Snail homolog 2 (Drosophila)
E12	Mm.103673	NM_013914	Snai3	Snail homolog 3 (Drosophila)
F01	Mm.276739	NM_011437	Sox10	SRY-box containing gene 10
F02	Mm.291442	NM_009242	Sparc	Secreted acidic cysteine rich glycoprotein
F03	Mm.288474	NM_009263	Spp1	Secreted phosphoprotein 1
F04	Mm.249934	NM_011486	Stat3	Signal transducer and activator of transcription 3
F05	Mm.85429	NM_027399	Steap1	Six transmembrane epithelial antigen of the prostate 1
F06	Mm.4269	NM_013685	Tcf4	Transcription factor 4
F07	Mm.440067	NM_009332	Tcf7l1	Transcription factor 7-like 1 (T-cell specific, HMG box)
F08	Mm.25612	NM_009364	Tfpi2	Tissue factor pathway inhibitor 2
F09	Mm.248380	NM_011577	Tgfb1	Transforming growth factor, beta 1
F10	Mm.18213	NM_009367	Tgfb2	Transforming growth factor, beta 2
F11	Mm.3992	NM_009368	Tgfb3	Transforming growth factor, beta 3
F12	Mm.8245	NM_011593	Timp1	Tissue inhibitor of metalloproteinase 1
G01	Mm.422686	NM_021436	Tmeff1	Transmembrane protein with EGF-like and two follistatin-like domains 1
G02	Mm.27387	NM_133804	Tmem132a	Transmembrane protein 132A
G03	Mm.254663	NM_025359	Tspan13	Tetraspanin 13
G04	Mm.3280	NM_011658	Twist1	Twist homolog 1 (Drosophila)
G05	Mm.158700	NM_001081249	Vcan	Versican
G06	Mm.268000	NM_011701	Vim	Vimentin
G07	Mm.211963	NM_173028	Vps13a	Vacuolar protein sorting 13A (yeast)
G08	Mm.22182	NM_009519	Wnt11	Wingless-related MMTV integration site 11
G09	Mm.287544	NM_009524	Wnt5a	Wingless-related MMTV integration site 5A
G10	Mm.321818	NM_009525	Wnt5b	Wingless-related MMTV integration site 5B
G11	Mm.3929	NM_011546	Zeb1	Zinc finger E-box binding homeobox 1
G12	Mm.440702	NM_015753	Zeb2	Zinc finger E-box binding homeobox 2
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

## Related products

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT <sup>2</sup> SYBR Green ROX <sup>™</sup> FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

\* Larger kit sizes available; please inquire.

---

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at [www.qiagen.com](http://www.qiagen.com) or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

[www.qiagen.com](http://www.qiagen.com)

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies