RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Nephrotoxicity

Cat. no. 330231 PAMM-094ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Mouse Nephrotoxicity RT² Profiler PCR Array profiles the expression of 84 key genes implicated as potential biomarkers of kidney toxicity. Minimizing toxicity remains one of the major barriers to bringing a drug to market. The crucial role of the kidney in drug excretion makes it one of the major organs evoking drug-related toxic responses and an important target of toxicological studies. Genes that consistently exhibit increased or decreased expression during these toxic responses in model systems serve as markers to predict potential adverse clinical outcomes. Kidney excretion within the nephron starts with blood filtration by the glomerulus. The filtrate then moves through the proximal tubule (for re-absorption of important compounds), the loop of Henle (for urine concentration), the distal tubule, and finally the collecting duct (for urine concentration and removal). Drug-induced nephrotoxicity research focuses on proximal tubule toxicity, where the majority of drug metabolite re-absorption occurs. The array includes genes that show expression differences when exposed to a wide variety of known nephrotoxic drugs. The organization of genes by their predicted direction of expression change eases data analysis. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in nephrotoxic response with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.30151	NM_175628	A2m	Alpha-2-macroglobulin
A02	Mm.18651	NM 013930	Aass	Aminoadipate-semialdehyde synthase
A03	Mm.207354	NM 011076	Abcb1a	ATP-binding cassette, sub-family B (MDR/TAP), member 1A
A04	Mm.39054	NM 013806	Abcc2	ATP-binding cassette, sub-family C (CFTR/MRP), member 2
A05	Mm.250866	NM 013467	Aldh1a1	Aldehyde dehydrogenase family 1, subfamily A1
A06	Mm.196189	NM 020581	Angptl4	Angiopoietin-like 4
A07	Mm.1620	NM 009673	Anxa5	Annexin A5
A08	Mm.2706	NM 007498	Atf3	Activating transcription factor 3
A09	Mm.329582	NM 016668	Bhmt	Betaine-homocysteine methyltransferase
A10	Mm.27757	NM 009755	Bmp1	Bone morphogenetic protein 1
A11	Mm.6813	NM 007554	Bmp4	Bone morphogenetic protein 4
A12	Mm.392646	NM 007570	Btg2	B-cell translocation gene 2, anti-proliferative
B01	Mm.277665	NM 009788	Calb1	Calbindin 1
B01 B02	Mm.4215	NM 009804	Cat	Catalase
B02 B03	Mm.4213 Mm.1282	NM 011337	Cdl Ccl3	Chemokine (C-C motif) ligand 3
B03 B04	Mm.1282 Mm.273049	NM 007631	Ccrid1	
		-		Cyclin D1
B05	Mm.2103	NM_009831	Ccng1	Cyclin G1
B06	Mm.434411	NM_016892	Ccs	Copper chaperone for superoxide dismutase
B07	Mm.29742	NM_009846	Cd24a	CD24a antigen
B08	Mm.423621	NM_009851	Cd44	CD44 antigen
B09	Mm.195663	NM_007669	Cdkn1a	Cyclin-dependent kinase inhibitor 1A (P21)
B10	Mm.200608	NM_013492	Clu	Clusterin
B11	Mm.13787	NM_007752	Ср	Ceruloplasmin
B12	Mm.4263	NM_009976	Cst3	Cystatin C
C01	Mm.3619	NM_021281	Ctss	Cathepsin S
C02	Mm.877	NM_021274	Cxcl10	Chemokine (C-X-C motif) ligand 10
C03	Mm.244289	NM_203320	Cxcl3	Chemokine (C-X-C motif) ligand 3
C04	Mm.379575	NM_206537	Cyp2c54	Cytochrome P450, family 2, subfamily c, polypeptide 54
C05	Mm.474216	NM_019823	Cyp2d22	Cytochrome P450, family 2, subfamily d, polypeptide 22
C06	Mm.1231	NM_010516	Cyr61	Cysteine rich protein 61
C07	Mm.252481	NM_010113	Egf	Epidermal growth factor
C08	Mm.30063	NM_181849	Fgb	Fibrinogen beta chain
C09	Mm.10929	NM_018881	Fmo2	Flavin containing monooxygenase 2
C10	Mm.193099	NM 010233	Fn1	Fibronectin 1
C11	Mm.18064	NM 008061	G6pc	Glucose-6-phosphatase, catalytic
C12	Mm.27210	NM 008062	G6pdx	Glucose-6-phosphate dehydrogenase X-linked
D01	Mm.72235	NM 007836	Gadd45a	Growth arrest and DNA-damage-inducible 45 alpha
D02	Mm.7329	NM 010255	Gamt	Guanidinoacetate methyltransferase
D03	Mm.29975	NM 025961	Gatm	Glycine amidinotransferase (L-arginine:glycine amidinotransferase)
D04	Mm.196595	NM 008096	Gc	Group specific component
D05	Mm.3986	NM 010284	Ghr	Growth hormone receptor
D05	Mm.210745	NM 008131	Glul	Glutamate-ammonia ligase (glutamine synthetase)
D00	Mm.302602	NM 053110	Gpnmb	Glycoprotein (transmembrane) nmb
D07	Mm.12715	NM 027127	Gpx8	Glutathione peroxidase 8 (putative)
D03	Mm.267014	NM 029555	Gstk1	Glutathione S-transferase kappa 1
D09	Mm.299292	NM 013541	Gstp1	Glutathione S-transferase, pi 1
D10	Mm.17771	NM 134248	Haver1	Hepatitis A virus cellular receptor 1
D11 D12	Mm.17771 Mm.276389	NM 010442	Haver I Hmox 1	
		-		Heme oxygenase (decycling) 1
E01	Mm.272866	NM_010443	Hmox2	Heme oxygenase (decycling) 2
E02	Mm.1843	NM_010480	Hsp90aa1	Heat shock protein 90, alpha (cytosolic), class A member 1
E03	Mm.9925	NM_010497	Idh1	Isocitrate dehydrogenase 1 (NADP+), soluble
E04	Mm.21300	NM_008341	lgfbp1	Insulin-like growth factor binding protein 1
E05	Mm.29254	NM_008343	lgfbp3	Insulin-like growth factor binding protein 3
E06	Mm.245867	NM_027184	lpmk	Inositol polyphosphate multikinase
E07	Mm.142722	NM_010639	Klk1	Kallikrein 1
E08	Mm.9537	NM_008491	Lcn2	Lipocalin 2
E09	Mm.248615	NM 010705	Lgals3	Lectin, galactose binding, soluble 3

Position	UniGene	GenBank	Symbol	Description	
E10	14 4000			Minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S.	
E10	Mm.4933	NM_008567	Mcm6	cerevisiae)	
E11	Mm.243085	NM_008597	Mgp	Matrix Gla protein	
E12	Mm.192991	NM_013602	Mt1	Metallothionein 1	
F01	Mm.31748	NM_015760	Nox4	NADPH oxidase 4	
F02	Mm.289099	NM_130456	Nphs2	Nephrosis 2 homolog, podocin (human)	
F03	Mm.252	NM_008706	Nqo1	NAD(P)H dehydrogenase, quinone 1	
F04	Mm.13694	NM_016978	Oat	Ornithine aminotransferase	
F05	Mm.34102	NM_013614	Odc1	Ornithine decarboxylase, structural 1	
F06	Mm.2118	NM_009060	Rgn	Regucalcin	
F07	Mm.192580	NM_194053	Rtn4	Reticulon 4	
F08	Mm.267377	NM_009127	Scd1	Stearoyl-Coenzyme A desaturase 1	
F09	Mm.594	NM_009202	Slc22a1	Solute carrier family 22 (organic cation transporter), member 1	
F10	Mm.42253	NM_011396	Slc22a5	Solute carrier family 22 (organic cation transporter), member 5	
F11	Mm.30090	NM_008766	Slc22a6	Solute carrier family 22 (organic anion transporter), member 6	
F12	Mm.3468	NM 007707	Socs3	Suppressor of cytokine signaling 3	
G01	Mm.290876	NM_013671	Sod2	Superoxide dismutase 2, mitochondrial	
G02	Mm.2407	NM_011435	Sod3	Superoxide dismutase 3, extracellular	
G03	Mm.288474	NM 009263	Spp1	Secreted phosphoprotein 1	
G04	Mm.331191	NM_009264	Sprr1a	Small proline-rich protein 1A	
G05	Mm.8245	NM_011593	Timp1	Tissue inhibitor of metalloproteinase 1	
G06	Mm.3532	NM 025284	Tmsb10	Thymosin, beta 10	
G07	Mm.28518	NM_013749	Tnfrsf12a	Tumor necrosis factor receptor superfamily, member 12a	
G08	Mm.29807	NM_011670	Uchl1	Ubiquitin carboxy-terminal hydrolase L1	
G09	Mm.300095	NM_201645	Ugt1a1	UDP glucuronosyltransferase 1 family, polypeptide A1	
G10	Mm.466859	NM_145079	Ugt1a6a	UDP glucuronosyltransferase 1 family, polypeptide A6A	
G11	Mm.76649	NM_011693	Vcam1	Vascular cell adhesion molecule 1	
G12	Mm.268000	NM 011701	Vim	Vimentin	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM 008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM 010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applera Corporation or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	Canada = 800-572-9613	Ireland • 1800 555 049	Norway = 800-18859	
	China • 8621-3865-3865	Italy = 800-787980	Singapore = 1800-742-4368	
	Denmark • 80-885945	Japan = 03-6890-7300	Spain ■ 91-630-7050	$\bullet \bullet \bullet \bullet \bullet \bullet \bullet$
Australia • 1-800-243-800	Finland • 0800-914416	Korea (South) = 080-000-7145	Sweden = 020-790282	
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland • 055-254-22-11	
Belgium = 0800-79612	Germany • 02103-29-12000	Mexico • 01-800-7742-436	UK • 01293-422-911	QIAGEN
Brazil • 0800-557779	Hong Kong ■ 800 933 965	The Netherlands • 0800 0229592	USA • 800-426-8157	GIAGEN

Sample & Assay Technologies