

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Mouse Antiviral Response

Cat. no. 330231 PAMM-122ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Mouse Antiviral Response RT² Profiler PCR Array profiles the expression of 84 key genes involved in the innate antiviral immune response. Three different families of pattern recognition receptors (PRRs) (toll-like (TLRs), Nod-like (NLRs), and RIG-I-like receptors) initiate innate immunity, the inborn general host response to common pathogens such as viruses. These receptors recognize and bind viral DNA and RNA, activating downstream signaling to induce the expression of inflammatory cytokines including alpha and beta interferons. Alpha and beta interferons mediate type-I interferon signaling that activates dendritic and natural killer cells as well as the adaptive immune response. Some viral nucleic acids bind to multiple PRRs, and each immune cell type expresses a specific set of PRRs. This array contains the receptors and signaling effectors for TLRs, NLRs and RIG-I-like receptors, the genes responsive to these pathways, and the genes involved in type-I interferon signaling as well as downstream interferon-stimulated genes (ISGs). The results of this array allow you to study the interactions of these innate immune signaling networks with a specific viral infection. Using real-time PCR, your research study can easily and reliably analyze the expression of a focused panel of genes involved in innate immunity with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Aim2	Atg12	Atg5	Azi2	Card9	Casp1	Casp8	Cd3	Ccl4	Ccl5	Cd40	Cd80
B	Cd86	Chuk	Cnpy3	Ctsb	Ctsl	Ctss	Cxcl10	Cxcl11	Cxcl9	Cyld	Dak	Ddx3x
C	Ddx58	Dhx58	Fodd	Fos	Hsp90aa1	Ifih1	Ifna2	Ifnar1	Ifnb1	Ikkbb	Il12a	Il12b
D	Il15	Il18	Il1b	Il6	Irak1	Irf3	Irf5	Irf7	Isg15	Jun	Map2k1	Map2k3
E	Map3k1	Map3k7	Mapk1	Mapk14	Mapk3	Mapk8	Mavs	Mefv	Mx1	Myd88	Nfkb1	Nfkbia
F	Nlrp3	Nod2	Oas2	Pin1	Pstip1	Pycard	Rela	Ripk1	Spp1	Stat1	Sugt1	Tank
G	Tbk1	Tbkb1	Ticam1	Tir3	Tir7	Tir8	Tir9	Tnf	Tradd	Traf3	Traf6	Trim25
H	Actb	B2m	Gpdh	Gusb	Hsp90ab1	MGDC	RTC	RTC	PPC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm_131453	NM_001013779	Aim2	Absent in melanoma 2
A02	Mm_9852	NM_026217	Atg12	Autophagy-related 12 (yeast)
A03	Mm_22264	NM_053069	Atg5	Autophagy-related 5 (yeast)
A04	Mm_92705	NM_013727	Azi2	5-azacytidine induced gene 2
A05	Mm_330064	NM_001037747	Card9	Caspase recruitment domain family, member 9
A06	Mm_1051	NM_009807	Casp1	Caspase 1
A07	Mm_336851	NM_009812	Casp8	Caspase 8
A08	Mm_1282	NM_011337	Cd3	Chemokine (C-C motif) ligand 3
A09	Mm_244263	NM_013652	Cd4	Chemokine (C-C motif) ligand 4
A10	Mm_284248	NM_013653	Cd5	Chemokine (C-C motif) ligand 5
A11	Mm_271833	NM_011611	Cd40	CD40 antigen
A12	Mm_89474	NM_009855	Cd80	CD80 antigen
B01	Mm_1452	NM_019388	Cd86	CD86 antigen
B02	Mm_3996	NM_007700	Chuk	Conserved helix-loop-helix ubiquitous kinase
B03	Mm_240325	NM_028065	Cnpy3	Canopy 3 homolog (zebrafish)
B04	Mm_236553	NM_007798	Ctsb	Cathepsin B
B05	Mm_930	NM_009984	Ctsl	Cathepsin L
B06	Mm_3619	NM_021281	Ctss	Cathepsin S
B07	Mm_877	NM_021274	Cxcl10	Chemokine (C-X-C motif) ligand 10
B08	Mm_131723	NM_019494	Cxcl11	Chemokine (C-X-C motif) ligand 11
B09	Mm_766	NM_008599	Cxcl9	Chemokine (C-X-C motif) ligand 9
B10	Mm_24282	NM_173369	Cyld	Cylindromatosis ('turban tumor syndrome')
B11	Mm_374868	NM_145496	Dak	Dihydroxyacetone kinase 2 homolog (yeast)
B12	Mm_289662	NM_010028	Ddx3x	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked
C01	Mm_86382	NM_172689	Ddx58	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
C02	Mm_271830	NM_030150	Dhx58	DEXH (Asp-Glu-X-His) box polypeptide 58
C03	Mm_5126	NM_010175	Fadd	Fas (TNFRSF6)-associated via death domain
C04	Mm_246513	NM_010234	Fos	FBJ osteosarcoma oncogene
C05	Mm_1843	NM_010480	Hsp90aa1	Heat shock protein 90, alpha (cytosolic), class A member 1
C06	Mm_136224	NM_027835	Ifih1	Interferon induced with helicase C domain 1
C07	Mm_14091	NM_010503	Ifna2	Interferon alpha 2
C08	Mm_502	NM_010508	Ifnar1	Interferon (alpha and beta) receptor 1
C09	Mm_1245	NM_010510	Ifnb1	Interferon beta 1, fibroblast
C10	Mm_277886	NM_010546	Ikkbb	Inhibitor of kappaB kinase beta
C11	Mm_103783	NM_008351	Il12a	Interleukin 12A
C12	Mm_239707	NM_008352	Il12b	Interleukin 12B
D01	Mm_4392	NM_008357	Il15	Interleukin 15
D02	Mm_1410	NM_008360	Il18	Interleukin 18
D03	Mm_222830	NM_008361	Il1b	Interleukin 1 beta
D04	Mm_1019	NM_031168	Il6	Interleukin 6
D05	Mm_38241	NM_008363	Irak1	Interleukin-1 receptor-associated kinase 1
D06	Mm_3960	NM_016849	Irf3	Interferon regulatory factor 3
D07	Mm_6479	NM_012057	Irf5	Interferon regulatory factor 5
D08	Mm_3233	NM_016850	Irf7	Interferon regulatory factor 7
D09	Mm_4950	NM_015783	Isg15	ISG15 ubiquitin-like modifier

Position	UniGene	GenBank	Symbol	Description
D10	Mm.275071	NM_010591	Jun	Jun oncogene
D11	Mm.248907	NM_008927	Map2k1	Mitogen-activated protein kinase kinase 1
D12	Mm.18494	NM_008928	Map2k3	Mitogen-activated protein kinase kinase 3
E01	Mm.15918	NM_011945	Map3k1	Mitogen-activated protein kinase kinase kinase 1
E02	Mm.258589	NM_172688	Map3k7	Mitogen-activated protein kinase kinase kinase 7
E03	Mm.196581	NM_011949	Mapk1	Mitogen-activated protein kinase 1
E04	Mm.311337	NM_011951	Mapk14	Mitogen-activated protein kinase 14
E05	Mm.8385	NM_011952	Mapk3	Mitogen-activated protein kinase 3
E06	Mm.21495	NM_016700	Mapk8	Mitogen-activated protein kinase 8
E07	Mm.287226	NM_144888	Mavs	Mitochondrial antiviral signaling protein
E08	Mm.143718	NM_019453	Mefv	Mediterranean fever
E09	Mm.33996	NM_010846	Mx1	Myxovirus (influenza virus) resistance 1
E10	Mm.213003	NM_010851	Myd88	Myeloid differentiation primary response gene 88
E11	Mm.256765	NM_008689	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
E12	Mm.170515	NM_010907	Nfkbia	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
F01	Mm.54174	NM_145827	Nlrp3	NLR family, pyrin domain containing 3
F02	Mm.222633	NM_145857	Nod2	Nucleotide-binding oligomerization domain containing 2
F03	Mm.260926	NM_145227	Oas2	2'-5' oligoadenylate synthetase 2
F04	Mm.7906	NM_023371	Pin1	Protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting 1
F05	Mm.2534	NM_011193	PstPIP1	Proline-serine-threonine phosphatase-interacting protein 1
F06	Mm.24163	NM_023258	Pycard	PYD and CARD domain containing
F07	Mm.249966	NM_009045	Rela	V-rel reticuloendotheliosis viral oncogene homolog A (avian)
F08	Mm.374799	NM_009068	Ripk1	Receptor (TNFRSF)-interacting serine-threonine kinase 1
F09	Mm.288474	NM_009263	Spp1	Secreted phosphoprotein 1
F10	Mm.277406	NM_009283	Stat1	Signal transducer and activator of transcription 1
F11	Mm.18972	NM_026474	Sugt1	SGT1, suppressor of G2 allele of SKP1 (S. cerevisiae)
F12	Mm.244393	NM_011529	Tank	TRAF family member-associated Nf-kappa B activator
G01	Mm.34580	NM_019786	Tbk1	TANK-binding kinase 1
G02	Mm.27882	NM_198100	Tbkbp1	TBK1 binding protein 1
G03	Mm.203952	NM_174989	Ticam1	Toll-like receptor adaptor molecule 1
G04	Mm.33874	NM_126166	Tlr3	Toll-like receptor 3
G05	Mm.23979	NM_133211	Tlr7	Toll-like receptor 7
G06	Mm.196676	NM_133212	Tlr8	Toll-like receptor 8
G07	Mm.44889	NM_031178	Tlr9	Toll-like receptor 9
G08	Mm.1293	NM_013693	Tnf	Tumor necrosis factor
G09	Mm.264255	NM_001033161	Tradd	TNFRSF1A-associated via death domain
G10	Mm.27431	NM_011632	Traf3	Tnf receptor-associated factor 3
G11	Mm.292729	NM_009424	Traf6	Tnf receptor-associated factor 6
G12	Mm.248445	NM_009546	Trim25	Tripartite motif-containing 25
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT2 SYBR® Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyIQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.) Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Luxembourg ■ 8002 2076

Korea (South) ■ 080-000-7145

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies