RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Antiviral Response

Cat. no. 330231 PAMM-122ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Mouse Antiviral Response RT² Profiler PCR Array profiles the expression of 84 key genes involved in the innate antiviral immune response. Three different families of pattern recognition receptors (PRRs) (toll-like (TLRs), Nod-like (NLRs), and RIG-I-like receptors) initiate innate immunity, the inborn general host response to common pathogens such as viruses. These receptors recognize and bind viral DNA and RNA, activating downstream signaling to induce the expression of inflammatory cytokines including alpha and beta interferons. Alpha and beta interferons mediate type-I interferon signaling that activates dendritic and natural killer cells as well as the adaptive immune response. Some viral nucleic acids bind to multiple PRRs, and each immune cell type expresses a specific set of PRRs. This array contains the receptors and signaling effectors for TLRs, NLRs and RIG-I-like receptors, the genes responsive to these pathways, and the genes involved in type-I interferon signaling as well as downstream interferon-stimulated genes (ISGs). The results of this array allow you to study the interactions of these innate immune signaling networks with a specific viral infection. Using real-time PCR, your research study can easily and reliably analyze the expression of a focused panel of genes involved in innate immunity with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.131453	NM_001013779	Aim2	Absent in melanoma 2
A02	Mm.9852	NM 026217	Atg12	Autophagy-related 12 (yeast)
A03	Mm.22264	NM_053069	Atg5	Autophagy-related 5 (yeast)
A04	Mm.92705	NM_013727	Azi2	5-azacytidine induced gene 2
A05	Mm.330064	NM 001037747	Card9	Caspase recruitment domain family, member 9
A06	Mm.1051	NM_009807	Casp1	Caspase 1
A07	Mm.336851	NM 009812	Casp8	Caspase 8
A08	Mm.1282	NM 011337	Ccl3	Chemokine (C-C motif) ligand 3
A09	Mm.244263	NM 013652	Ccl4	Chemokine (C-C motif) ligand 4
A10	Mm.284248	NM 013653	Ccl5	Chemokine (C-C motif) ligand 5
A11	Mm.271833	NM 011611	Cd40	CD40 antigen
A12	Mm.89474	NM 009855	Cd80	CD80 antigen
B01	Mm.1452	NM 019388	Cd86	CD86 antigen
B02	Mm.3996	NM 007700	Chuk	Conserved helix-loop-helix ubiquitous kinase
B03	Mm.240325	NM 028065	Cnpy3	Canopy 3 homolog (zebrafish)
B04	Mm.236553	NM 007798	Ctsb	Cathepsin B
B05	Mm.930	NM 009984	Ctsl	Cathepsin L
B06	Mm.3619	NM 021281	Ctss	Cathepsin S
B07	Mm.877	NM 021274	Cxcl10	Chemokine (C-X-C motif) ligand 10
B08	Mm.131723	NM 019494	Cxcl11	Chemokine (C-X-C motif) ligand 11
B09	Mm.766	NM 008599	Cxcl9	Chemokine (C-X-C motif) ligand 9
B10	Mm.24282	NM 173369	Cyld	Cylindromatosis (turban tumor syndrome)
B11	Mm.374868	 NM 145496	, Dak	Dihydroxyacetone kinase 2 homolog (yeast)
B12	Mm.289662	NM 010028	Ddx3x	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked
C01	Mm.86382	NM 172689	Ddx58	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
C02	Mm.271830	NM 030150	Dhx58	DEXH (Asp-Glu-X-His) box polypeptide 58
C03	Mm.5126	NM 010175	Fadd	Fas (TNFRSF6)-associated via death domain
C04	Mm.246513	NM 010234	Fos	FBJ osteosarcoma oncogene
C05	Mm.1843	NM 010480	Hsp90aa1	Heat shock protein 90, alpha (cytosolic), class A member 1
C06	Mm.136224	NM 027835	lfih1	Interferon induced with helicase C domain 1
C07	Mm.14091	NM 010503	lfna2	Interferon alpha 2
C08	Mm.502	NM 010508	lfnar 1	Interferon (alpha and beta) receptor 1
C09	Mm.1245	NM 010510	lfnb1	Interferon beta 1, fibroblast
C10	Mm.277886	NM 010546	lkbkb	Inhibitor of kappaB kinase beta
C11	Mm.103783	NM 008351	II12a	Interleukin 12A
C12	Mm.239707	NM 008352	ll12b	Interleukin 12B
D01	Mm.4392	NM 008357	1115	Interleukin 15
D02	Mm.1410	NM 008360	18	Interleukin 18
D03	Mm.222830	NM 008361	ll1b	Interleukin 1 beta
D04	Mm.1019	NM 031168	116	Interleukin 6
D05	Mm.38241	NM 008363	Irak1	Interleukin-1 receptor-associated kinase 1
D06	Mm.3960	NM 016849	Irf3	Interferon regulatory factor 3
D00	Mm.6479	NM 012057	Irf5	Interferon regulatory factor 5
D08	Mm.3233	NM 016850	Irf7	Interferon regulatory factor 7
D00	Mm.4950	NM 015783	lsg15	ISG15 ubiquitin-like modifier
D10	Mm.275071	NM 010591	Jun	Jun oncogene
D11	Mm.248907	NM 008927	Map2k1	Mitogen-activated protein kinase kinase 1
D12	Mm.18494	NM 008928	Map2k3	Mitogen-activated protein kinase kinase 3
E01	Mm.15918	NM 011945	Map2k3 Map3k1	Mitogen-activated protein kinase kinase 1
E02	Mm.258589	NM 172688	Map3k7	Mitogen-activated protein kinase kinase kinase 7 Mitogen-activated protein kinase kinase kinase 7
E02	Mm.196581	NM 011949	Mapsk7 Mapk1	Mitogen-activated protein kinase kinase 1
E04	Mm.311337	NM 011951	Mapk14	Mitogen-activated protein kinase 1
E04	Mm.8385	NM 011952	Mapk14 Mapk3	Mitogen-activated protein kinase 3
E06	Mm.21495	NM 016700	Mapk8	Mitogen-activated protein kinase 8
E07	Mm.287226	NM 144888	Mapko	Milogen-derivated protein kindse o Mitochondrial antiviral signaling protein
E08	Mm.143718	NM 019453	Mavs	Milochonanar animinar signaling protein Mediterranean fever
E08 E09	Mm.143718 Mm.33996	NM 010846	Melv Mx1	Myxovirus (influenza virus) resistance 1

Position	UniGene	GenBank	Symbol	Description	
E10	Mm.213003	NM_010851	Myd88	Myeloid differentiation primary response gene 88	
E11	Mm.256765	NM_008689	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105	
E12	Mm.170515	NM_010907	Nfkbia	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor albha	
F01	Mm.54174	NM 145827	Nlrp3	NLR family, pyrin domain containing 3	
F02	Mm.222633	NM 145857	Nod2	Nucleotide-binding oligomerization domain containing 2	
F03	Mm.260926	NM_145227	Oas2	2'-5' oligoadenylate synthetase 2	
F04	Mm.7906	NM_023371	Pin 1	Protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting 1	
F05	Mm.2534	NM 011193	Pstpip1	Proline-serine-threonine phosphatase-interacting protein 1	
F06	Mm.24163	NM_023258	Pycard	PYD and CARD domain containing	
F07	Mm.249966	NM 009045	Rela	V-rel reticuloendotheliosis viral oncogene homolog A (avian)	
F08	Mm.374799	NM 009068	Ripk1	Receptor (TNFRSF)-interacting serine-threonine kinase 1	
F09	Mm.288474	 NM 009263	Spp1	Secreted phosphoprotein 1	
F10	Mm.277406	NM 009283	Stat1	Signal transducer and activator of transcription 1	
F11	Mm.18972	NM 026474	Sugt1	SGT1, suppressor of G2 allele of SKP1 (S. cerevisiae)	
F12	Mm.244393	 NM 011529	Tank	TRAF family member-associated Nf-kappa B activator	
G01	Mm.34580	NM 019786	Tbk1	TANK-binding kinase 1	
G02	Mm.27882	NM 198100	Tbkbp1	TBK1 binding protein 1	
G03	Mm.203952	 NM 174989	Ticam1	Toll-like receptor adaptor molecule 1	
G04	Mm.33874	NM 126166	Tlr3	Toll-like receptor 3	
G05	Mm.23979	NM 133211	Tlr7	Toll-like receptor 7	
G06	Mm.196676	NM 133212	Tlr8	Toll-like receptor 8	
G07	Mm.44889	NM 031178	Tlr9	Toll-like receptor 9	
G08	Mm.1293	NM 013693	Tnf	Tumor necrosis factor	
G09	Mm.264255	- NM 001033161	Tradd	TNFRSF1A-associated via death domain	
G10	Mm.27431	- NM 011632	Traf3	Tnf receptor-associated factor 3	
G11	Mm.292729	NM 009424	Trafó	Tnf receptor-associated factor 6	
G12	Mm.248445	 NM 009546	Trim25	Tripartite motif-containing 25	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM 009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	 NM 008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM 010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM 008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA 00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA 00104	RTC	Reverse Transcription Control	
H08	N/A	SA 00104	RTC	Reverse Transcription Control	
H09	N/A	SA 00104	RTC	Reverse Transcription Control	
H10	N/A	SA 00103	PPC	Positive PCR Control	
H11	N/A	SA 00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applera Corporation or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	Canada = 800-572-9613	Ireland = 1800 555 049	Norway = 800-18859	
	China • 8621-3865-3865	Italy = 800-787980	Singapore = 1800-742-4368	
	Denmark • 80-885945	Japan = 03-6890-7300	Spain ■ 91-630-7050	$\bullet \bullet \bullet \bullet \bullet \bullet \bullet$
Australia • 1-800-243-800	Finland • 0800-914416	Korea (South) = 080-000-7145	Sweden = 020-790282	
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland • 055-254-22-11	
Belgium = 0800-79612	Germany • 02103-29-12000	Mexico • 01-800-7742-436	UK • 01293-422-911	QIAGEN
Brazil • 0800-557779	Hong Kong ■ 800 933 965	The Netherlands • 0800 0229592	USA • 800-426-8157	GIAGEN

Sample & Assay Technologies