# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Mouse Amino Acid Metabolism I

Cat. no. 330231 PAMM-129ZR

#### For pathway expression analysis

Format	For use with the following real-time cyclers
RT <sup>2</sup> Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

### **Description**

The Mouse Amino Acid Metabolism I RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes important in biosynthesis and degradation of functional amino acids. Of the 20 amino acids required for protein synthesis, six of them (arginine, cysteine, glutamine, leucine, proline, and tryptophan), collectively known as the functional amino acids, regulate key metabolic pathways involved in cellular growth, and development, as well as other important biological processes such as immunity and reproduction. For example, leucine activates mTOR signaling and increases protein synthesis, leading to lymphocyte proliferation. Therefore, a lack of leucine can compromise immune function. Metabolic pathways interrelated with the biosynthesis and degradation of these amino acids include vitamin and cofactor biosynthesis (such as SAM or S-Adenosyl Methionine) as well as neurotransmitter metabolism (such as glutamate). This array includes genes for mammalian functional amino acid metabolism as well as genes involved in methionine metabolism, important also for nutrient sensing and sulfur metabolism. Using realtime PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in functional amino acid metabolism with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT2 Profiler PCR Array format for your real-time

cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



# **Array layout**

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

# Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Mm.35020	NM_011834	Aadat	Aminoadipate aminotransferase	
A02	Mm.42233	NM 009591	Aanat	Arylalkylamine N-acetyltransferase	
A03	Mm.213898	NM_029638	Abp1	Amiloride binding protein 1 (amine oxidase, copper-containing)	
A04	Mm.10530	NM 007382	Acadm	Acyl-Coenzyme A dehydrogenase, medium chain	
A05	Mm.293233	NM 144784	Acat1	Acetyl-Coenzyme A acetyltransferase 1	
A06	Mm.25735	NM 001033041	Acmsd	Amino carboxymuconate semialdehyde decarboxylase	
A07	Mm.7165	NM 025371	Acy1	Aminoacylase 1	
A08	Mm.291504	NM 134052	Adi1	Acireductone dioxygenase 1	
A09	Mm.30032	NM 001081408	Agmat	Agmatine ureohydrolase (agmatinase)	
A10	Mm.330692	NM 016661	Ahcy	S-adenosylhomocysteine hydrolase	
A11	Mm.233117	NM 019698	Aldh18a1	Aldehyde dehydrogenase 18 family, member A1	
A12	Mm.273571	NM 175438	Aldh4a1	Aldehyde dehydrogenase 4 family, member A1	
B01	Mm.330055	NM 019993	Aldh9a1	, , , , , , , , , , , , , , , , , , , ,	
				Aldehyde dehydrogenase 9, subfamily A1	
B02	Mm.253533	NM_009665	Amd1	S-adenosylmethionine decarboxylase 1	
B03	Mm.26787	NM_009676	Aox1	Aldehyde oxidase 1	
B04	Mm.24772	NM_019735	Apip	APAF1 interacting protein	
B05	Mm.3506	NM_009705	Arg2	Arginase type II	
B06	Mm.23869	NM_133768	Asl	Argininosuccinate lyase	
B07	Mm.3217	NM_007494	Ass1	Argininosuccinate synthetase 1	
B08	Mm.252034	NM_016709	Auh	AU RNA binding protein/enoyl-coenzyme A hydratase	
B09	Mm.24210	NM_009737	Bcat2	Branched chain aminotransferase 2, mitochondrial	
B10	Mm.25848	NM_007533	Bckdha	Branched chain ketoacid dehydrogenase E1, alpha polypeptide	
B11	Mm.329582	NM_016668	Bhmt	Betaine-homocysteine methyltransferase	
210		NUL 000505		Carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and	
B12	Mm.305535	NM_023525	Cad	dihydroorotase	
C01	Mm.4215	NM 009804	Cat	Catalase	
C02	Mm.206417	NM 178224	Cbs	Cystathionine beta-synthase	
C03	Mm.241056	NM 033037	Cdo1	Cysteine dioxygenase 1, cytosolic	
C04	Mm.16831	NM 021273	Ckb	Creatine kinase, brain	
C05	Mm.343942	NM 001080809	Cps1	Carbamoyl-phosphate synthetase 1	
C06	Mm.28301	NM 145953	Cth	Cystathionase (cystathionine gamma-lyase)	
C07	Mm.214016	NM 009994	Cyp1b1	, ,,	
C07	Mm.20115	NM 010018	Dao	Cytochrome P450, family 1, subfamily b, polypeptide 1	
C08		NM 010018	Dat	D-amino acid oxidase	
	Mm.3636			Dihydrolipoamide branched chain transacylase E2	
C10	Mm.12906	NM_016672	Ddc	Dopa decarboxylase	
C11	Mm.3131	NM_007861	Dld	Dihydrolipoamide dehydrogenase	
C12	Mm.128580	NM_010066	Dnmt1	DNA methyltransferase (cytosine-5) 1	
D01	Mm.28100	NM_023737	Ehhadh	Enoyl-Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A dehydrogenase	
D02	Mm.11311	NM_026421	Enoph1	Enolase-phosphatase 1	
D03	Mm.7329	NM_010255	Gamt	Guanidinoacetate methyltransferase	
D04	Mm.29975	NM_025961	Gatm	Glycine amidinotransferase (L-arginine:glycine amidinotransferase)	
D05	Mm.2475	NM_008097	Gcdh	Glutaryl-Coenzyme A dehydrogenase	
D06	Mm.19893	NM_013528	Gfpt1	Glutamine fructose-6-phosphate transaminase 1	
D07	Mm.440465	NM_001081081	Gls	Glutaminase	
D08	Mm.10600	NM_008133	Glud1	Glutamate dehydrogenase 1	
D09	Mm.230169	NM_010325	Got2	Glutamate oxaloacetate transaminase 2, mitochondrial	
D10	Mm.30100	NM_025325	Haao	3-hydroxyanthranilate 3,4-dioxygenase	
010	Mm.482102	NM_008254	Hmgcl	3-hydroxy-3-methylglutaryl-Coenzyme A lyase	
D10			Hmgcs1	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 1	
	Mm.61526	NM 145942	riiiigesi		
D11 D12	Mm.61526	_	-	Indoleamine 2.3-dioxygenase 1	
D11 D12 E01	Mm.61526 Mm.392	NM_008324	ldo1	Indoleamine 2,3-dioxygenase 1	
D11 D12 E01 E02	Mm.61526 Mm.392 Mm.299	NM_008324 NM_009349	Ido1 Inmt	Indolethylamine N-methyltransferase	
D11 D12 E01 E02 E03	Mm.61526 Mm.392 Mm.299 Mm.6635	NM_008324 NM_009349 NM_019826	Ido 1 Inmt Ivd	Indolethylamine N-methyltransferase Isovaleryl coenzyme A dehydrogenase	
D11 D12 E01 E02 E03 E04	Mm.61526 Mm.392 Mm.299 Mm.6635 Mm.27217	NM_008324 NM_009349 NM_019826 NM_133809	Ido1 Inmt Ivd Kmo	Indolethylamine N-methyltransferase Isovaleryl coenzyme A dehydrogenase Kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	
D11 D12 E01 E02 E03 E04 E05	Mm.61526 Mm.392 Mm.299 Mm.6635 Mm.27217 Mm.105278	NM_008324 NM_009349 NM_019826 NM_133809 NM_027552	Ido1 Inmt Ivd Kmo Kynu	Indolethylamine N-methyltransferase Isovaleryl coenzyme A dehydrogenase Kynurenine 3-monooxygenase (kynurenine 3-hydroxylase) Kynureninase (L-kynurenine hydrolase)	
D11 D12 E01 E02 E03 E04	Mm.61526 Mm.392 Mm.299 Mm.6635 Mm.27217	NM_008324 NM_009349 NM_019826 NM_133809	Ido1 Inmt Ivd Kmo	Indolethylamine N-methyltransferase Isovaleryl coenzyme A dehydrogenase Kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	

Position	UniGene	GenBank	Symbol	Description	
E09	Mm.241656	NM_172778	Maob	Monoamine oxidase B	
E10	Mm.14064	NM_133653	Mat1a	Methionine adenosyltransferase I, alpha	
E11	Mm.137327	NM_030026	Mccc2	Methylcrotonoyl-Coenzyme A carboxylase 2 (beta)	
E12	Mm.294215	NM_138670	Mpst	Mercaptopyruvate sulfurtransferase	
F01	Mm.28500	NM_024433	Mtap	Methylthioadenosine phosphorylase	
F02	Mm.40335	NM_001081128	Mtr	5-methyltetrahydrofolate-homocysteine methyltransferase	
F03	Mm.31686	NM_178053	Nags	N-acetylglutamate synthase	
F04	Mm.383203	NM_023175	Nit2	Nitrilase family, member 2	
F05	Mm.2893	NM_010927	Nos2	Nitric oxide synthase 2, inducible	
F06	Mm.13694	NM_016978	Oat	Ornithine aminotransferase	
F07	Mm.34102	NM_013614	Odc1	Ornithine decarboxylase, structural 1	
F08	Mm.318302	NM 001081130	Ogdhl	Oxoglutarate dehydrogenase-like	
F09	Mm.2611	NM 008769	Otc	Ornithine transcarbamylase	
F10	Mm.270287	NM_022033	Oxct2a	3-oxoacid CoA transferase 2A	
F11	14 0010	-	D4L 1	Procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase),	
F11	Mm.2212	NM_011030	P4ha1	alpha 1 polypeptide	
F12	Mm.301527	NM 024221	Pdhb	Pyruvate dehydrogenase (lipoamide) beta	
G01	Mm.202337	NM 172146	Ppat	Phosphoribosyl pyrophosphate amidotransferase	
G02	Mm.28456	NM 011172	Prodh	Proline dehydrogenase	
G03	Mm.270525	NM 019546	Prodh2	Proline dehydrogenase (oxidase) 2	
G04	Mm.127731	NM 144795	Pycr1	Pyrroline-5-carboxylate reductase 1	
G05	Mm.250599	NM 025412	Pycrl	Pyrroline-5-carboxylate reductase-like	
G06	Mm.2734	NM 009121	Sat1	Spermidine/spermine N1-acetyl transferase 1	
G07	Mm.28685	NM 145565	Sds	Serine dehydratase	
G08	Mm.10	NM 009272	Srm	Spermidine synthase	
G09	Mm.28110	NM 146214	Tat	Tyrosine aminotransferase	
G10	Mm.258622	NM 019911	Tdo2	Tryptophan 2,3-dioxygenase	
G11	Mm.31597	NM 173391	Tph2	Tryptophan hydroxylase 2	
G12	Mm.38433	NM_011710	Wars	Tryptophanyl-tRNA synthetase	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM 008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM 008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT <sup>2</sup> SYBR Green ROX <sup>™</sup> FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

<sup>\*</sup> Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

