

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse Leukemia

Cat. no. 330231 PAMM-137ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse Leukemia RT² Profiler PCR Array profiles the expression of 84 key genes commonly involved in leukemia development, classification, and therapeutic response. The term leukemia covers a spectrum of diseases called hematological neoplasms, but mostly refers to cancer of the blood or bone marrow characterized by an abnormal increase of white blood cells. Clinical and pathological subtypes of leukemia define both its onset (Acute or Chronic) and the affected blood cell type (Lymphoblastic/Lymphocytic or Myeloid/Myelogenous). Leukemia affects molecular and biological pathways responsible for the normal blood cell function including inflammatory and immune responses, JAK-STAT signaling, and lymphocyte and myeloid cell development and differentiation. In addition, a common chromosomal translocation in leukemia, the BCR-ABL fusion gene, over-stimulates ABL signaling. The differentiation of the affected cells from lymphopoietic and erythropoietic stem cells has led to the concept of leukemia stem cells, reinforcing the importance of their regulatory transcription factors. This array represents many genes in these pathways as well as a number of common leukemia therapeutic targets derived from molecular analyses of those same pathways. The array also includes deregulated genes detected routinely in molecular analysis of leukemia samples and in high-throughput microarray profiling studies, as well as genes known to have differentially methylated promoters in leukemia. Monitoring the expression of these genes may lead to a better understanding of the molecular mechanisms behind leukemia. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in leukemia initiation and progression with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.1318	NM_009594	Abl1	C-abl oncogene 1, non-receptor tyrosine kinase
A02	Mm.6645	NM_009652	Akt1	Thymoma viral proto-oncogene 1
A03	Mm.41072	NM_009662	Alox5	Arachidonate 5-lipoxygenase
A04	Mm.220289	NM_009684	Apaf1	Apoptotic peptidase activating factor 1
A05	Mm.233837	NM_080640	Baalc	Brain and acute leukemia, cytoplasmic
A06	Mm.257460	NM_009741	Bcl2	B-cell leukemia/lymphoma 2
A07	Mm.333722	NM_001081412	Bcr	Breakpoint cluster region
A08	Mm.39089	NM_007560	Bmpr1b	Bone morphogenetic protein receptor, type 1B
A09	Mm.392910	NM_009770	Btg3	B-cell translocation gene 3
A10	Mm.234832	NM_018770	Cadn1	Cell adhesion molecule 1
A11	Mm.1282	NM_011337	Ccl3	Chemokine (C-C motif) ligand 3
A12	Mm.29798	NM_133654	Cd34	CD34 antigen
B01	Mm.140601	NM_026514	Cdc42ep3	CDC42 effector protein (Rho GTPase binding) 3
B02	Mm.35605	NM_009864	Cdh1	Cadherin 1
B03	Mm.334841	NM_019707	Cdh13	Cadherin 13
B04	Mm.195663	NM_007669	Cdkn1a	Cyclin-dependent kinase inhibitor 1A (P21)
B05	Mm.2958	NM_009875	Cdkn1b	Cyclin-dependent kinase inhibitor 1B
B06	Mm.168789	NM_009876	Cdkn1c	Cyclin-dependent kinase inhibitor 1C (P57)
B07	Mm.423094	NM_007670	Cdkn2b	Cyclin-dependent kinase inhibitor 2B (p15, inhibits CDK4)
B08	Mm.439656	NM_009883	Cebpb	CCAAT/enhancer binding protein (C/EBP), beta
B09	Mm.1238	NM_009971	Csf3	Colony stimulating factor 3 (granulocyte)
B10	Mm.390287	NM_010217	Ctgf	Connective tissue growth factor
B11	Mm.291928	NM_007614	Ctnnb1	Catenin (cadherin associated protein), beta 1
B12	Mm.877	NM_021274	Cxcl10	Chemokine (C-X-C motif) ligand 10
C01	Mm.24103	NM_029653	Dapk1	Death associated protein kinase 1
C02	Mm.55143	NM_015814	Dkk3	Dickkopf homolog 3 (Xenopus laevis)
C03	Mm.210875	NM_015802	Dlc1	Deleted in liver cancer 1
C04	Mm.103737	NM_018781	Egr3	Early growth response 3
C05	Mm.271665	NM_010208	Fgr	Gardner-Rasheed feline sarcoma viral (Fgr) oncogene homolog
C06	Mm.338613	NM_019740	Foxo3	Forkhead box O3
C07	Mm.11982	NM_001033331	Gas2l3	Growth arrest-specific 2 like 3
C08	Mm.335973	NM_008089	Gata1	GATA binding protein 1
C09	Mm.439649	NM_008163	Grb2	Growth factor receptor bound protein 2
C10	Mm.715	NM_010407	Hck	Hemopoietic cell kinase
C11	Mm.202504	NM_008228	Hdac1	Histone deacetylase 1
C12	Mm.57250	NM_010430	Hic1	Hypermethylated in cancer 1
D01	Mm.1843	NM_010480	Hsp90aa1	Heat shock protein 90, alpha (cytosolic), class A member 1
D02	Mm.14091	NM_010503	Ifna2	Interferon alpha 2
D03	Mm.133367	NM_011771	Ikzf3	IKAROS family zinc finger 3
D04	Mm.874	NM_010548	Il10	Interleukin 10
D05	Mm.103783	NM_008351	Il12a	Interleukin 12A
D06	Mm.4392	NM_008357	Il15	Interleukin 15
D07	Mm.896	NM_008362	Il1r1	Interleukin 1 receptor, type I
D08	Mm.276360	NM_021283	Il4	Interleukin 4
D09	Mm.1019	NM_031168	Il6	Interleukin 6
D10	Mm.275839	NM_008413	Jak2	Janus kinase 2
D11	Mm.275071	NM_010591	Jun	Jun oncogene
D12	Mm.1167	NM_008416	Junb	Jun-B oncogene
E01	Mm.360145	NM_057173	Lmo1	LIM domain only 1
E02	Mm.29266	NM_008505	Lmo2	LIM domain only 2
E03	Mm.4925	NM_008535	Lyl1	Lymphoblastic leukemia 1
E04	Mm.1639	NM_008562	Mcl1	Myeloid cell leukemia sequence 1
E05	Mm.356578	NM_010789	Meis1	Meis homeobox 1
E06	Mm.239655	NM_008587	Mertk	C-mer proto-oncogene tyrosine kinase
E07	Mm.196006	NM_026810	Mlh1	MutL homolog 1 (E. coli)
E08	Mm.332576	NM_001081235	Mn1	Meningioma 1
E09	Mm.21158	NM_020009	Mtor	Mechanistic target of rapamycin (serine/threonine kinase)

Position	UniGene	GenBank	Symbol	Description
E10	Mm.256765	NM_008689	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
E11	Mm.485384	NM_008722	Npm1	Nucleophosmin 1
E12	Mm.247261	NM_015743	Nr4a3	Nuclear receptor subfamily 4, group A, member 3
F01	Mm.392123	NM_008884	Pml	Promyelocytic leukemia
F02	Mm.207496	NM_008855	Prkcb	Protein kinase C, beta
F03	Mm.245395	NM_008960	Pten	Phosphatase and tensin homolog
F04	Mm.1972	NM_009008	Rac2	RAS-related C3 botulinum substrate 2
F05	Mm.196208	NM_173402	Rgs12	Regulator of G-protein signaling 12
F06	Mm.4081	NM_009821	Runx1	Runt related transcription factor 1
F07	Mm.391013	NM_009820	Runx2	Runt related transcription factor 2
F08	Mm.378894	NM_019732	Runx3	Runt related transcription factor 3
F09	Mm.1302	NM_011355	Sfp1	SFFV proviral integration 1
F10	Mm.19155	NM_009144	Sfrp2	Secreted frizzled-related protein 2
F11	Mm.42095	NM_016687	Sfrp4	Secreted frizzled-related protein 4
F12	Mm.470071	NM_018780	Sfrp5	Secreted frizzled-related sequence protein 5
G01	Mm.86595	NM_011368	Shc1	Src homology 2 domain-containing transforming protein C1
G02	Mm.29279	NM_176996	Smo	Smoothed homolog (Drosophila)
G03	Mm.130	NM_009896	Socs1	Suppressor of cytokine signaling 1
G04	Mm.277406	NM_009283	Stat1	Signal transducer and activator of transcription 1
G05	Mm.249934	NM_011486	Stat3	Signal transducer and activator of transcription 3
G06	Mm.277403	NM_011488	Stat5a	Signal transducer and activator of transcription 5A
G07	Mm.34064	NM_011489	Stat5b	Signal transducer and activator of transcription 5B
G08	Mm.439685	NM_011527	Tal1	T-cell acute lymphocytic leukemia 1
G09	Mm.391203	NM_021901	Tlx1	T-cell leukemia, homeobox 1
G10	Mm.25362	NM_019916	Tlx3	T-cell leukemia, homeobox 3
G11	Mm.222	NM_011640	Trp53	Transformation related protein 53
G12	Mm.32831	NM_011915	Wif1	Wnt inhibitory factor 1
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies