RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Mouse GABA & Glutamate

Cat. no. 330231 PAMM-152ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT² Profiler PCR Array, Format A	Applied Biosystems [®] models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA [™] 7 (96-well block); Bio-Rad [®] models iCycler [®] , iQ [™] 5, MyiQ [™] , MyiQ2; Bio-Rad/MJ Research Chromo4 [™] ; Eppendorf [®] Mastercycler [®] ep realplex models 2, 2s, 4, 4s; Stratagene [®] models Mx3005P [®] , Mx3000P [®] ; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT² Profiler PCR Array, Format F	Roche [®] LightCycler [®] 480 (96-well block)
RT² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Mouse GABA & Glutamate RT² Profiler PCR Array profiles the expression of 84 key genes of the GABA (?-aminobutyric acid) and glutamate neurotransmitter systems. The brain is a complex organ, capable of exerting essential responses for a variety of internal and external stimuli. Each stimulus activates excitatory or inhibitory responses, and the sum of these responses on each neuron results in propagated or inhibited neuronal transmission. Of the wide variety of neuronal receptors in the brain, the major excitatory receptors recognize the ligand glutamate, and the major inhibitory receptors respond to the ligand GABA. The GABA neurotransmitter system includes the GABAA and GABAC classes of ligand gated ion channels. The glutamate neurotransmitter system includes NMDA, AMPA, and kainate ligand-gated ion channels. Key enzymes synthesize GABA or glutamate as necessary, which are then transported into synaptic vesicles. Release of GABA or glutamate from vesicles activates postsynaptic GABA-responsive or glutamate-responsive ion channels, respectively, initiating downstream G protein signaling to propagate neurotransmission. Dysregulation of GABAergic or glutamatergic synaptic transmission results in a wide variety of nervous system disorders, including chronic pain, psychiatric diseases, neurodegenerative diseases, and insomnia. There are many drugs that are agonists or antagonists of the GABA and glutamate neurotransmitter systems. Historically, these major excitatory and inhibitory systems were studied separately. However, recent research suggests that input from both GABA and glutamate are necessary for normal nervous system growth and function. This array represents genes essential for the synthesis and transport of GABA and glutamate, as well as responsive ion channels and downstream signaling. The results of this array may yield insights into the interaction of these excitatory and inhibitory neuronal systems during essential cognitive functions. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in neuronal GABA and glutamate functions with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the RT^2 Profiler PCR Array Handbook for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Abat	Adcy7	Adora 1	Adora2a	Aldh5a1	Арр	Avp	Bdnf	Cacna 1a	Cacna 1 b	Cdk5r1	Cln3
в	Dlg4	Gabbr1	Gabbr2	Gabra 1	Gabra2	Gabra4	Gabra5	Gabraó	Gabrb1	Gabrb3	Gabrd	Gabre
с	Gabrg1	Gabrg2	Gabrg3	Gabrq	Gabrr1	Gabrr2	Gad1	Gls	Glul	Gnai 1	Gnaq	Gphn
D	Gria 1	Gria2	Gria3	Gria4	Grik1	Grik2	Grik4	Grik5	Grin 1	Grin2a	Grin2b	Grin2c
E	Grm1	Grm2	Grm3	Grm4	Grm5	Grm6	Grm7	Grm8	Homer1	Homer2	Шь	ltpr1
F	Mapk1	Nsf	P2rx7	Phgdh	Pla2g6	Plcb1	Prodh	Shank2	Slc17a6	Slc17a7	Slc17a8	Sic1a1
G	Slc1a2	Sic1a3	Slc1a6	Slc32a1	Slc38a1	Slc6a 1	Sic6a11	Slc6a12	Slc6a13	Slc7a11	Snca	Srr
н	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.259315	NM_172961	Abat	4-aminobutyrate aminotransferase
A02	Mm.288206	NM_007406	Adcy7	Adenylate cyclase 7
A03	Mm.298908	NM_001008533	Adora 1	Adenosine A1 receptor
A04	Mm.333734	NM_009630	Adora2a	Adenosine A2a receptor
A05	Mm.393311	NM_172532	Aldh5a1	Aldhehyde dehydrogenase family 5, subfamily A1
A06	Mm.277585	NM_007471	Арр	Amyloid beta (A4) precursor protein
A07	Mm.6190	NM_009732	Avp	Arginine vasopressin
A08	Mm.1442	NM_007540	Bdnf	Brain derived neurotrophic factor
A09	Mm.334658	NM_007578	Cacnala	Calcium channel, voltage-dependent, P/Q type, alpha 1A subunit
A10	Mm.4424	NM_007579	Cacna1b	Calcium channel, voltage-dependent, N type, alpha 1B subunit
A11	Mm.142275	NM_009871	Cdk5r1	Cyclin-dependent kinase 5, regulatory subunit 1 (p35)
A12	Mm.268930	NM_009907	Cln3	Ceroid lipofuscinosis, neuronal 3, juvenile (Batten, Spielmeyer-Vogt disease)
B01	Mm.27256	NM_007864	Dlg4	Discs, large homolog 4 (Drosophila)
B02	Mm.32191	NM_019439	Gabbr1	Gamma-aminobutyric acid (GABA) B receptor, 1
B03	Mm.101909	NM_001081141	Gabbr2	Gamma-aminobutyric acid (GABA) B receptor, 2
B04	Mm.439668	NM_010250	Gabra 1	Gamma-aminobutyric acid (GABA) A receptor, subunit alpha 1
B05	Mm.5304	NM_008066	Gabra2	Gamma-aminobutyric acid (GABA) A receptor, subunit alpha 2
B06	Mm.248731	NM_010251	Gabra4	Gamma-aminobutyric acid (GABA) A receptor, subunit alpha 4
B07	Mm.273114	NM 176942	Gabra5	Gamma-aminobutyric acid (GABA) A receptor, subunit alpha 5
B08	Mm.4915	NM_008068	Gabra6	Gamma-aminobutyric acid (GABA) A receptor, subunit alpha 6
B09	Mm.38567	NM_008069	Gabrb 1	Gamma-aminobutyric acid (GABA) A receptor, subunit beta 1
B10	Mm.8004	NM 008071	Gabrb3	Gamma-aminobutyric acid (GABA) A receptor, subunit beta 3
B11	Mm.388925	NM_008072	Gabrd	Gamma-aminobutyric acid (GABA) A receptor, subunit delta
B12	Mm.391288	NM_017369	Gabre	Gamma-aminobutyric acid (GABA) A receptor, subunit epsilon
C01	Mm.255292	NM_010252	Gabrg 1	Gamma-aminobutyric acid (GABA) A receptor, subunit gamma 1
C02	Mm.5309	NM_008073	Gabrg2	Gamma-aminobutyric acid (GABA) A receptor, subunit gamma 2
C03	Mm.378920	NM_008074	Gabrg3	Gamma-aminobutyric acid (GABA) A receptor, subunit gamma 3
C04	Mm.117125	NM_020488	Gabrq	Gamma-aminobutyric acid (GABA) A receptor, subunit theta
C05	Mm.14116	NM_008075	Gabrr1	Gamma-aminobutyric acid (GABA) C receptor, subunit rho 1
C06	Mm.6227	NM_008076	Gabrr2	Gamma-aminobutyric acid (GABA) C receptor, subunit rho 2
C07	Mm.272120	NM_008077	Gad 1	Glutamic acid decarboxylase 1
C08	Mm.440465	NM_001081081	Gls	Glutaminase
C09	Mm.210745	NM_008131	Glul	Glutamate-ammonia ligase (glutamine synthetase)
C10	Mm.254629	NM_010305	Gnai1	Guanine nucleotide binding protein (G protein), alpha inhibiting 1
C11	Mm.439701	NM_008139	Gnaq	Guanine nucleotide binding protein, alpha q polypeptide
C12	Mm.341742	NM_172952	Gphn	Gephyrin
D01	Mm.4920	NM_008165	Gria 1	Glutamate receptor, ionotropic, AMPA1 (alpha 1)
D02	Mm.220224	NM_013540	Gria2	Glutamate receptor, ionotropic, AMPA2 (alpha 2)
D03	Mm.327681	NM_016886	Gria3	Glutamate receptor, ionotropic, AMPA3 (alpha 3)
D04	Mm.209263	NM_019691	Gria4	Glutamate receptor, ionotropic, AMPA4 (alpha 4)
D05	Mm.5134	NM_146072	Grik1	Glutamate receptor, ionotropic, kainate 1
D06	Mm.332838	NM_010349	Grik2	Glutamate receptor, ionotropic, kainate 2 (beta 2)
D07	Mm.370291	NM 175481	Grik4	Glutamate receptor, ionotropic, kainate 4
D08	Mm.2879	NM 008168	Grik5	Glutamate receptor, ionotropic, kainate 5 (gamma 2)
D09	Mm.278672	NM 008169	Grin 1	Glutamate receptor, ionotropic, NMDA1 (zeta 1)

Position	UniGene	GenBank	Symbol	Description
D10	Mm.2953	NM_008170	Grin2a	Glutamate receptor, ionotropic, NMDA2A (epsilon 1)
D11	Mm.436649	NM 008171	Grin2b	Glutamate receptor, ionotropic, NMDA2B (epsilon 2)
D12	Mm.39090	NM 010350	Grin2c	Glutamate receptor, ionotropic, NMDA2C (epsilon 3)
E01	Mm.391904	NM 016976	Grm1	Glutamate receptor, metabotropic 1
E02	Mm.410822	NM 001160353	Grm2	Glutamate receptor, metabotropic 2
E03	Mm.318966	 NM 181850	Grm3	Glutamate receptor, metabotropic 3
E04	Mm.358940	NM 001013385	Grm4	Glutamate receptor, metabotropic 4
E05	Mm.235018	NM 001081414	Grm5	Glutamate receptor, metabotropic 5
E06	Mm.134265	 NM 173372	Grm6	Glutamate receptor, metabotropic 6
E07	Mm.240881	NM 177328	Grm7	Glutamate receptor, metabotropic 7
E08	Mm.320732	NM 008174	Grm8	Glutamate receptor, metabotropic 8
E09	Mm.37533	NM 152134	Homer1	Homer homolog 1 (Drosophila)
E10	Mm.228	 NM 011983	Homer2	Homer homolog 2 (Drosophila)
E11	Mm.222830	NM 008361	ll1b	Interleukin 1 beta
E12	Mm.227912	NM 010585	ltpr1	Inositol 1,4,5-trisphosphate receptor 1
F01	Mm.196581	NM 011949	Mapk1	Mitogen-activated protein kinase 1
F02	Mm.260117	NM 008740	Nsf	N-ethylmaleimide sensitive fusion protein
F03	Mm.42026	NM 011027	P2rx7	Purinergic receptor P2X, ligand-gated ion channel, 7
F04	Mm.16898	NM 016966	Phgdh	3-phosphoglycerate dehydrogenase
F05	Mm.155620	NM 016915	Pla2g6	Phospholipase A2, group VI
F06	Mm.330607	NM 019677	Plcb1	Phospholipase C, beta 1
F07	Mm.28456	NM 011172	Prodh	Proline dehydrogenase
F08	Mm.483624	NM 001081370	Shank2	SH3/ankyrin domain gene 2
		_		Solute carrier family 17 (sodium-dependent inorganic phosphate cotransporter),
F09	Mm.256618	NM_080853	Slc17a6	member 6
				Solute carrier family 17 (sodium-dependent inorganic phosphate cotransporter),
F10	Mm.255631	NM_182993	Slc17a7	member 7
				Solute carrier family 17 (sodium-dependent inorganic phosphate cotransporter),
F11	Mm.233921	NM_182959	Slc17a8	member 8
				Solute carrier family 1 (neuronal/epithelial high affinity glutamate transporter,
F12	Mm.246670	NM_009199	Slc1a1	system Xag), member 1
G01	Mm.371582	NM 011393	Slc1a2	Solute carrier family 1 (glial high affinity glutamate transporter), member 2
G02	Mm.204834	NM 148938	Slc1a3	Solute carrier family 1 (glial high affinity glutamate transporter), member 3
G03	Mm.6257	NM 009200	Slc1a6	Solute carrier family 1 (high affinity aspartate/glutamate transporter), member 6
G04	Mm.143404	NM 009508	Slc32a1	Solute carrier family 32 (GABA vesicular transporter), member 1
G05	Mm.103568	NM 134086	Slc38a1	Solute carrier family 38, member 1
G06	Mm.5260	NM 178703	Slc6a1	Solute carrier family 6 (neurotransmitter transporter, GABA), member 1
G07	Mm.44683	NM 172890	Slc6a11	Solute carrier family 6 (neurotransmitter transporter, GABA), member 11
G08	Mm.274506	NM 133661	Slc6a12	Solute carrier family 6 (neurotransmitter transporter, betaine/GABA), member 12
G09	Mm.258596	NM 144512	Slc6a13	Solute carrier family 6 (neurotransmitter transporter, GABA), member 13
G10	Mm.260988	NM 011990	Slc7a11	Solute carrier family 7 (cationic amino acid transporter, y+ system), member 11
G11	Mm.17484	NM 009221	Snca	Synuclein, alpha
G12	Mm.131443	NM 013761	Srr	Serine racemase
H01	Mm.328431	NM 007393	Actb	Actin, beta
H02	Mm.163	NM 009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM 008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM 010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM 008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA 00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA 00104	RTC	Reverse Transcription Control
H08	N/A	SA 00104	RTC	Reverse Transcription Control
H09	N/A	SA 00104	RTC	Reverse Transcription Control
H10	N/A	SA 00103	PPC	Positive PCR Control
H11	N/A	SA 00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT2 SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems[®], ViiA[™], StepOnePlus[™], ROX[™] (Applera Corporation or its subsidiaries); Bio-Rad[®], iCycler[®], iQ[™], MyiQ[™], Chromo4[™], CFX96[™], DNA Engine Opticon[®], CFX384[™] (Bio-Rad Laboratories, Inc.)Stratagene[®], Mx3005P[®], Mx3000P[®], Mx4000[®] (Stratagene); Eppendorf[®], Mastercycler[®] (Eppendorf AG); Roche[®], LightCycler[®] (Roche Group); Fluidigm[®] BioMark[™] (Fluidigm Corporation); SYBR[®] (Molecular Probes, Inc.). 1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com Australia = 1-800-243-800 Austria = 0800/281010 Belgium = 0800-79612 Brazil = 0800 557779	Canada • 800-572-9613 China • 8621-3865-3865 Denmark • 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hang Kang • 800 933 865	Ireland = 1800 555 049 Italy = 800-787980 Japan = 03-6890-7300 Korea (South) = 080-000-7145 Luxembourg = 8002 2076 Mexico = 01-800-7742-436 The Netherlands = 0800 0228582	Norway = 800-18859 Singapore = 1800-742-4368 Spain = 91-630-7050 Sweden = 020-790282 Switzerland = 055-254-22-11 UK = 01293-422-911 USA = 800.426.8157	QIAGEN
Brazil • 0800-557779	Hong Kong • 800 933 965	The Netherlands • 0800 0229592	USA • 800-426-8157	GIAGEN

Sample & Assay Technologies