RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Cardiovascular Disease

Cat. no. 330231 PAMM-174ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Mouse Cardiovascular Disease RT² Profiler PCR Array profiles the expression of 84 genes linked to cardiac disease. Cardiovascular disease is the most important cause of morbidity and mortality in developed countries, causing twice as many deaths as cancer in the United States. Multiple genetic and environmental factors, as well as the interactions between them, increase the risk for developing major cardiovascular diseases such as coronary artery disease (CAD), myocardial infarction (MI), and congestive heart failure (CHF), to name a few. The underlying pathogenic mechanisms for these disorders are still largely unknown, but observed gene expression changes may play a central role in the development and progression of cardiovascular disease. Microarray studies have characterized gene expression patterns in diseased and non-diseased patients leading to the identification of unique subsets of genes associated with the cardiac disease process. The genes profiled with this array play roles in molecular processes such as apoptosis, cardiac remodeling, cell cycle, cell growth, stress and immune responses, transcriptional regulation, and signal transduction. Genes encoding sarcomere structural proteins are represented as well. A set of controls present on each array enables data analysis using the AACT method of relative quantification and assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes related to cardiovascular disease with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Mm.754	NM_009598	Ace	Angiotensin I converting enzyme (peptidyl-dipeptidase A) 1	
A02	Mm.686	NM_009608	Actc1	Actin, alpha, cardiac muscle 1	
A03	Mm.57064	NM_013461	Adrala	Adrenergic receptor, alpha 1a	
A04	Mm.39086	NM_007416	Adra1b	Adrenergic receptor, alpha 1b	
A05	Mm.389380	NM_013460	Adra1d	Adrenergic receptor, alpha 1d	
A06	Mm.46797	NM_007419	Adrb1	Adrenergic receptor, beta 1	
A07	Mm.5598	NM 007420	Adrb2	Adrenergic receptor, beta 2	
A08	Mm.278475	NM 013462	Adrb3	Adrenergic receptor, beta 3	
A09	Mm.3317	NM 009636	Aebp1	AE binding protein 1	
A10	Mm.35062	NM 177322	Agtr1 a	Angiotensin II receptor, type 1a	
A11	Mm.259702	NM 013471	Anxa4	Annexin A4	
A12	Mm.39005	NM 013476	Ar	Androgen receptor	
B01	Mm.227583	NM 009722	Atp2a2	ATPase, Ca++ transporting, cardiac muscle, slow twitch 2	
B02	Mm.276137	NM 007505	Atp5a1	ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit 1	
B03	Mm.20247	NM 016704	C6	Complement component 6	
B04	Mm.4686	NM 011330	Ccl11	Chemokine (C-C motif) ligand 11	
B05	Mm.290320	NM 011333	Ccl2	Chemokine (C-C motif) ligand 2	
B06	Mm.273049	NM 007631	Ccnd1	Cyclin D1	
B07	Mm.2958	NM 009875	Cdkn1b	Cyclin-dependent kinase inhibitor 1B	
B08	Mm.209715	NM 007729	Col11a1	Collagen, type XI, alpha 1	
B09	Mm.277735	NM 007742	Collal	Collagen, type II, alpha 1	
B10	Mm.249555	NM 009930	Col3a1	Collagen, type III, alpha 1	
B11	Mm.321138	NM 172728	Creb5	CAMP responsive element binding protein 5	
B12	Mm.5244	NM 013498	Crem	CAMP responsive element modulator	
C01	Mm.178	_		•	
C02		NM_009964	Cryab	Crystallin, alpha B	
C02	Mm.9114	NM_016669	Crym	Crystallin, mu	
	Mm.390287	NM_010217	Ctgf	Connective tissue growth factor	
C04	Mm.303231	NM_021704	Cxcl12	Chemokine (C-X-C motif) ligand 12	
C05	Mm.56769	NM_007833	Dcn	Decorin	
C06	Mm.275608	NM_007868	Dmd	Dystrophin, muscular dystrophy	
C07	Mm.1791	NM_026268	Dusp6	Dual specificity phosphatase 6	
C08	Mm.87759	NM_010135	Enah	Enabled homolog (Drosophila)	
C09	Mm.2653	NM_010149	Epor	Erythropoietin receptor	
C10	Mm.24816	NM_010169	F2r	Coagulation factor II (thrombin) receptor	
C11	Mm.193099	NM_010233	Fn1	Fibronectin 1	
C12	Mm.427436	NM_011356	Frzb	Frizzled-related protein	
D01	Mm.439721	NM_008059	G0s2	G0/G1 switch gene 2	
D02	Mm.378921	NM_010288	Gja1	Gap junction protein, alpha 1	
D03	Mm.482102	NM_008254	Hmgcl	3-hydroxy-3-methylglutaryl-Coenzyme A lyase	
D04	Mm.316652	NM_008255	Hmgcr	3-hydroxy-3-methylglutaryl-Coenzyme A reductase	
D05	Mm.319660	NM_016957	Hmgn2	High mobility group nucleosomal binding domain 2	
D06	Mm.379256	NM_001195075	Klhl3	Kelch-like 3 (Drosophila)	
D07	Mm.21108	NM_173740	Maoa	Monoamine oxidase A	
D08	Mm.325746	NM_011840	Map2k5	Mitogen-activated protein kinase kinase 5	
D09	Mm.196581	NM_011949	Mapk1	Mitogen-activated protein kinase 1	
D10	Mm.21495	NM_016700	Mapk8	Mitogen-activated protein kinase 8	
D11	Mm.5022	NM_008607	Mmp13	Matrix metallopeptidase 13	
D12	Mm.400451	NM_054043	Msi2	Musashi homolog 2 (Drosophila)	
E01	Mm.218233	NM_175260	Myh10	Myosin, heavy polypeptide 10, non-muscle	
E02	Mm.290003	NM_010856	Myh6	Myosin, heavy polypeptide 6, cardiac muscle, alpha	
E03	Mm.28058	NM_025316	Ndufb5	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5	
E04	Mm.120298	NM_028757	Nebl	Nebulette	
E05	Mm.31274	NM_010905	Nfia	Nuclear factor I/A	
E06	Mm.41974	NM_008700	Nkx2-5	NK2 transcription factor related, locus 5 (Drosophila)	
E07	Mm.482123	NM_008725	Nppa	Natriuretic peptide type A	
E08	Mm.2740	NM_008726	Nppb	Natriuretic peptide type B	
E09	Mm.4627	NM 008727	Npr1	Natriuretic peptide receptor 1	

Position	UniGene	GenBank	Symbol	Description	
E10	Mm.103477	NM_173788	Npr2	Natriuretic peptide receptor 2	
E11	Mm.25259	NM_008728	Npr3	Natriuretic peptide receptor 3	
E12	Mm.129481	NM_008173	Nr3c1	Nuclear receptor subfamily 3, group C, member 1	
F01	Mm.324393	NM_001083906	Nr3c2	Nuclear receptor subfamily 3, group C, member 2	
F02	Mm.103728	NM_018779	Pde3a	Phosphodiesterase 3A, cGMP inhibited	
F03	Mm.430730	NM_011055	Pde3b	Phosphodiesterase 3B, cGMP-inhibited	
F04	Mm.134911	NM_153422	Pde5a	Phosphodiesterase 5A, cGMP-specific	
F05	Mm.355614	NM_008802	Pde7a	Phosphodiesterase 7A	
F06	Mm.236067	NM_015784	Postn	Periostin, osteoblast specific factor	
F07	Mm.279690	NM_008973	Ptn	Pleiotrophin	
F08	Mm.38002	NM_001164763	Rarres1	Retinoic acid receptor responder (tazarotene induced) 1	
F09	Mm.12091	NM_019713	Rassf1	Ras association (RalGDS/AF-6) domain family member 1	
F10	Mm.220955	NM 031192	Ren1	Renin 1 structural	
F11	Mm.192580	NM_194053	Rtn4	Reticulon 4	
F12	Mm.24662	NM 011309	\$100a1	\$100 calcium binding protein A1	
G01	Mm.21567	NM 013650	\$100a8	\$100 calcium binding protein A8 (calgranulin A)	
G02	Mm.42095	NM_016687	Sfrp4	Secreted frizzled-related protein 4	
G03	Mm.3914	NM_183354	Slc12a1	Solute carrier family 12, member 1	
G04	Mm.17484	NM 009221	Snca	Synuclein, alpha	
G05	Mm.379020	NM_009262	Spock1	Sparc/osteonectin, cwcv and kazal-like domains proteoglycan 1	
G06	Mm.277406	NM_009283	Stat1	Signal transducer and activator of transcription 1	
G07	Mm.4269	NM 013685	Tcf4	Transcription factor 4	
G08	Mm.26688	NM_011581	Thbs2	Thrombospondin 2	
G09	Mm.27674	NM_009406	Tnni3	Troponin I, cardiac 3	
G10	Mm.247470	NM 011619	Tnnt2	Troponin T2, cardiac	
G11	Mm.487829	NM_011664	Ubb	Ubiquitin B	
G12	Mm.282303	NM_011777	Zyx	Zyxin	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.309092	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

