

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Mouse WNT Signaling Pathway

Cat. no. 330231 PAMM-243ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems [®] models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad [®] models iCycler [®] , iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf [®] Mastercycler [®] ep realplex models 2, 2s, 4, 4s; Stratagene [®] models Mx3005P [®] , Mx3000P [®] ; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon [®] , DNA Engine Opticon 2; Stratagene Mx4000 [®]
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche [®] LightCycler [®] 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm [®] BioMark™



Sample & Assay Technologies

Description

The Mouse WNT Signaling Targets RT² Profiler PCR Array profiles the expression of 84 key genes responsive to WNT signal transduction. The WNT family of secreted growth factors regulates development and differentiation as well as general cell maintenance processes such as migration and cell cycle regulation. The WNT ligands bind to Frizzled (FZD) receptor family members and activate one of three WNT pathways: the canonical pathway, planar cell polarity (PCP), and a calcium ion-dependent pathway. The well-studied and better characterized canonical WNT pathway signals through β -catenin and regulates cell cycle, cell growth, and proliferation. Dysregulation of the canonical WNT signal transduction pathway is associated with cancer and developmental diseases. Many target genes of the canonical WNT pathway have been identified using experimental techniques such as chromatin immunoprecipitation (ChIP) and gene expression studies, while similar analyses for the PCP and a calcium ion-dependent pathways have yet be performed. This array includes WNT canonical signaling pathway transcription factors and highly relevant target genes identified by multiple studies. Results obtained with this array can be used to analyze activation or inhibition of WNT signaling. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in WNT-regulated cellular processes with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Abcb1a	Ahr	Angptl4	Antxr1	Axin2	Birc5	Bmp4	Btrc	Cacna2d3	Ccnd1	Ccnd2	Cd44
B	Cdh1	Cdkn2a	Cdon	Cebpd	Ctgf	Cubn	Dab2	Dkk1	Dlk1	Dpp10	Efnb1	Egfr
C	Egr1	Enpp2	Ets2	Fgf20	Fgf4	Fgf7	Fgf9	Fn1	Fosl1	Fst	Fzd7	Gdf5
D	Gdnf	Gja1	Id2	Igf1	Igf2	Il6	Irs1	Jag1	Klf5	Lef1	Lrp1	Met
E	Mmp2	Mmp7	Mmp9	Myc	Nanog	Nrcam	Nrp1	Ntrk2	Pdgfra	Ptx2	Plaur	Pou5f1
F	Ppap2b	Ppard	Ptch1	Ptgs2	Runx2	Sfrp2	Six1	Smo	Sox2	Sox9	T	Tcf4
G	Tcf7	Tcf7l1	Tcf7l2	Tgfb3	Tle1	Twist1	Vegfa	Wisp1	Wisp2	Wnt3a	Wnt5a	Wnt9a
H	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.207354	NM_011076	Abcb1a	ATP-binding cassette, sub-family B (MDR/TAP), member 1A
A02	Mm.341377	NM_013464	Ahr	Aryl-hydrocarbon receptor
A03	Mm.196189	NM_020581	Angptl4	Angiopietin-like 4
A04	Mm.232525	NM_054041	Antxr1	Anthrax toxin receptor 1
A05	Mm.71710	NM_015732	Axin2	Axin2
A06	Mm.8552	NM_009689	Birc5	Baculoviral IAP repeat-containing 5
A07	Mm.6813	NM_007554	Bmp4	Bone morphogenetic protein 4
A08	Mm.119717	NM_009771	Btrc	Beta-transducin repeat containing protein
A09	Mm.386754	NM_009785	Cacna2d3	Calcium channel, voltage-dependent, alpha2/delta subunit 3
A10	Mm.273049	NM_007631	Ccnd1	Cyclin D1
A11	Mm.333406	NM_009829	Ccnd2	Cyclin D2
A12	Mm.423621	NM_009851	Cd44	CD44 antigen
B01	Mm.35605	NM_009864	Cdh1	Cadherin 1
B02	Mm.4733	NM_009877	Cdkn2a	Cyclin-dependent kinase inhibitor 2A
B03	Mm.80509	NM_021339	Cdon	Cell adhesion molecule-related/down-regulated by oncogenes
B04	Mm.347407	NM_007679	Cebpd	CCAAT/enhancer binding protein (C/EBP), delta
B05	Mm.390287	NM_010217	Ctgf	Connective tissue growth factor
B06	Mm.313915	NM_001081084	Cubn	Cubilin (intrinsic factor-cobalamin receptor)
B07	Mm.240830	NM_023118	Dab2	Disabled homolog 2 (Drosophila)
B08	Mm.214717	NM_010051	Dkk1	Dickkopf homolog 1 (Xenopus laevis)
B09	Mm.157069	NM_010052	Dlk1	Delta-like 1 homolog (Drosophila)
B10	Mm.483255	NM_199021	Dpp10	Dipeptidylpeptidase 10
B11	Mm.3374	NM_010110	Efnb1	Ephrin B1
B12	Mm.8534	NM_007912	Egfr	Epidermal growth factor receptor
C01	Mm.181959	NM_007913	Egr1	Early growth response 1
C02	Mm.250256	NM_015744	Enpp2	Ectonucleotide pyrophosphatase/phosphodiesterase 2
C03	Mm.290207	NM_011809	Ets2	E26 avian leukemia oncogene 2, 3' domain
C04	Mm.425526	NM_030610	Fgf20	Fibroblast growth factor 20
C05	Mm.4956	NM_010202	Fgf4	Fibroblast growth factor 4
C06	Mm.330557	NM_008008	Fgf7	Fibroblast growth factor 7
C07	Mm.8846	NM_013518	Fgf9	Fibroblast growth factor 9
C08	Mm.193099	NM_010233	Fn1	Fibronectin 1
C09	Mm.6215	NM_010235	Fosl1	Fos-like antigen 1
C10	Mm.4913	NM_008046	Fst	Follistatin
C11	Mm.297906	NM_008057	Fzd7	Frizzled homolog 7 (Drosophila)
C12	Mm.4744	NM_008109	Gdf5	Growth differentiation factor 5
D01	Mm.4679	NM_010275	Gdnf	Glial cell line derived neurotrophic factor
D02	Mm.378921	NM_010288	Gja1	Gap junction protein, alpha 1
D03	Mm.34871	NM_010496	Id2	Inhibitor of DNA binding 2
D04	Mm.268521	NM_010512	Igf1	Insulin-like growth factor 1
D05	Mm.3862	NM_010514	Igf2	Insulin-like growth factor 2
D06	Mm.1019	NM_031168	Il6	Interleukin 6
D07	Mm.4952	NM_010570	Irs1	Insulin receptor substrate 1
D08	Mm.22398	NM_013822	Jag1	Jagged 1
D09	Mm.30262	NM_009769	Klf5	Kruppel-like factor 5

Position	UniGene	GenBank	Symbol	Description
D10	Mm.255219	NM_010703	Lef1	Lymphoid enhancer binding factor 1
D11	Mm.271854	NM_008512	Lrp1	Low density lipoprotein receptor-related protein 1
D12	Mm.86844	NM_008591	Met	Met proto-oncogene
E01	Mm.29564	NM_008610	Mmp2	Matrix metalloproteinase 2
E02	Mm.4825	NM_010810	Mmp7	Matrix metalloproteinase 7
E03	Mm.4406	NM_013599	Mmp9	Matrix metalloproteinase 9
E04	Mm.2444	NM_010849	Myc	Myelocytomatosis oncogene
E05	Mm.485537	NM_028016	Nanog	Nanog homeobox
E06	Mm.208439	NM_176930	Nrcam	Neuron-glia-CAM-related cell adhesion molecule
E07	Mm.271745	NM_008737	Nrp1	Neuropilin 1
E08	Mm.130054	NM_008745	Ntrk2	Neurotrophic tyrosine kinase, receptor, type 2
E09	Mm.221403	NM_011058	Pdgfra	Platelet derived growth factor receptor, alpha polypeptide
E10	Mm.246804	NM_011098	Pitx2	Paired-like homeodomain transcription factor 2
E11	Mm.1359	NM_011113	Plaur	Plasminogen activator, urokinase receptor
E12	Mm.17031	NM_013633	Pou5f1	POU domain, class 5, transcription factor 1
F01	Mm.348326	NM_080555	Ppap2b	Phosphatidic acid phosphatase type 2B
F02	Mm.328914	NM_011145	Ppard	Peroxisome proliferator activator receptor delta
F03	Mm.228798	NM_008957	Ptch1	Patched homolog 1
F04	Mm.292547	NM_011198	Ptgs2	Prostaglandin-endoperoxide synthase 2
F05	Mm.391013	NM_009820	Runx2	Runt related transcription factor 2
F06	Mm.19155	NM_009144	Sfrp2	Secreted frizzled-related protein 2
F07	Mm.4645	NM_009189	Six1	Sine oculis-related homeobox 1 homolog (Drosophila)
F08	Mm.29279	NM_176996	Smo	Smoothed homolog (Drosophila)
F09	Mm.65396	NM_011443	Sox2	SRY-box containing gene 2
F10	Mm.286407	NM_011448	Sox9	SRY-box containing gene 9
F11	Mm.913	NM_009309	T	Brachyury
F12	Mm.4269	NM_013685	Tcf4	Transcription factor 4
G01	Mm.31630	NM_009331	Tcf7	Transcription factor 7, T-cell specific
G02	Mm.440067	NM_009332	Tcf7l1	Transcription factor 7-like 1 (T-cell specific, HMG box)
G03	Mm.139815	NM_009333	Tcf7l2	Transcription factor 7-like 2, T-cell specific, HMG-box
G04	Mm.3992	NM_009368	Tgfb3	Transforming growth factor, beta 3
G05	Mm.278444	NM_011599	Tle1	Transducin-like enhancer of split 1, homolog of Drosophila E(spl)
G06	Mm.3280	NM_011658	Twist1	Twist homolog 1 (Drosophila)
G07	Mm.282184	NM_009505	Vegfa	Vascular endothelial growth factor A
G08	Mm.10222	NM_018865	Wisp1	WNT1 inducible signaling pathway protein 1
G09	Mm.13828	NM_016873	Wisp2	WNT1 inducible signaling pathway protein 2
G10	Mm.1367	NM_009522	Wnt3a	Wingless-related MMTV integration site 3A
G11	Mm.287544	NM_009524	Wnt5a	Wingless-related MMTV integration site 5A
G12	Mm.218794	NM_139298	Wnt9a	Wingless-type MMTV integration site 9A
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

Ireland ■ 1800 555 049

Norway ■ 800-18859

China ■ 8621-3865-3865

Italy ■ 800-787980

Singapore ■ 1800-742-4368

Denmark ■ 80-885945

Japan ■ 03-6890-7300

Spain ■ 91-630-7050

Australia ■ 1-800-243-800

Finland ■ 0800-914416

Korea (South) ■ 080-000-7145

Sweden ■ 020-790282

Austria ■ 0800/281010

France ■ 01-60-920-930

Luxembourg ■ 8002 2076

Switzerland ■ 055-254-22-11

Belgium ■ 0800-79612

Germany ■ 02103-29-12000

Mexico ■ 01-800-7742-436

UK ■ 01293-422-911

Brazil ■ 0800-557779

Hong Kong ■ 800 933 965

The Netherlands ■ 0800 0229592

USA ■ 800-426-8157



Sample & Assay Technologies