

RT² Profiler PCR Array (Rotor-Gene® Format)

Rat Drug Metabolism

Cat. no. 330231 PARN-002ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Rat Drug Metabolism RT² Profiler PCR Array contains 84 genes critical in the metabolism of drugs, toxic chemicals, hormones and micronutrients important to pharmacology, endocrinology and food science. Drug metabolism is also often implicated in many disease states including cancer, intoxicification, addiction, and metabolic diseases. The genes encoding enzymes that are important for drug transport (such as metallothioneins and P-glycoproteins), phase I metabolism (specifically the P450 family), and phase II metabolism (such as transferases and hydrolases) are represented on the array. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to drug metabolism with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.154810	NM_133401	Abcb1a	ATP-binding cassette, sub-family B (MDR/TAP), member 1A
A02	Rn.144554	NM_012623	Abcb1b	ATP-binding cassette, subfamily B (MDR/TAP), member 1B
A03	Rn.82691	NM_012690	Abcb4	ATP-binding cassette, subfamily B (MDR/TAP), member 4
A04	Rn.10495	NM_022281	Abcc1	ATP-binding cassette, subfamily C (CFTR/MRP), member 1
A05	Rn.54493	NM_022935	Abp1	Amiloride binding protein 1 (amine oxidase, copper-containing)
A06	Rn.40222	NM_019286	Adh1	Alcohol dehydrogenase 1 (class I)
A07	Rn.98159	NM_017270	Adh4	Alcohol dehydrogenase 4 (class II), pi polypeptide
A08	Rn.91370	NM_013149	Ahr	Aryl hydrocarbon receptor
A09	Rn.3941	NM_012899	Alad	Aminolevulinate, delta-, dehydratase
A10	Rn.6132	NM_022407	Aldh1a1	Aldehyde dehydrogenase 1 family, member A1
A11	Rn.11318	NM_031010	Alox15	Arachidonate 15-lipoxygenase
A12	Rn.9662	NM_012822	Alox5	Arachidonate 5-lipoxygenase
B01	Rn.32351	NM_138828	Apoe	Apolipoprotein E
B02	Rn.10520	NM_012780	Arnt	Aryl hydrocarbon receptor nuclear translocator
B03	Rn.7354	NM_001100505	Asna1	ArsA arsenite transporter, ATP-binding, homolog 1 (bacterial)
B04	Rn.9865	NM_053850	Blvra	Biliverdin reductase A
B05	Rn.161812	NM_001106236	Blvrb	Biliverdin reductase B (flavin reductase (NADPH))
B06	Rn.161717	NM_031565	Ces1e	Carboxylesterase 1E
B07	Rn.14535	NM_133586	Ces2c	Carboxylesterase 2C
B08	Rn.16695	NM_001011955	Chst1	Carbohydrate (keratan sulfate Gal-6) sulfotransferase 1
B09	Rn.220	NM_012531	Comt	Catechol-O-methyltransferase
B10	Rn.35994	NM_138877	Cyb5r3	Cytochrome b5 reductase 3
B11	Rn.10172	NM_012753	Cyp17a1	Cytochrome P450, family 17, subfamily a, polypeptide 1
B12	Rn.21402	NM_017085	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1
C01	Rn.10352	NM_012540	Cyp1a1	Cytochrome P450, family 1, subfamily a, polypeptide 1
C02	Rn.5563	NM_012541	Cyp1a2	Cytochrome P450, family 1, subfamily a, polypeptide 2
C03	Rn.10125	NM_012940	Cyp1b1	Cytochrome P450, family 1, subfamily b, polypeptide 1
C04	Rn.10847	NM_053763	Cyp27b1	Cytochrome P450, family 27, subfamily b, polypeptide 1
C05	Rn.144570	NM_001135668	Cyp2b15	Cytochrome P450, family 2, subfamily b, polypeptide 15
C06	Rn.4845	NM_173294	Cyp2b3	Cytochrome P450, family 2, subfamily b, polypeptide 3
C07	Rn.82715	NM_138514	Cyp2c13	Cytochrome P450, family 2, subfamily c, polypeptide 13
C08	Rn.91122	XM_001066767	Cyp2c6	Cytochrome P450, family 2, subfamily c, polypeptide 6
C09	Rn.1247	NM_017158	Cyp2c7	Cytochrome P450, family 2, subfamily c, polypeptide 7
C10	Rn.1372	NM_031543	Cyp2e1	Cytochrome P450, family 2, subfamily e, polypeptide 1
C11	Rn.91120	NM_013105	Cyp3a23/3a1	Cytochrome P450, family 3, subfamily a, polypeptide 23/polypeptide 1
C12	Rn.86651	NM_016999	Cyp4b1	Cytochrome P450, family 4, subfamily b, polypeptide 1
D01	Rn.3603	NM_012844	Ephx1	Epoxide hydrolase 1, microsomal
D02	Rn.89119	NM_024132	Faah	Fatty acid amide hydrolase
D03	Rn.33703	NM_012558	Fbp1	Fructose-1,6-bisphosphatase 1
D04	Rn.91245	NM_017007	Gad1	Glutamate decarboxylase 1
D05	Rn.29951	NM_012563	Gad2	Glutamate decarboxylase 2
D06	Rn.7863	NM_013120	Gckr	Glucokinase (hexokinase 4) regulator
D07	Rn.10010	NM_053840	Ggt1	Gamma-glutamyltransferase 1
D08	Rn.84435	NM_207592	Gpi	Glucose phosphate isomerase
D09	Rn.11323	NM_030826	Gpx1	Glutathione peroxidase 1
D10	Rn.3503	NM_183403	Gpx2	Glutathione peroxidase 2
D11	Rn.108074	NM_022525	Gpx3	Glutathione peroxidase 3
D12	Rn.3647	NM_017165	Gpx4	Glutathione peroxidase 4
E01	Rn.218434	NM_001105738	Gpx5	Glutathione peroxidase 5
E02	Rn.19721	NM_053906	Gsr	Glutathione reductase
E03	Rn.10460	NM_031509	Gsta3	Glutathione S-transferase A3
E04	Rn.57528	NM_001106840	Gsta4	Glutathione S-transferase alpha 4
E05	Rn.202944	NM_017014	Gstm1	Glutathione S-transferase mu 1
E06	Rn.625	NM_177426	Gstm2	Glutathione S-transferase mu 2
E07	Rn.6036	NM_020540	Gstm3	Glutathione S-transferase mu 3
E08	Rn.209043	NM_001024304	Gstm4	Glutathione S-transferase mu 4

Position	UniGene	GenBank	Symbol	Description
E09	Rn.9158	NM_172038	Gstm5	Glutathione S-transferase, mu 5
E10	Rn.87063	NM_012577	Gstp1	Glutathione S-transferase pi 1
E11	Rn.11122	NM_053293	Gsth1	Glutathione S-transferase theta 1
E12	Rn.91375	NM_012735	Hk2	Hexokinase 2
F01	Rn.10594	NM_012851	Hsd17b1	Hydroxysteroid (17-beta) dehydrogenase 1
F02	Rn.10515	NM_024391	Hsd17b2	Hydroxysteroid (17-beta) dehydrogenase 2
F03	Rn.10895	NM_054007	Hsd17b3	Hydroxysteroid (17-beta) dehydrogenase 3
F04	Rn.60583	NM_001105829	Lpo	Lactoperoxidase
F05	Rn.9560	XM_002728965	Marcks	Myristoylated alanine rich protein kinase C substrate
F06	Rn.2580	NM_134349	Mgst1	Microsomal glutathione S-transferase 1
F07	Rn.7854	NM_001106430	Mgst2	Microsomal glutathione S-transferase 2
F08	Rn.1916	XM_213943	Mgst3	Microsomal glutathione S-transferase 3
F09	Rn.47782	NM_001107036	Mpo	Myeloperoxidase
F10	Rn.11325	NM_053968	Mt3	Metallothionein 3
F11	Rn.10494	XM_342975	Mthfr	Methylenetetrahydrofolate reductase (NAD(P)H)
F12	Rn.37420	NM_001037315	Nat1	N-acetyltransferase 1
G01	Rn.10400	NM_012611	Nos2	Nitric oxide synthase 2, inducible
G02	Rn.44265	NM_021838	Nos3	Nitric oxide synthase 3, endothelial cell
G03	Rn.11234	NM_017000	Nqo1	NAD(P)H dehydrogenase, quinone 1
G04	Rn.48821	NM_012624	Pklr	Pyruvate kinase, liver and RBC
G05	Rn.1556	NM_053297	Pkm2	Pyruvate kinase, muscle
G06	Rn.20732	NM_032077	Pon1	Paraoxonase 1
G07	Rn.1100	NM_001013082	Pon2	Paraoxonase 2
G08	Rn.16469	NM_001004086	Pon3	Paraoxonase 3
G09	Rn.34679	NM_001108222	Smarcal1	Swi/SNF related matrix associated, actin dependent regulator of chromatin, subfamily a-like 1
G10	Rn.6147	NM_001034083	Snn	Stannin
G11	Rn.4620	NM_017070	Srd5a1	Steroid-5-alpha-reductase, alpha polypeptide 1 (3-oxo-5 alpha-steroid delta 4-dehydrogenase alpha 1)
G12	Rn.202951	NM_017154	Xdh	Xanthine dehydrogenase
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies