RT² Profiler PCR Array (Rotor-Gene® Format) Rat Neuronal Ion Channels

Cat. no. 330231 PARN-036ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Rat Neuronal Ion Channels RT² Profiler PCR Array was developed to profile expression of a panel of 84 genes encoding neuroscience-related ion channels and transporters. The genes represented on the array are listed below, grouped according to their functional and structural features. Included are calcium channels, potassium channels, sodium channels, chloride channels, and transporters. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to the neuronal ion channels and transporters with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Rn.37523	NM_012892	Accn1	Amiloride-sensitive cation channel 1, neuronal	
A02	Rn.37385	NM_024154	Accn2	Amiloride-sensitive cation channel 2, neuronal	
A03	Rn.24225	NM_173135	Accn3	Amiloride-sensitive cation channel 3	
A04	Rn.136565	NM_001011940	Best1	Bestrophin 1	
A05	Rn.87769	NM_012918	Cacnala	Calcium channel, voltage-dependent, P/Q type, alpha 1A subunit	
A06	Rn.85880	NM_147141	Cacna1b	Calcium channel, voltage-dependent, N type, alpha 1B subunit	
A07	Rn.9827	NM 012517	Cacnalc	Calcium channel, voltage-dependent, L type, alpha 1C subunit	
A08	Rn.89671	NM 017298	Cacna1d	Calcium channel, voltage-dependent, L type, alpha 1D subunit	
A09	Rn.86960	NM 031601	Cacnalg	Calcium channel, voltage-dependent, T type, alpha 1G subunit	
A10	Rn.48680	NM 020084	Cacnali	Calcium channel, voltage-dependent, T type, alpha 11 subunit	
A11	Rn.9417	NM 017346	Cacnb1	Calcium channel, voltage-dependent, beta 1 subunit	
A12	Rn.10739	NM 053851	Cacnb2	Calcium channel, voltage-dependent, beta 2 subunit	
B01	Rn.2808	NM 012828	Cacnb3	Calcium channel, voltage-dependent, beta 3 subunit	
B02	Rn.72939	NM 053351	Cacng2	Calcium channel, voltage dependent, gamma subunit 2	
B02 B03	Rn.162211	NM 080692	Cacng2 Cacng4	Calcium channel, voltage-dependent, gamma subunit 2	
B03	Rn.11073	NM 017137	Clcn2	Chloride channel 2	
B04 B05	Rn.4175	NM 053363	Clcn3	Chloride channel 3	
B05 B06	Rn.4175 Rn.10338	NM 031568	Clcn3 Clcn7	Chloride channel 7	
B06 B07		-			
	Rn.21408	NM_053375	Hcn1	Hyperpolarization-activated cyclic nucleotide-gated potassium channel 1	
B08	Rn.162907	NM_053684	Hcn2	Hyperpolarization activated cyclic nucleotide-gated potassium channel 2	
B09	Rn.9769	NM_173095	Kcna1	Potassium voltage-gated channel, shaker-related subfamily, member 1	
B10	Rn.10298	NM_012970	Kcna2	Potassium voltage-gated channel, shaker-related subfamily, member 2	
B11	Rn.162789	NM_012972	Kcna5	Potassium voltage-gated channel, shaker-related subfamily, member 5	
B12	Rn.162791	NM_023954	Kcna6	Potassium voltage gated channel, shaker related subfamily, member 6	
C01	Rn.32090	NM_017303	Kcnab1	Potassium voltage-gated channel, shaker-related subfamily, beta member 1	
C02	Rn.10757	NM_017304	Kcnab2	Potassium voltage-gated channel, shaker-related subfamily, beta member 2	
C03	Rn.11260	NM_031652	Kcnab3	Potassium voltage-gated channel, shaker-related subfamily, beta member 3	
C04	Rn.26724	NM_013186	Kcnb1	Potassium voltage gated channel, Shab-related subfamily, member 1	
C05	Rn.32101	NM_054000	Kcnb2	Potassium voltage gated channel, Shab-related subfamily, member 2	
C06	Rn.33095	NM_012856	Kcnc1	Potassium voltage gated channel, Shaw-related subfamily, member 1	
C07	Rn.9733	NM_139217	Kcnc2	Potassium voltage gated channel, Shaw-related subfamily, member 2	
C08	Rn.87841	NM_031730	Kcnd2	Potassium voltage-gated channel, Shal-related subfamily, member 2	
C09	Rn.10540	NM 031739	Kcnd3	Potassium voltage-gated channel, Shal-related subfamily, member 3	
C10	Rn.11071	NM 031742	Kcnh1	Potassium voltage-gated channel, subfamily H (eag-related), member 1	
C11	Rn.10970	NM 053949	Kcnh2	Potassium voltage-gated channel, subfamily H (eag-related), member 2	
C12	Rn.144567	NM 017108	Kcnh3	Potassium voltage-gated channel, subfamily H (eag-related), member 3	
D01	Rn.10875	NM 053937	Kcnh6	Potassium voltage-gated channel, subfamily H (eag-related), member 6	
D02	Rn.10874	NM 131912	Kcnh7	Potassium voltage-gated channel, subfamily H (eag-related), member 7	
D03	Rn.22609	NM 017023	Kcnj1	Potassium inwardly-rectifying channel, subfamily J, member 1	
D04	Rn.3985	NM 031358	Kcnj11	Potassium inwardly rectifying channel, subfamily J, member 11	
D05	Rn.10406	NM 053981	Kcnj12	Potassium inwardly rectifying channel, subfamily J, member 12	
D06	Rn.14516	NM 053608	Kcnj13	Potassium inwardly-rectifying channel, subfamily J, member 12 Potassium inwardly-rectifying channel, subfamily J, member 13	
D00	Rn.154434	NM 170718	Kcnj14	Potassium inwardly-rectifying channel, subfamily J, member 13	
D07	Rn.81018	NM 133321	Kcnj14 Kcnj15	Potassium inwardly-rectifying channel, subfamily J, member 14	
D08	Rn.1989	NM 053314	Kcnj16	Potassium inwardly-rectifying channel, subfamily J, member 15 Potassium inwardly-rectifying channel, subfamily J, member 16	
D09	Rn.44415	NM 017296	Kcnj2	Potassium inwardly-rectifying channel, subfamily J, member 10	
D10	Rn.44415 Rn.9809	NM 031610	Kcnj2 Kcnj3		
D11 D12	Rn.9809 Rn.10197	NM_031810	Kcnj3 Kcnj4	Potassium inwardly-rectifying channel, subfamily J, member 3	
		-		Potassium inwardly-rectifying channel, subfamily J, member 4	
E01	Rn.10047	NM_017297	Kcnj5	Potassium inwardly-rectifying channel, subfamily J, member 5	
E02	Rn.10185	NM_013192	Kcnj6	Potassium inwardly-rectifying channel, subfamily J, member 6	
E03	Rn.10274	NM_053834	Kcnj9	Potassium inwardly-rectifying channel, subfamily J, member 9	
E04	Rn.15693	NM_021688	Kcnk1	Potassium channel, subfamily K, member 1	
E05	Rn.30616	NM_031828	Kcnma 1	Potassium large conductance calcium-activated channel, subfamily M, alpho member 1	
E06	Rn.162953	NM_023960	Kcnmb4	Potassium large conductance calcium-activated channel, subfamily M, beta member 4	
				Potassium intermediate/small conductance calcium-activated channel, subfam	

Position	UniGene	GenBank	Symbol	Description
E07	Rn.44422	NM_019313	Kcnn1	N, member 1
E08	Rn.44421	NIM 010214	Kcnn2	Potassium intermediate/small conductance calcium-activated channel, subfamily
EUO	KN.44421	NM_019314	KCNNZ	N, member 2
E09	Rn.10840	NIM 010215	K	Potassium intermediate/small conductance calcium-activated channel, subfamily
E09	Kn.10840	NM_019315	Kcnn3	N, member 3
E10	Rn.9779	NM_032073	Kcnq1	Potassium voltage-gated channel, KQT-like subfamily, member 1
E11	Rn.33317	NM_133322	Kcnq2	Potassium voltage-gated channel, KQT-like subfamily, member 2
E12	Rn.205060	NM_031597	Kcnq3	Potassium voltage-gated channel, KQT-like subfamily, member 3
F01	Rn.30012	NM_053954	Kcns1	Potassium voltage-gated channel, delayed-rectifier, subfamily S, member 1
F02	Rn.20282	XM_342491	Ryr3	Ryanodine receptor 3
F03	Rn.10246	NM_017247	Scn10a	Sodium channel, voltage-gated, type X, alpha subunit
F04	Rn.30023	NM_019265	Scn11a	Sodium channel, voltage-gated, type XI, alpha
F05	Rn.32079	NM_030875	Scn1a	Sodium channel, voltage-gated, type I, alpha
F06	Rn.4958	NM_017288	Scn1b	Sodium channel, voltage-gated, type I, beta
F07	Rn.89192	NM 012647	Scn2a1	Sodium channel, voltage-gated, type II, alpha 1
F08	Rn.88636	NM 012877	Scn2b	Sodium channel, voltage-gated, type II, beta
F09	Rn.87394	NM 013119	Scn3a	Sodium channel, voltage-gated, type III, alpha
F10	Rn.91216	NM 019266	Scn8a	Sodium channel, voltage gated, type VIII, alpha subunit
F11	Rn.88082	NM 133289	Scn9a	Sodium channel, voltage-gated, type IX, alpha
F12	Rn.10513	NM 134363	Slc12a5	Solute carrier family 12 (potassium-chloride transporter), member 5
G01	Rn.105247	NM 207608	Trpa 1	Transient receptor potential cation channel, subfamily A, member 1
G02	Rn.88592	NM 053558	Trpc1	Transient receptor potential cation channel, subfamily C, member 1
G03	Rn.45385	NM 021771	Trpc3	Transient receptor potential cation channel, subfamily C, member 3
G04	Rn.105986	NM 053559	Trpc6	Transient receptor potential cation channel, subfamily C, member 6
G05	Rn.211311	NM 001037733	Trpm1	Transient receptor potential cation channel, subfamily M, member 1
G06	Rn.214495	NM 001011559	Trpm2	Transient receptor potential cation channel, subfamily M, member 2
G07	Rn.104760	 XM 219747	Trpm6	Transient receptor potential cation channel, subfamily M, member 6
G08	Rn.81225	NM 134371	Trpm8	Transient receptor potential cation channel, subfamily M, member 8
G09	Rn.3073	NM 031982	Trpv1	Transient receptor potential cation channel, subfamily V, member 1
G10	Rn.206528	NM 017207	Trpv2	Transient receptor potential cation channel, subfamily V, member 2
G11	Rn.163151	NM 001025757	Trpv3	Transient receptor potential cation channel, subfamily V, member 3
G12	Rn.64508	NM 023970	Trpv4	Transient receptor potential cation channel, subfamily V, member 4
H01	Rn.94978	NM 031144	Actb	Actin, beta
H02	Rn.1868	NM 012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM 012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM 017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM 001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA 00104	RTC	Reverse Transcription Control
H08	N/A	SA 00104	RTC	Reverse Transcription Control
H09	N/A	SA 00104	RTC	Reverse Transcription Control
H10	N/A	SA 00103	PPC	Positive PCR Control
H11	N/A	SA 00103	PPC	Positive PCR Control
H12	N/A	SA 00103	PPC	Positive PCR Control
	IN/A	3A_00103	rru	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applera Corporation or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	Canada = 800-572-9613 China = 8621-3865-3865	Ireland ■ 1800 555 049 Italy ■ 800-787980	Norway = 800-18859 Singapore = 1800-742-4368	
Australia • 1-800-243-800	Denmark = 80-885945 Finland = 0800-914416	Japan = 03-6890-7300 Korea (South) = 080-000-7145	Spain = 91-630-7050 Sweden = 020-790282	
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland = 055-254-22-11	
Belgium = 0800-79612	Germany = 02103-29-12000	Mexico = 01-800-7742-436	UK • 01293-422-911	QIAGEN
Brazil • 0800-557779	Hong Kong 800 933 965	The Netherlands = 0800 0229592	USA • 800-426-8157	

Sample & Assay Technologies