

RT² Profiler PCR Array (Rotor-Gene® Format)

Rat GPCR Signaling PathwayFinder

Cat. no. 330231 PARN-071ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Rat G-Protein-Coupled Receptor Signaling PathwayFinder RT² Profiler PCR Array profiles the expression of 84 genes representative of and involved in GPCR-mediated signal transduction pathways. G-protein Coupled Receptors (GPCRs) that are represented on this array include bioactive lipid receptors, metabotropic glutamate receptors (mGluRs), GABA-B-like receptors, rhodopsin-like receptors, and secretin-like receptors. Members of the intricate network of intracellular signaling pathways involved in GPCR-mediated signal transduction are also represented on this array including the cAMP / PKA Pathway, Calcium / PKC Pathway, Calcium / NFAT Pathway, PLC Pathway, Protein Tyrosine Kinase Pathway, PKC / MEK Pathway, p43 / p44MAP Pathway, p38 MAP Pathway, PI-3 Kinase Pathway, NO-cGMP Pathway, Rho Pathway, NFκB Pathway and Jak / Stat Pathway. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to GPCR-mediated signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.6278	NM_022600	Adcy5	Adenylate cyclase 5
A02	Rn.11180	NM_053294	Adora2a	Adenosine A2a receptor
A03	Rn.87064	NM_012701	Adrb1	Adrenergic, beta-1-, receptor
A04	Rn.10206	NM_012492	Adrb2	Adrenergic, beta-2-, receptor, surface
A05	Rn.6319	NM_134432	Agt	Angiotensinogen (serpin peptidase inhibitor, clade A, member 8)
A06	Rn.9815	NM_031009	Agtr1b	Angiotensin II receptor, type 1b
A07	Rn.162367	NM_012494	Agtr2	Angiotensin II receptor, type 2
A08	Rn.8471	NM_001007654	Agtrap	Angiotensin II receptor-associated protein
A09	Rn.11422	NM_033230	Akt1	V-akt murine thymoma viral oncogene homolog 1
A10	Rn.34876	NM_012910	Arrb1	Arrestin, beta 1
A11	Rn.32973	NM_012911	Arrb2	Arrestin, beta 2
A12	Rn.103502	XM_343260	Bai1	Brain-specific angiogenesis inhibitor 1
B01	Rn.9996	NM_016993	Bcl2	B-cell CLL/lymphoma 2
B02	Rn.10323	NM_031535	Bcl2l1	Bcl2-like 1
B03	Rn.10062	NM_053816	Calcr	Calcitonin receptor
B04	Rn.11202	NM_012717	Calclrl	Calcitonin receptor-like
B05	Rn.10019	NM_016996	Casr	Calcium-sensing receptor
B06	Rn.4772	NM_031530	Ccl2	Chemokine (C-C motif) ligand 2
B07	Rn.37880	NM_053858	Ccl4	Chemokine (C-C motif) ligand 4
B08	Rn.22279	NM_171992	Ccnd1	Cyclin D1
B09	Rn.15455	NM_001100821	Ccne1	Cyclin E1
B10	Rn.98992	NM_001108656	Ccne2	Cyclin E2
B11	Rn.10089	NM_080782	Cdkn1a	Cyclin-dependent kinase inhibitor 1A
B12	Rn.29897	NM_031762	Cdkn1b	Cyclin-dependent kinase inhibitor 1B
C01	Rn.204752	NM_057138	Cflar	CASP8 and FADD-like apoptosis regulator
C02	Rn.2953	NM_053304	Col1a1	Collagen, type I, alpha 1
C03	Rn.10499	NM_030999	Crhrl	Corticotropin releasing hormone receptor 1
C04	Rn.10023	NM_022714	Crhrl2	Corticotropin releasing hormone receptor 2
C05	Rn.17145	NM_022266	Ctgf	Connective tissue growth factor
C06	Rn.21402	NM_017085	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1
C07	Rn.24039	NM_012546	Drd1a	Dopamine receptor D1A
C08	Rn.87299	NM_012547	Drd2	Dopamine receptor D2
C09	Rn.25406	NM_001079893	Dusp14	Dual specificity phosphatase 14
C10	Rn.10918	NM_012548	Edn1	Endothelin 1
C11	Rn.9096	NM_012551	Egr1	Early growth response 1
C12	Rn.204602	XM_001055949	Elk1	ELK1, member of ETS oncogene family
D01	Rn.204345	NM_001107173	Elk4	ELK4, ETS-domain protein (SRF accessory protein 1)
D02	Rn.31808	NM_019305	Fgf2	Fibroblast growth factor 2
D03	Rn.103750	NM_022197	Fos	FBJ osteosarcoma oncogene
D04	Rn.9789	NM_019172	Galr2	Galanin receptor 2
D05	Rn.11225	NM_172092	Gcgr	Glucagon receptor
D06	Rn.22817	NM_031036	Gnaq	Guanine nucleotide binding protein (G protein), q polypeptide
D07	Rn.31	NM_019132	Gnas	GNAS complex locus
D08	Rn.87787	NM_017011	Grm1	Glutamate receptor, metabotropic 1
D09	Rn.9681	NM_001105711	Grm2	Glutamate receptor, metabotropic 2
D10	Rn.89046	NM_022666	Grm4	Glutamate receptor, metabotropic 4
D11	Rn.29972	NM_017012	Grm5	Glutamate receptor, metabotropic 5
D12	Rn.10409	NM_031040	Grm7	Glutamate receptor, metabotropic 7
E01	Rn.12	NM_012967	Icam1	Intercellular adhesion molecule 1
E02	Rn.9869	NM_031512	Il1b	Interleukin 1 beta
E03	Rn.9758	NM_013123	Il1r1	Interleukin 1 receptor, type I
E04	Rn.10758	NM_053953	Il1r2	Interleukin 1 receptor, type II
E05	Rn.9871	NM_053836	Il2	Interleukin 2
E06	Rn.93714	NM_021835	Jun	Jun oncogene
E07	Rn.15806	NM_021836	Junb	Jun B proto-oncogene
E08	Rn.30029	NM_145095	Kcnh8	Potassium voltage-gated channel, subfamily H (eag-related), member 8
E09	Rn.11216	NM_012978	Lhcgr	Luteinizing hormone/choriogonadotropin receptor

Position	UniGene	GenBank	Symbol	Description
E10	Rn.11200	NM_053936	Lpar1	Lysophosphatidic acid receptor 1
E11	Rn.14855	NM_001109109	Lpar2	Lysophosphatidic acid receptor 2
E12	Rn.4210	NM_022210	Max	MYC associated factor X
F01	Rn.10209	NM_031055	Mmp9	Matrix metalloproteinase 9
F02	Rn.12072	NM_012603	Myc	Myelocytomatosis oncogene
F03	Rn.10400	NM_012611	Nos2	Nitric oxide synthase 2, inducible
F04	Rn.10310	NM_012617	Oprd1	Opioid receptor, delta 1
F05	Rn.89571	NM_017167	Oprk1	Opioid receptor, kappa 1
F06	Rn.10905	NM_031081	Pdk1	3-phosphoinositide dependent protein kinase-1
F07	Rn.152697	NM_001106723	Pik3cg	Phosphoinositide-3-kinase, catalytic, gamma polypeptide
F08	Rn.207908	NM_001105713	Prkca	Protein kinase C, alpha
F09	Rn.44369	NM_017232	Ptgs2	Prostaglandin-endoperoxide synthase 2
F10	Rn.48025	NM_020073	Pth1r	Parathyroid hormone 1 receptor
F11	Rn.1892	NM_053453	Rgs2	Regulator of G-protein signaling 2
F12	Rn.92530	NM_033441	Rho	Rhodopsin
G01	Rn.109455	NM_017301	S1pr1	Sphingosine-1-phosphate receptor 1
G02	Rn.2491	NM_017192	S1pr2	Sphingosine-1-phosphate receptor 2
G03	Rn.108119	XM_225216	S1pr3	Sphingosine-1-phosphate receptor 3
G04	Rn.32256	NM_031115	Scr	Secretin receptor
G05	Rn.29367	NM_012620	Serpine1	Serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1
G06	Rn.82754	NM_145879	Socs1	Suppressor of cytokine signaling 1
G07	Rn.2275	NM_012675	Tnf	Tumor necrosis factor (TNF superfamily, member 2)
G08	Rn.87913	NM_012888	Tshr	Thyroid stimulating hormone receptor
G09	Rn.10281	NM_012682	Ucp1	Uncoupling protein 1 (mitochondrial, proton carrier)
G10	Rn.11267	NM_012889	Vcam1	Vascular cell adhesion molecule 1
G11	Rn.1923	NM_031836	Vegfa	Vascular endothelial growth factor A
G12	Rn.1292	NM_013011	Ywhaz	Tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies