

RT² Profiler PCR Array (Rotor-Gene[®] Format)

Rat T Cell Anergy & Immune Tolerance

Cat. no. 330231 PARN-074ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Rat T-cell Anergy and Immune Tolerance RT² Profiler PCR Array profiles the expression of 84 key genes involved in T-cell anergy and immune tolerance. T-cells' functional unresponsiveness, termed anergy, is a cell-intrinsic mechanism that contributes to peripheral self-tolerance. This array contains T-cell and B-cell regulators, cytokines and receptors, TNF superfamily members and their receptors, and transcriptional factors. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes involved in T-cell anergy and immune tolerance with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.124474	NM_213630	Btla	B and T lymphocyte associated
A02	Rn.21799	NM_133601	Cblb	Cas-Br-M (murine) ecotropic retroviral transforming sequence b
A03	Rn.10139	NM_013025	Ccl3	Chemokine (C-C motif) ligand 3
A04	Rn.81076	NM_133532	Ccr4	Chemokine (C-C motif) receptor 4
A05	Rn.134200	NM_001024335	Cd27	CD27 molecule
A06	Rn.10327	NM_013121	Cd28	Cd28 molecule
A07	Rn.96221	NM_001108140	Cd3e	CD3 molecule, epsilon
A08	Rn.25180	NM_134360	Cd40	CD40 molecule, TNF receptor superfamily member 5
A09	Rn.44218	NM_053353	Cd40lg	CD40 ligand
A10	Rn.103013	NM_001106878	Cd70	Cd70 molecule
A11	Rn.104460	NM_199501	Cdk2	Cyclin dependent kinase 2
A12	Rn.6115	NM_053593	Cdk4	Cyclin-dependent kinase 4
B01	Rn.10182	NM_013092	Cma1	Chymase 1, mast cell
B02	Rn.83632	NM_023981	Csf1	Colony stimulating factor 1 (macrophage)
B03	Rn.44285	XM_340799	Csf2	Colony stimulating factor 2 (granulocyte-macrophage)
B04	Rn.10259	NM_031674	Ctla4	Cytotoxic T-lymphocyte-associated protein 4
B05	Rn.1840	NM_080787	Dgka	Diacylglycerol kinase, alpha
B06	Rn.11208	NM_031143	Dgkz	Diacylglycerol kinase zeta
B07	Rn.89235	NM_053633	Egr2	Early growth response 2
B08	Rn.44371	NM_017086	Egr3	Early growth response 3
B09	Rn.162521	NM_139194	Fas	Fas (TNF receptor superfamily, member 6)
B10	Rn.9725	NM_012908	Faslg	Fas ligand (TNF superfamily, member 6)
B11	Rn.103750	NM_022197	Fos	FBJ osteosarcoma oncogene
B12	Rn.33321	NM_001034131	Foxp1	Forkhead box P1
C01	Rn.177272	NM_001108250	Foxp3	Forkhead box P3
C02	Rn.92350	NM_133293	Gata3	GATA binding protein 3
C03	Rn.88335	NM_134332	Gzmc	Granzyme C
C04	Rn.10534	NM_153466	Gzmf	Granzyme F
C05	Rn.11190	NM_017119	Gzmk	Granzyme K
C06	Rn.9838	NM_057183	Gzmm	Granzyme M (lymphocyte met-ase 1)
C07	Rn.198197	XM_234063	Hdac9	Histone deacetylase 9
C08	Rn.12	NM_012967	Icam1	Intercellular adhesion molecule 1
C09	Rn.168816	NM_022610	Icos	Inducible T-cell co-stimulator
C10	Rn.64513	NM_023973	Ido1	Indoleamine 2,3-dioxygenase 1
C11	Rn.10795	NM_138880	Igng	Interferon gamma
C12	Rn.9868	NM_012854	Il10	Interleukin 10
D01	Rn.64632	NM_057193	Il10ra	Interleukin 10 receptor, alpha
D02	Rn.9921	NM_053828	Il13	Interleukin 13
D03	Rn.2490	NM_013129	Il15	Interleukin 15
D04	Rn.218513	NM_001106897	Il17a	Interleukin 17A
D05	Rn.12300	NM_017019	Il1a	Interleukin 1 alpha
D06	Rn.9871	NM_053836	Il2	Interleukin 2
D07	Rn.9872	NM_013163	Il2ra	Interleukin 2 receptor, alpha
D08	Rn.5832	NM_013195	Il2rb	Interleukin 2 receptor, beta
D09	Rn.108255	NM_201270	Il4	Interleukin 4
D10	Rn.44227	NM_021834	Il5	Interleukin 5
D11	Rn.9873	NM_012589	Il6	Interleukin 6
D12	Rn.6633	NM_001106418	Il7r	Interleukin 7 receptor
E01	Rn.48967	NM_001079887	Ing4	Inhibitor of growth family, member 4
E02	Rn.147737	NM_001108101	Irak3	Interleukin-1 receptor-associated kinase 3
E03	Rn.82114	NM_001106108	Irf4	Interferon regulatory factor 4
E04	Rn.20718	NM_001005887	Itch	Itchy E3 ubiquitin protein ligase homolog (mouse)
E05	Rn.91044	NM_030994	Itga1	Integrin, alpha 1
E06	Rn.90191	NM_053466	Jak1	Janus kinase 1
E07	Rn.11159	NM_012855	Jak3	Janus kinase 3
E08	Rn.93714	NM_021835	Jun	Jun oncogene
E09	Rn.9773	NM_030853	Lat	Linker for activation of T cells

Position	UniGene	GenBank	Symbol	Description
E10	Rn.44444	NM_013076	Lep	Leptin
E11	Rn.764	NM_031832	Lgals3	Lectin, galactoside-binding, soluble, 3
E12	Rn.160577	NM_080769	Lta	Lymphotoxin alpha (TNF superfamily, member 1)
F01	Rn.162435	NM_001014035	Mef2a	Myocyte enhancer factor 2a
F02	Rn.214090	NM_001107805	Nfatc2	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2
F03	Rn.217507	NM_001108447	Nfatc3	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3
F04	Rn.2411	XM_342346	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
F05	Rn.126884	NM_001106457	Nhh2	Nescient helix loop helix 2
F06	Rn.25046	NM_001105721	Notch1	Notch homolog 1, translocation-associated (Drosophila)
F07	Rn.105023	NM_001106927	Pdcd1	Programmed cell death 1
F08	Rn.11206	NM_017330	Prf1	Perforin 1 (pore forming protein)
F09	Rn.9747	NM_012628	Prkcg	Protein kinase C, gamma
F10	Rn.10264	NM_031088	Ptger2	Prostaglandin E receptor 2 (subtype EP2)
F11	Rn.44369	NM_017232	Ptgs2	Prostaglandin-endoperoxide synthase 2
F12	Rn.10461	NM_019177	Sell	Selectin L
G01	Rn.10247	NM_012747	Stat3	Signal transducer and activator of transcription 3
G02	Rn.6880	NM_001044250	Stat6	Signal transducer and activator of transcription 6
G03	Rn.144930	NM_001107043	Tbx21	T-box 21
G04	Rn.40136	NM_021578	Tgfb1	Transforming growth factor, beta 1
G05	Rn.9954	NM_031132	Tgfb2	Transforming growth factor, beta receptor II
G06	Rn.105558	NM_001108873	Tnfrsf10b	Tumor necrosis factor receptor superfamily, member 10b
G07	Rn.14734	NM_001015034	Tnfrsf14	Tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)
G08	Rn.48883	NM_013049	Tnfrsf4	Tumor necrosis factor receptor superfamily, member 4
G09	Rn.11322	NM_019135	Tnfrsf8	Tumor necrosis factor receptor superfamily, member 8
G10	Rn.22307	NM_001025773	Tnfrsf9	Tumor necrosis factor receptor superfamily, member 9
G11	Rn.83627	NM_145681	Tnfsf10	Tumor necrosis factor (ligand) superfamily, member 10
G12	N/A	XM_236794	Tnfsf14	Tumor necrosis factor (ligand) superfamily, member 14
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

Ireland ■ 1800 555 049

Norway ■ 800-18859

China ■ 8621-3865-3865

Italy ■ 800-787980

Singapore ■ 1800-742-4368

Denmark ■ 80-885945

Japan ■ 03-6890-7300

Spain ■ 91-630-7050

Australia ■ 1-800-243-800

Finland ■ 0800-914416

Korea (South) ■ 080-000-7145

Sweden ■ 020-790282

Austria ■ 0800/281010

France ■ 01-60-920-930

Luxembourg ■ 8002 2076

Switzerland ■ 055-254-22-11

Belgium ■ 0800-79612

Germany ■ 02103-29-12000

Mexico ■ 01-800-7742-436

UK ■ 01293-422-911

Brazil ■ 0800-557779

Hong Kong ■ 800 933 965

The Netherlands ■ 0800 0229592

USA ■ 800-426-8157



Sample & Assay Technologies