RT² Profiler PCR Array (Rotor-Gene® Format) Rat Necrosis

Cat. no. 330231 PARN-141ZR

For pathway expression analysis

Format	For use with the following real-time cyclers		
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

Description

The Rat Necrosis RT² Profiler PCR Array profiles the expression of 84 key genes central to necrotic cell death. Historically considered an accidental or uncontrolled cell death via swelling and lysis, necrosis (also known as necroptosis, programmed necrosis, oncosis, or type III cell death) has been found by recent scientific studies to act like a specific controlled cellular program. Activated death receptors (FAS, TNFRSF1A (TNFR1), and TNFRSF10A (TRAIL-R)) signal through the serine/threonine kinase RIPK1 (RIP1). RIPK1 interacts with RIPK3 and activates PARP1 leading to mitochondrial effects such as increased reactive oxygen species (ROS), increased cytosolic calcium, and ATP depletion. This array includes genes involved in programmed necrosis, potential necrotic genes downstream of key necrotic activators, genes involved in death receptor signaling, and genes involved in ROS production or mitochondrial activity. The same death receptors initiate both necrotic signaling and apoptosis; therefore, this array also represents downstream effectors shared by these cell death programs. Results obtained using this array can yield new insights into the molecular mechanisms of necrotic cell death. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in programmed necrosis with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Rn.203165	NM_031356	Aifm1	Apoptosis-inducing factor, mitochondrion-associated 1	
A02	Rn.9813	NM 012502	Ar	Androgen receptor	
A03	Rn.205429	NM_212490	Atp6v1g2	ATPase, H+ transporting, lysosomal V1 subunit G2	
A04	Rn.10668	NM_017059	Bax	Bcl2-associated X protein	
A05	Rn.31142	NM 022684	Bid	BH3 interacting domain death agonist	
A06	Rn.64578	NM_023987	Birc3	Baculoviral IAP repeat-containing 3	
A07	Rn.213264	NM 139258	Bmf	Bcl2 modifying factor	
A08	Rn.827	NM_080888	Bnip3l	BCL2/adenovirus E1B interacting protein 3-like	
A09	Rn.6037	NM 019152	Capn1	Calpain 1	
A10	Rn.6822	NM_017116	Capn2	Calpain 2	
A11	Rn.9726	NM 017117	Capn3	Calpain 3	
A12	Rn.205446	NM 134461	Capn5	Calpain 5	
B01	Rn.2862	NM 031808	Capn6	Calpain 6	
B02	Rn.104104	NM 001030037	Capn7	Calpain 7	
B03	Rn.3430	NM 017118	Capns1	Calpain, small subunit 1	
B04	Rn.162391	NM 001107956	Car9	Carbonic anhydrase 9	
B05	Rn.198715	NM 001107921	Casp8ap2	Caspase 8 associated protein 2	
B06	Rn.25180	NM 134360	Cd40	CD40 molecule, TNF receptor superfamily member 5	
B07	Rn.74781	NM 053461	Cetn1	Centrin, EF-hand protein, 1	
B08	Rn.17650	NM 001108762	Commd4	COMM domain containing 4	
B09	Rn.5856	NM 024160	Cyba	Cytochrome b-245, alpha polypeptide	
B10	Rn.98491	NM 023965	Cybb	Cytochrome b-245, beta polypeptide	
B11	Rn.128760	NM 001017380	Cyld	Cylindromatosis (turban tumor syndrome)	
B12	Rn.31800	NM 031810	Defb1	Defensin beta 1	
C01	Rn.10503	NM 012933	Dpysl4	Dihydropyrimidinase-like 4	
C02	Rn.16183	NM 152937	Fadd	Fas (TNFRSF6)-associated via death domain	
C03	Rn.203087	NM 130406	Faf1	Fas (TNFRSF6) associated factor 1	
C04	Rn.162521	NM 139194	Fas	Fas (TNF receptor superfamily, member 6)	
C05	Rn.9725	NM 012908	Faslg	Fas ligand (TNF superfamily, member 6)	
C06	Rn.219320	NM 001108157	Fem1b	Fem-1 homolog b (C. elegans)	
C07	Rn.32116	NM 001105776	Foxi1	Forkhead box I1	
C08	Rn.100218	NM 001012137	Fus	Fusion (involved in t(12;16) in malignant liposarcoma) (human)	
				UDP-N-acetyl-alpha-D-galactosamine:polypeptide	
C09	Rn.30048	NM_031796	Galnt5	N-acetylgalactosaminyltransferase 5 (GalNAc-T5)	
C10	Rn.55106	NM 012570	Glud1	Glutamate dehydrogenase 1	
C11	Rn.2204	NM 017073	Glul	Glutamate-ammonia ligase (glutamine synthetase)	
C12	Rn.3360	NM 030846	Grb2	Growth factor receptor bound protein 2	
D01	Rn.37915	NM 134419	Hspbap 1	Hspb associated protein 1	
D02	Rn.214715	NM 199103	Ikbkg	Inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase gamma	
D03	Rn.20530	NM 022929	Kcnip1	Kv channel-interacting protein 1	
D04	Rn.127674	XM 219485	Lrdd	Leucine-rich repeats and death domain containing	
D05	Rn.90117	NM 053585	Madd	MAP-kinase activating death domain	
D06	Rn.87331	NM 017190	Mag	Myelin-associated glycoprotein	
D07	Rn.162539	NM 131904	Mgea5	Meningioma expressed antigen 5 (hyaluronidase)	
D08	Rn.37341	NM 198130	Myd88	Myeloid differentiation primary response gene 88	
D09	Rn.2411	XM 342346	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1	
D10	Rn.22168	XM 227525	Ngf	Nerve growth factor (beta polypeptide)	
D11	Rn.10980	NM_012610	Ngfr	Nerve growth factor receptor (TNFR superfamily, member 16)	
D12	Rn.3126	NM 053401	Ngfrap1	Nerve growth factor receptor (TNFRSF16) associated protein 1	
E01	Rn.220465	NM 053683	Nox1	NADPH oxidase 1	
E02	Rn.14744	NM_053524	Nox4	NADPH oxidase 4	
E03	Rn.142343	NM 001000080	Olr1583	Olfactory receptor 1583	
E04	Rn.11327	NM 013063	Parp1	Poly (ADP-ribose) polymerase 1	
E05	Rn.22730	NM 001106030	Parp2	Poly (ADP-ribose) polymerase 2	
E06	Rn.18302	NM 001106577	Phtf2	Putative homeodomain transcription factor 2	
E07	Rn.1463	NM 017101	Ppia	Peptidylprolyl isomerase A (cyclophilin A)	
	Rn.136915	NM 001004279	Ppid	Peptidylprolyl isomerase D (cyclophilin D)	

Position	UniGene	GenBank	Symbol	Description	
E09	Rn.10677	NM 017076	Pvr	Poliovirus receptor	
E10	Rn.21399	NM 022268	Pygl	Phosphorylase, glycogen, liver	
E11	Rn.7929	NM 001107687	Rab25	RAB25, member RAS oncogene family	
E12	Rn.83717	NM_001014072	RGD131151 7	Similar to RIKEN cDNA 9430015G10	
F01	Rn.21843	XR_009072	RGD156263 9	Similar to c-myc promoter binding protein	
F02	Rn.7572	NM_001107350	Ripk1	Receptor (TNFRSF)-interacting serine-threonine kinase 1	
F03	Rn.102179	XM_342810	Ripk2	Receptor-interacting serine-threonine kinase 2	
F04	Rn.7110	NM_139342	Ripk3	Receptor-interacting serine-threonine kinase 3	
F05	Rn.4092	NM_053515	Slc25a4	Solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 4	
F06	Rn.44609	NM_012655	Sp1	Sp1 transcription factor	
F07	Rn.201291	NM_053675	Spata2	Spermatogenesis associated 2	
F08	Rn.14527	NM_130735	Sycp2	Synaptonemal complex protein 2	
F09	Rn.12767	NM_001014205	Tmem123	Transmembrane protein 123	
F10	Rn.214009	NM_001025699	Tmem57	Transmembrane protein 57	
F11	Rn.2275	NM_012675	Tnf	Tumor necrosis factor (TNF superfamily, member 2)	
F12	Rn.105558	NM_001108873	Tnfrsf10b	Tumor necrosis factor receptor superfamily, member 10b	
G01	Rn.14734	NM_001015034	Tnfrsf14	Tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)	
G02	Rn.17380	NM_001105761	Tnfrsf17	Tumor necrosis factor receptor superfamily, member 17	
G03	Rn.11119	NM_013091	Tnfrsf1a	Tumor necrosis factor receptor superfamily, member 1a	
G04	Rn.83633	NM_130426	Tnfrsf1b	Tumor necrosis factor receptor superfamily, member 1b	
G05	Rn.106560	NM_001137644	Tnfrsf25	Tumor necrosis factor receptor superfamily, member 25	
G06	Rn.48883	NM_013049	Tnfrsf4	Tumor necrosis factor receptor superfamily, member 4	
G07	Rn.11322	NM_019135	Tnfrsf8	Tumor necrosis factor receptor superfamily, member 8	
G08	Rn.83627	NM_145681	Tnfsf10	Tumor necrosis factor (ligand) superfamily, member 10	
G09	Rn.84873	NM_145765	Tnfsf15	Tumor necrosis factor (ligand) superfamily, member 15	
G10	Rn.18545	NM_001100480	Tradd	TNFRSF1A-associated via death domain	
G11	Rn.105232	NM_001107815	Traf2	Tnf receptor-associated factor 2	
G12	Rn.7305	NM_001013891	Txnl4b	Thioredoxin-like 4B	
H01	Rn.94978	NM_031144	Actb	Actin, beta	
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin	
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1	
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A	
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1	
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

