

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Rat Tyrosine Kinases

Cat. no. 330231 PARN-161ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Sample & Assay Technologies

Description

The Rat Tyrosine Kinases RT² Profiler PCR Array profiles the expression of 84 receptor and non-receptor tyrosine kinase genes. The protein tyrosine kinase superfamily includes roughly 60 receptor tyrosine kinases (RTKs) and about 30 intracellular tyrosine kinases. RTKs include an extracellular domain, a transmembrane domain, and a catalytic intracellular domain. Upon activation, RTKs dimerize and autophosphorylate their intracellular domain, initiating downstream signaling that often includes non-receptor tyrosine kinases. Non-receptor tyrosine kinases include a catalytic domain and a regulatory domain, which vary for each family. For example, the SRC-family kinase regulatory domain requires autophosphorylation for kinase domain activation, while most other intracellular tyrosine kinase families use different regulatory mechanisms. Tyrosine kinases are involved in many basic biological processes, such as growth, proliferation, and differentiation. These processes are commonly dysregulated during oncogenesis, often due to mutation of key tyrosine kinases or regulators. These oncogenic processes make the tyrosine kinase superfamily members attractive drug targets, and there are several chemotherapeutics targeting tyrosine kinases already on the market (e.g., imatinib mesylate). This array includes most RTKs and non-receptor tyrosine kinases. The results of this array can yield new insights into tyrosine kinase expression and regulation in an experimental model system. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of tyrosine kinase genes with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Abl1	Abl2	Alk	Axl	Blk	Blk	Csf1r	Csk	Ddr1	Ddr2	Egfr	Epha1
B	Epha10	Epha2	Epha3	Epha4	Epha5	Epha7	Epha8	Ephb1	Ephb2	Ephb3	Ephb6	Erb2
C	Erb3	Erb4	Fer2	Fes	Fgfr1	Fgfr2	Fgfr3	Fgfr4	Fgr	Flt1	Flt3	Flt4
D	Frk	Fyn	Hck	Igf1r	Igf2r	Insr	Insrr	Itk	Jak1	Jak2	Jak3	Kdr
E	Kit	Lck	Lmtk2	Ltk	Lyn	Matk	Mertk	Met	Musk	Ntrk1	Ntrk2	Ntrk3
F	Pdgfra	Pdgfrb	Plk2	Plk2b	Plk6	Plk7	Ret	Ror1	Ror2	Ros1	Ryk	Src
G	Srms	Syk	Tec	Tek	Tie1	Tnk1	Tnk2	Tsk	Tyk2	Tyro3	Yes1	Zap70
H	Actb	B2m	Hprt1	Ldha	Rplp1	RGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.3105	NM_001100850	Abl1	C-abl oncogene 1, receptor tyrosine kinase
A02	Rn.218555	NM_001107186	Abl2	V-abl Abelson murine leukemia viral oncogene homolog 2 (arg, Abelson-related gene)
A03	Rn.202143	NM_001169101	Alk	Anaplastic lymphoma kinase
A04	Rn.161805	NM_001013147	Axl	Axl receptor tyrosine kinase
A05	Rn.20030	NM_001025751	Blk	B lymphoid tyrosine kinase
A06	Rn.26996	NM_001007798	Blk	Bruton agammaglobulinemia tyrosine kinase
A07	Rn.72599	NM_001029901	Csf1r	Colony stimulating factor 1 receptor
A08	Rn.2759	NM_001030039	Csk	C-src tyrosine kinase
A09	Rn.7807	NM_013137	Ddr1	Discoidin domain receptor tyrosine kinase 1
A10	Rn.92730	NM_031764	Ddr2	Discoidin domain receptor tyrosine kinase 2
A11	Rn.37227	NM_031507	Egfr	Epidermal growth factor receptor
A12	Rn.218221	NM_001107858	Epha1	Eph receptor A1
B01	Rn.118682	NM_001135709	Epha10	EPH receptor A10
B02	Rn.23415	NM_001108977	Epha2	Eph receptor A2
B03	Rn.10713	NM_031564	Epha3	Eph receptor A3
B04	Rn.6202	NM_001162411	Epha4	Eph receptor A4
B05	Rn.24569	NM_001169137	Epha5	EphA5
B06	Rn.10181	NM_134331	Epha7	Eph receptor A7
B07	Rn.62934	XM_342952	Epha8	Eph receptor A8
B08	Rn.46606	NM_001104528	Ephb1	Eph receptor B1
B09	Rn.27233	NM_001127319	Ephb2	Eph receptor B2
B10	Rn.131133	NM_001105868	Ephb3	Eph receptor B3
B11	Rn.125930	NM_001107857	Ephb6	Eph receptor B6
B12	Rn.93966	NM_017003	Erb2	V-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian)
C01	Rn.10228	NM_017218	Erb3	V-erb-b2 erythroblastic leukemia viral oncogene homolog 3 (avian)
C02	Rn.163078	NM_021687	Erb4	V-erb-a erythroblastic leukemia viral oncogene homolog 4 (avian)
C03	Rn.102629	NM_001106928	Fer2	Fer (fms/fps related) protein kinase, testis specific 2
C04	Rn.104124	NM_001108488	Fes	Feline sarcoma oncogene
C05	Rn.9797	NM_024146	Fgfr1	Fibroblast growth factor receptor 1
C06	Rn.12732	NM_001109892	Fgfr2	Fibroblast growth factor receptor 2
C07	Rn.23671	NM_053429	Fgfr3	Fibroblast growth factor receptor 3
C08	Rn.24104	NM_001109904	Fgfr4	Fibroblast growth factor receptor 4
C09	Rn.11309	NM_024145	Fgr	Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog
C10	Rn.10239	NM_019306	Flt1	Fms-related tyrosine kinase 1
C11	Rn.6774	NM_001100822	Flt3	Fms-related tyrosine kinase 3
C12	Rn.81043	NM_053652	Flt4	Fms-related tyrosine kinase 4
D01	Rn.10556	NM_024368	Frk	Fyn-related kinase
D02	Rn.19361	NM_012755	Fyn	FYN oncogene related to SRC, FGR, YES
D03	Rn.10945	NM_013185	Hck	Hemopoietic cell kinase
D04	Rn.10957	NM_052807	Igf1r	Insulin-like growth factor 1 receptor
D05	Rn.270	NM_012756	Igf2r	Insulin-like growth factor 2 receptor
D06	Rn.9876	NM_017071	Insr	Insulin receptor
D07	Rn.44446	NM_022212	Insrr	Insulin receptor-related receptor

Position	UniGene	GenBank	Symbol	Description
D08	Rn.145244	NM_001108825	Itk	IL2-inducible T-cell kinase
D09	Rn.90191	NM_053466	Jak1	Janus kinase 1
D10	Rn.18909	NM_031514	Jak2	Janus kinase 2
D11	Rn.11159	NM_012855	Jak3	Janus kinase 3
D12	Rn.88869	NM_013062	Kdr	Kinase insert domain receptor
E01	Rn.54004	NM_022264	Kit	V-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog
E02	Rn.22791	NM_001100709	Lck	Lymphocyte-specific protein tyrosine kinase
E03	Rn.26715	NM_001137641	Lmtk2	Lemur tyrosine kinase 2
E04	Rn.47513	NM_001107763	Ltk	Leukocyte receptor tyrosine kinase
E05	Rn.4338	NM_030857	Lyn	V-yes-1 Yamaguchi sarcoma viral related oncogene homolog
E06	Rn.44303	NM_021859	Matk	Megakaryocyte-associated tyrosine kinase
E07	Rn.207207	NM_022943	Mertk	C-mer proto-oncogene tyrosine kinase
E08	Rn.10617	NM_031517	Met	Met proto-oncogene
E09	Rn.10210	NM_031061	Musk	Muscle, skeletal, receptor tyrosine kinase
E10	Rn.39098	NM_021589	Ntrk1	Neurotrophic tyrosine kinase, receptor, type 1
E11	Rn.11246	NM_012731	Ntrk2	Neurotrophic tyrosine kinase, receptor, type 2
E12	Rn.9963	NM_019248	Ntrk3	Neurotrophic tyrosine kinase, receptor, type 3
F01	Rn.55127	NM_012802	Pdgfra	Platelet derived growth factor receptor, alpha polypeptide
F02	Rn.98311	NM_031525	Pdgfrb	Platelet derived growth factor receptor, beta polypeptide
F03	Rn.2809	NM_013081	Ptk2	PTK2 protein tyrosine kinase 2
F04	Rn.11025	NM_017318	Ptk2b	PTK2B protein tyrosine kinase 2 beta
F05	Rn.218527	NM_001108968	Ptk6	PTK6 protein tyrosine kinase 6
F06	Rn.198822	NM_001106889	Ptk7	PTK7 protein tyrosine kinase 7
F07	Rn.93200	NM_012643	Ret	Ret proto-oncogene
F08	Rn.16473	NM_001108671	Ror1	Receptor tyrosine kinase-like orphan receptor 1
F09	Rn.211583	NM_001107339	Ror2	Receptor tyrosine kinase-like orphan receptor 2
F10	Rn.87436	NM_012874	Ros1	C-ros oncogene 1 , receptor tyrosine kinase
F11	Rn.11796	NM_080402	Ryk	Receptor-like tyrosine kinase
F12	Rn.112600	NM_031977	Src	V-src sarcoma (Schmid-Ruppin A-2) viral oncogene homolog (avian)
G01	Rn.133722	NM_001011961	Srms	Src-related kinase lacking C-terminal regulatory tyrosine and N-terminal myristylation sites
G02	Rn.87407	NM_012758	Syk	Spleen tyrosine kinase
G03	Rn.11797	NM_053432	Tec	Tec protein tyrosine kinase
G04	Rn.9159	NM_001105737	Tek	TEK tyrosine kinase, endothelial
G05	Rn.13171	NM_053545	Tie1	Tyrosine kinase with immunoglobulin-like and EGF-like domains 1
G06	Rn.163138	NM_001107012	Tnk1	Tyrosine kinase, non-receptor, 1
G07	Rn.98335	NM_001008336	Tnk2	Tyrosine kinase, non-receptor, 2
G08	Rn.163245	NM_001024255	Txk	TXK tyrosine kinase
G09	Rn.140313	XM_233741	Tyk2	Tyrosine kinase 2
G10	Rn.8883	NM_017092	Tyro3	TYRO3 protein tyrosine kinase
G11	Rn.214217	NM_033298	Yes1	Yamaguchi sarcoma viral (v-yes) oncogene homolog 1
G12	Rn.17862	NM_001012002	Zap70	Zeta-chain (TCR) associated protein kinase
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

Ireland ■ 1800 555 049

Norway ■ 800-18859

China ■ 8621-3865-3865

Italy ■ 800-787980

Singapore ■ 1800-742-4368

Denmark ■ 80-885945

Japan ■ 03-6890-7300

Spain ■ 91-630-7050

Australia ■ 1-800-243-800

Finland ■ 0800-914416

Korea (South) ■ 080-000-7145

Sweden ■ 020-790282

Austria ■ 0800/281010

France ■ 01-60-920-930

Luxembourg ■ 8002 2076

Switzerland ■ 055-254-22-11

Belgium ■ 0800-79612

Germany ■ 02103-29-12000

Mexico ■ 01-800-7742-436

UK ■ 01293-422-911

Brazil ■ 0800-557779

Hong Kong ■ 800 933 965

The Netherlands ■ 0800 0229592

USA ■ 800-426-8157



Sample & Assay Technologies