# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Rat Male Infertility

Cat. no. 330231 PARN-165ZR

#### For pathway expression analysis

Format	For use with the following real-time cyclers		
RT <sup>2</sup> Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

### **Description**

The Rat Male Infertility RT2 Profiler PCR Array profiles the expression of 84 key gene transcripts detected in spermatozoa. During spermatogenesis, primary sperm cells undergo meiosis, ultimately dividing and forming mature spermatozoa (sperm cells). Each sperm cell contains mRNA transcripts, although sperm are transcriptionally inactive. Initially, these mRNA transcripts were thought to be originally expressed by the primary sperm cells, and therefore a non-biologically relevant by-product of the spermatogenic process. However, recent studies have identified mRNAs differentially detected in the sperm of fertile males relative to infertile males. One hypothesis presumes that the initial stages of fertilization and embryogenesis require sperm-derived mRNAs. For example, epigenetic regulation of imprinted genes occurs during embryogenesis, and sperm-derived mRNAs expressing chromatin modification enzymes and remodeling factors may be necessary to complete this process. Sperm-derived mRNAs are also expressed in the testis. Therefore, the analysis of sperm mRNA, unlike a testicular biopsy, potentially provides a less-invasive method to research infertility in males. This array includes genes differentially detected in the sperm of fertile and infertile males. A set of controls present on each array enables data analysis using the DDCT method of relative quantification, assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in male infertility with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

**Note**: Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



# **Array layout**

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

# Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Rn.109833	NM_001080096	Acsbg2	Acyl-CoA synthetase bubblegum family member 2	
A02	Rn.42892	NM_021684	Adcy10	Adenylate cyclase 10 (soluble)	
A03	Rn.91370	NM_013149	Ahr	Aryl hydrocarbon receptor	
A04	Rn.42933	NM_021703	Akap14	A kinase (PRKA) anchor protein 14	
A05	Rn.10777	NM_024402	Akap4	A kinase (PRKA) anchor protein 4	
A06	Rn.19121	NM_012902	Amh	Anti-Mullerian hormone	
A07	Rn.33815	NM 019287	Apob	Apolipoprotein B	
A08	Rn.9813	NM 012502	Ar	Androgen receptor	
A09	Rn.98146	NM 212495	Brd2	Bromodomain containing 2	
A10	Rn.162229	NM 001012031	Brdt	Bromodomain, testis-specific	
A11	Rn.14584	NM 152790	Carhsp1	Calcium regulated heat stable protein 1	
A12	Rn.211927	XM 342941	Catsper4	Cation channel, sperm associated 4	
B01	Rn.9232	NM 171991	Ccnb1	Cyclin B1	
B02	Rn.163242	NM 019190	Cd46	CD46 molecule, complement regulatory protein	
B03	Rn.2589	NM 052809	Cdo1	Cysteine dioxygenase, type I	
B04	Rn.90061	NM 031017	Creb1	CAMP responsive element binding protein 1	
B05	Rn.10251	NM 001110860	Crem	CAMP responsive element modulator	
B06	Rn.32098	NM 001011710	Crisp2	Cysteine-rich secretory protein 2	
B07	Rn. 101949	NM 001106923	Cul3	Cullin 3	
B08	Rn.21402	NM 017085	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1	
B09	Rn.136288	NM 001109414	Dazl	Deleted in azoospermia-like	
B10	Rn.205263	NM 031630	Ddx25	DEAD (Asp-Glu-Ala-Asp) box polypeptide 25	
B11	Rn. 198577	NM 001077647	Ddx23	DEAD (Asp-Glu-Ala-Asp) box polypeptide 25  DEAD (Asp-Glu-Ala-Asp) box polypeptide 4	
B12	Rn.74260	NM 053706	Dax4 Dmrt1	Doublesex and mab-3 related transcription factor 1	
C01	Rn.125884	NM 001109248			
			Dnajb8	DnaJ (Hsp40) homolog, subfamily B, member 8	
C02	Rn.103040	NM_001014124	Dnajc28	DnaJ (Hsp40) homolog, subfamily C, member 28	
C03	Rn.11060	NM_053950	Eif2b4	Eukaryotic translation initiation factor 2B, subunit 4 delta	
C04	Rn.71377	NM_001106693	Eif4g3	Eukaryotic translation initiation factor 4 gamma, 3	
C05	Rn.162521	NM_139194	Fas	Fas (TNF receptor superfamily, member 6)	
C06	Rn.81585	NM_001106206	Fbxo5	F-box protein 5	
C07	Rn.103750	NM_022197	Fos	FBJ osteosarcoma oncogene	
C08	Rn.199034	NM_080405	Gli3	GLI-Kruppel family member GLI3	
C09	Rn.57243	NM_181366	Gpr64	G protein-coupled receptor 64	
C10	Rn.11323	NM_030826	Gpx1	Glutathione peroxidase 1	
C11	Rn.1863	NM_001025409	Hdac1	Histone deacetylase 1	
C12	Rn.3160	NM_012580	Hmox1	Heme oxygenase (decycling) 1	
D01	Rn.7040	NM_017235	Hsd17b7	Hydroxysteroid (17-beta) dehydrogenase 7	
D02	Rn.163428	NM_031694	Hsf2	Heat shock transcription factor 2	
D03	Rn.144829	NM_001106428	Hspa4l	Heat shock protein 4-like	
D04	Rn.104665	NM_001105749	II16	Interleukin 16	
D05	Rn.207863	NM_001001510	Klhl10	Kelch-like 10 (Drosophila)	
D06	Rn.62616	XM_215963	Lama5	Laminin, alpha 5	
D07	Rn.44444	NM_013076	Lep	Leptin	
D08	Rn.11216	NM_012978	Lhcgr	Luteinizing hormone/choriogonadotropin receptor	
D09	Rn.44161	NM_001002016	Lmna	Lamin A	
D10	Rn.70183	NM_001106514	Mcm8	Minichromosome maintenance complex component 8	
D11	Rn.22828	NM_053718	MIIt3	Myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila) translocated to, 3	
D12	Rn.10779	NM 012602	Muc1	Mucin 1, cell surface associated	
E01	Rn.2855	NM 001008525	Ndufs7	NADH dehydrogenase (ubiquinone) Fe-S protein 7	
E02	Rn.12550	NM_001105720	Nfkbia	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor,	
E03	Rn.3491	NM 173118	Npc2	Niemann-Pick disease, type C2	
E04	Rn.9850	NM 024126	Odf1	Outer dense fiber of sperm tails 1	
		1024120	- 311	Color dollar inder or speriff falls 1	
	Rn 30105	NM 057143	Park7	Parkinson disease (autosomal recessive early onset) 7	
E05 E06	Rn.30105 Rn.2899	NM_057143 NM 133559	Park7 Pcsk4	Parkinson disease (autosomal recessive, early onset) 7 Proprotein convertase subtilisin/kexin type 4	

Position	UniGene	GenBank	Symbol	Description	
E08	Rn.50944	NM_001012130	Pgk2	Phosphoglycerate kinase 2	
E09	Rn.6291	NM_001106701	Pin 1	Peptidylprolyl cis/trans isomerase, NIMA-interacting 1	
E10	Rn.131387	NM_001108853	Piwil1	Piwi-like 1 (Drosophila)	
E11	Rn.123184	NM_001012234	Plcz1	Phospholipase C, zeta 1	
E12	Rn.40977	NM_001107152	Pole	Polymerase (DNA directed), epsilon	
F01	Rn.2011	NM_022540	Prdx3	Peroxiredoxin 3	
F02	Rn.27657	NM_001002850	Prm1	Protamine 1	
F03	Rn.10404	NM_012873	Prm2	Protamine 2	
F04	Rn.30006	NM_022957	Serpina5	Serine (or cysteine) peptidase inhibitor, clade A, member 5	
F05	Rn.53046	NM_001107614	Slc26a8	Solute carrier family 26, member 8	
F06	Rn.94939	NM_001004446	Smarca2	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2	
F07	Rn.6059	NM 017050	Sod1	Superoxide dismutase 1, soluble	
F08	Rn.10488	NM 017051	Sod2	Superoxide dismutase 2, mitochondrial	
F09	Rn.31584	NM 001108964	Spo11	SPO11 meiotic protein covalently bound to DSB homolog (S. cerevisiae)	
F10	Rn.8871	NM 012881	Spp1	Secreted phosphoprotein 1	
F11	Rn.2688	NM 001025726	Srpk1	Srsf protein kinase 1	
F12	Rn.18997	NM 053730	Stag3	Stromal antigen 3	
G01	Rn.34889	NM 013041	Sycp3	Synaptonemal complex protein 3	
G02	Rn.10763	NM 032055	Tapl	Transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)	
G03	Rn.22712	NM 001004198	Tbp	TATA box binding protein	
G04	Rn.33200	NM 001007695	Tcp11	T-complex protein 11	
G05	Rn.99925	XM 001069708	Tex11	Testis expressed 11	
G06	Rn.9959	NM 017056	Tnp1	Transition protein 1	
G07	Rn.188592	NM 001106349	Tpd52l3	Tumor protein D52-like 3	
G08	Rn.137958	NM 001106147	Trim36	Tripartite motif-containing 36	
G09	Rn.30052	NM 001030022	Tsga10	Testis specific 10	
G10	Rn.7333	NM 001107928	Ubap2	Ubiquitin-associated protein 2	
G11	Rn.107213	NM 017237	Uchl1	Ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)	
G12	Rn.10892	NM 053762	Zp3	Zona pellucida glycoprotein 3 (sperm receptor)	
H01	Rn.94978	NM 031144	Actb	Actin, beta	
H02	Rn.1868	NM 012512	B2m	Beta-2 microglobulin	
H03	Rn.47	NM 012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1	
H04	Rn.107896	NM 017025	Ldha	Lactate dehydrogenase A	
H05	Rn.973	NM 001007604	Rplp1	Ribosomal protein, large, P1	
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination	
H07	N/A	SA 00104	RTC	Reverse Transcription Control	
H08	N/A	SA 00104	RTC	Reverse Transcription Control	
H09	N/A	SA 00104	RTC	Reverse Transcription Control	
H10	N/A	SA 00103	PPC	Positive PCR Control	
H11	N/A	SA 00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT <sup>2</sup> SYBR Green ROX <sup>™</sup> FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

<sup>\*</sup> Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

