# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Rat Cardiovascular Disease

#### Cat. no. 330231 PARN-174ZR

#### For pathway expression analysis

Format	For use with the following real-time cyclers		
RT <sup>2</sup> Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

#### Description

The Rat Cardiovascular Disease RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 genes linked to cardiac disease. Cardiovascular disease is the most important cause of morbidity and mortality in developed countries, causing twice as many deaths as cancer in the United States. Multiple genetic and environmental factors, as well as the interactions between them, increase the risk for developing major cardiovascular diseases such as coronary artery disease (CAD), myocardial infarction (MI), and congestive heart failure (CHF), to name a few. The underlying pathogenic mechanisms for these disorders are still largely unknown, but observed gene expression changes may play a central role in the development and progression of cardiovascular disease. Microarray studies have characterized gene expression patterns in diseased and non-diseased patients leading to the identification of unique subsets of genes associated with the cardiac disease process. The genes profiled with this array play roles in molecular processes such as apoptosis, cardiac remodeling, cell cycle, cell growth, stress and immune responses, transcriptional regulation, and signal transduction. Genes encoding sarcomere structural proteins are represented as well. A set of controls present on each array enables data analysis using the  $\Delta\Delta$ CT method of relative quantification and assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes related to cardiovascular disease with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

**Note:** Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

## Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

### Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.10149	NM_012544	Ace	Angiotensin I converting enzyme (peptidyl-dipeptidase A) 1
A02	Rn.3114	NM 019183	Actc1	Actin, alpha, cardiac muscle 1
A03	Rn.9991	NM 017191	Adrala	Adrenergic, alpha-1A-, receptor
A04	Rn.10032	NM 016991	Adra1b	Adrenergic, alpha-1B-, receptor
A05	Rn.11314	NM 024483	Adra1d	Adrenergic, alpha-1D-, receptor
A06	Rn.87064	NM 012701	Adrb1	Adrenergic, beta-1-, receptor
A07	Rn.10206	NM 012492	Adrb2	Adrenergic, beta-2-, receptor, surface
A08	Rn.10100	NM 013108	Adrb3	Adrenergic, beta-3-, receptor
A09	Rn.37157	NM 001100970	Aebp1	AE binding protein 1
A10	Rn.9814	NM 030985	Agtrla	Angiotensin II receptor, type 1a
A11	Rn.19270	NM 024155	Anxa4	Annexin A4
A12	Rn.9813	NM 012502	And	Androgen receptor
B01	Rn.2305	NM 001110139	Atp2a2	Analogen receptor ATPase, Ca++ transporting, cardiac muscle, slow twitch 2
BUT	Kn.2305	NM_001110139	Atp2d2	
B02	Rn.40255	NM_023093	Atp5a1	ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit 1 cardiac muscle
B03	Rn.16145	NM_176074	C6	Complement component 6
B04	Rn.10632	NM_019205	Ccl11	Chemokine (C-C motif) ligand 11
B05	Rn.4772	NM_031530	Ccl2	Chemokine (C-C motif) ligand 2
B06	Rn.22279	NM_171992	Ccnd1	Cyclin D1
B07	Rn.29897	NM_031762	Cdkn1b	Cyclin-dependent kinase inhibitor 1B
B08	Rn.260	NM 013117	Col11a1	Collagen, type XI, alpha 1
B09	Rn.2953	NM 053304	Col1a1	Collagen, type I, alpha 1
B10	Rn.3247	NM 032085	Col3a1	Collagen, type III, alpha 1
B11	Rn.210235	NM 001134621	Creb5	CAMP responsive element binding protein 5
B12	Rn.10251	NM 001110860	Crem	CAMP responsive element modulator
C01	Rn.98208	NM 012935	Cryab	Crystallin, alpha B
C02	Rn.24561	NM 053955	Crym	Crystallin, tupita b
C02	Rn.17145	NM 022266	Ctgf	Connective tissue growth factor
C03	Rn.17143 Rn.54439	NM 022177	Cxcl12	Connective issue growin lactor Chemokine (C-X-C motif) ligand 12 (stromal cell-derived factor 1)
		-		
C05	Rn.106103	NM_024129	Dcn	Decorin
C06	Rn.10307	NM_012698	Dmd	Dystrophin
C07	Rn.4313	NM_053883	Dusp6	Dual specificity phosphatase 6
C08	Rn.163240	NM_001012150	Enah	Enabled homolog (Drosophila)
C09	Rn.22394	NM_017002	Epor	Erythropoietin receptor
C10	Rn.2609	NM_012950	F2r	Coagulation factor II (thrombin) receptor
C11	Rn.1604	NM_019143	Fn1	Fibronectin 1
C12	Rn.12034	NM_001100527	Frzb	Frizzled-related protein
D01	Rn.1040	NM_001009632	G0s2	G0/G1switch 2
D02	Rn.10346	NM_012567	Gja 1	Gap junction protein, alpha 1
D03	Rn.12297	NM_024386	Hmgcl	3-hydroxymethyl-3-methylglutaryl-Coenzyme A lyase
D04	Rn.9437	NM_013134	Hmgcr	3-hydroxy-3-methylglutaryl-Coenzyme A reductase
D05	Rn.3517	NM_001025624	Hmgn2	High mobility group nucleosomal binding domain 2
D06	N/A	XM_006253568	Klhl3	Kelch-like family member 3
D07	Rn.224544	- NM 033653	Maoa	Monoamine oxidase A
D08	Rn.34914	NM 053842	Mapk1	Mitogen activated protein kinase 1
D09	Rn.4090	NM 053829	Mapk8	Mitogen-activated protein kinase 8
D10	Rn.10997	NM 133530	Mmp13	Matrix metallopeptidase 13
D11	N/A	XM 008768240	Msi2	Musashi RNA-binding protein 2
D12	Rn.98166	NM 031520	Myh10	Myosin, heavy chain 10, non-muscle
E01	Rn.54399	NM 017239	Myh6	Myosin, heavy chain 6, cardiac muscle, alpha
E01 E02	Rn.3367	NM 001106426	Ndufb5	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5
E02 E03	Rn.234519	-	Nebl	
		NM_001191694		Nebulette
E04	Rn.10550	NM_012988	Nfia	Nuclear factor I/A
E05	Rn.6179	NM_053651	Nkx2-5	NK2 transcription factor related, locus 5 (Drosophila)
	Rn.2004	NM 012612	Nppa	Natriuretic peptide precursor A
E06 E07	Rn.3835	NM 031545	Nppb	Natriuretic peptide precursor B

Position	UniGene	GenBank	Symbol	Description	
E08	Rn.10463	NM_012613	Npr1	receptor A)	
E09	Rn.32984	NM_053838	Npr2	Natriuretic peptide receptor B/guanylate cyclase B (atrionatriuretic peptide receptor B)	
E10	Rn.11297	NM_012868	Npr3	Natriuretic peptide receptor C/guanylate cyclase C (atrionatriuretic peptide receptor C)	
E11	Rn.90070	NM 012576	Nr3c1	Nuclear receptor subfamily 3, group C, member 1	
E12	Rn.9678	NM 013131	Nr3c2	Nuclear receptor subfamily 3, group C, member 2	
F01	Rn.44403	NM 017337	Pde3a	Phosphodiesterase 3A, cGMP inhibited	
F02	Rn.10322	NM 017229	Pde3b	Phosphodiesterase 3B, cGMP-inhibited	
F03	Rn.10861	NM 133584	Pde5a	Phosphodiesterase 5A, cGMP-specific	
F04	Rn.39142	NM 031080	Pde7a	Phosphodiesterase 7A	
F05	Rn.30516	NM 001108550	Postn	Periostin, osteoblast specific factor	
F06	Rn.1653	 NM 017066	Ptn	Pleiotrophin	
F07	Rn.16737	NM 001014790	Rarres1	Retinoic acid receptor responder (tazarotene induced) 1	
F08	Rn.83042	NM 001007754	Rassf1	Ras association (RalGDS/AF-6) domain family member 1	
F09	Rn.9831	 NM 012642	Ren	Renin	
F10	Rn.1348	NM 031831	Rtn4	Reticulon 4	
F11	Rn.11091	- NM 001007636	\$100a1	S100 calcium binding protein A1	
F12	Rn.31839	- NM 053822	\$100a8	S100 calcium binding protein A8	
G01	Rn.202939	NM 031531	Serpina3n	Serine (or cysteine) peptidase inhibitor, clade A, member 3N	
G02	Rn.10788	NM 053544	Sfrp4	Secreted frizzled-related protein 4	
G03	Rn.14799	NM 019134	Slc12a1	Solute carrier family 12 (sodium/potassium/chloride transporters), member 1	
G04	Rn.1827	NM 019169	Snca	Synuclein, alpha (non A4 component of amyloid precursor)	
G05	Rn.44057	- NM 001271297	Spock1	Sparc/osteonectin, cwcv and kazal-like domains proteoglycan (testican) 1	
G06	Rn.33229	- NM 032612	Stat1	Signal transducer and activator of transcription 1	
G07	Rn.23354	NM 053369	Tcf4	Transcription factor 4	
G08	Rn.165619	 NM_001169138	Thbs2	Thrombospondin 2	
G09	Rn.64141	 NM 017144	Tnni3	Troponin I type 3 (cardiac)	
G10	Rn.9965	NM 012676	Tnnt2	Troponin T type 2 (cardiac)	
G11	Rn.1253	NM 138895	Ubb	Ubiquitin B	
G12	Rn.107363	NM 053761	Zyx	Zyxin	
H01	Rn.94978	NM 031144	Actb	Actin, beta	
H02	Rn.1868	NM 012512	B2m	Beta-2 microglobulin	
H03	Rn.47	NM 012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1	
H04	Rn.107896	NM 017025	Ldha	Lactate dehydrogenase A	
H05	Rn.973	NM 001007604	Rplp1	Ribosomal protein, large, P1	
H06	N/A	 U26919	RGDC	Rat Genomic DNA Contamination	
H07	N/A	SA 00104	RTC	Reverse Transcription Control	
H08	N/A	SA 00104	RTC	Reverse Transcription Control	
H09	N/A	SA 00104	RTC	Reverse Transcription Control	
H10	N/A	SA 00103	PPC	Positive PCR Control	
H11	N/A	SA 00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

\* Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN<sup>®</sup>, Rotor-Gene<sup>®</sup>, Rotor-Disc<sup>™</sup> (QIAGEN Group); ROX<sup>™</sup> (Applera Corporation or its subsidiaries); SYBR<sup>®</sup> (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	<b>Canada =</b> 800-572-9613	Ireland = 1800 555 049	Norway = 800-18859	
	China • 8621-3865-3865	Italy = 800-787980	Singapore = 1800-742-4368	
	<b>Denmark</b> • 80-885945	Japan = 03-6890-7300	<b>Spain</b> ■ 91-630-7050	$\bullet \bullet \bullet \bullet \bullet \bullet \bullet$
Australia • 1-800-243-800	Finland • 0800-914416	Korea (South) = 080-000-7145	Sweden = 020-790282	
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland • 055-254-22-11	
Belgium = 0800-79612	Germany • 02103-29-12000	Mexico = 01-800-7742-436	UK • 01293-422-911	QIAGEN
Brazil • 0800-557779	Hong Kong  ■ 800 933 965	<b>The Netherlands</b> • 0800 0229592	<b>USA •</b> 800-426-8157	GIAGEN

Sample & Assay Technologies