# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene® Format) Rat Notch Signaling Targets

#### Cat. no. 330231 PARN-259ZR

#### For pathway expression analysis

Format	For use with the following real-time cyclers		
RT <sup>2</sup> Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers		
Format R			

#### Description

The Rat Notch Signaling Targets RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes regulated by the Notch pathway. Notch signaling is a conserved developmental pathway involved in cell-cell communication, cell fate, apoptosis, and development. The pathway was originally discovered in Drosophila melanogaster, and mammalian homologs were identified later. Ligands from the Delta and Jagged/Serrate families activate the Notch membrane-bound receptors, inducing cleavage of the Notch intracellular domain. This intracellular domain interacts with the RBPJ family of transcription factors as well as a variety of coactivators and corepressors to initiate target gene transcription. The output of Notch signaling activation depends on the cellular context, and the proper timing and spatial regulation of its activation is crucial for normal embryonic developmental processes. Dysregulation of Notch signaling processes can lead to cancer as well as genetic developmental disorders. Many Notch pathway target genes have been identified using experimental techniques such as chromatin immunoprecipitation (ChIP) and gene expression studies. This array includes Notch signaling pathway transcription factors and highly relevant target genes identified by multiple studies. Results obtained with this array can be used to analyze activation or inhibition of Notch signaling. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes regulated by Notch signaling with this array.

For further details, consult the RT<sup>2</sup> Profiler PCR Array Handbook.

#### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on

dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

**Note:** Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

### Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc<sup>™</sup> (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

## Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.3105	NM_001100850	Abl1	C-abl oncogene 1, receptor tyrosine kinase
A02	Rn.7897	NM 024400	Adamts1	ADAM metallopeptidase with thrombospondin type 1 motif, 1
A03	Rn.11266	NM 012513	Bdnf	Brain-derived neurotrophic factor
A04	Rn.128745	NM 001108453	Cbfa2t3	Core-binding factor, runt domain, alpha subunit 2; translocated to, 3
A05	Rn.22279	 NM 171992	Ccnd1	Cyclin D1
A06	Rn.96083	NM 022267	Ccnd2	Cyclin D2
A07	Rn.205839	NM 021856	Clock	Clock homolog (mouse)
A08	Rn.108128	NM 133381	Crebbp	CREB binding protein
A09	Rn.107266	NM 134455	Cx3cl1	Chemokine (C-X3-C motif) ligand 1
A10	Rn.10907	NM 030845	Cxcl1	Chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alph
A11	Rn.54439	NM 022177	Cxcl12	Chemokine (C-X-C motif) ligand 12 (stromal cell-derived factor 1)
A12	Rn.81072	NM 130408	Cyp26a1	Cytochrome P450, family 26, subfamily A, polypeptide 1
B01	Rn.7807	NM 013137	Ddr1	Discoidin domain receptor tyrosine kinase 1
B02	Rn.214343	NM 001106350	Dkk1	Dickkopf homolog 1 (Xenopus laevis)
B02 B03	Rn.10918	NM 012548	Edn1	Endothelin 1
B03	Rn.8427	NM 053599	Efnal	Ephrin A1
B04 B05	Rn.44398	NM 017089	Efnb1	Ephini Al
B05 B06	Rn.44370 Rn.44371	NM 017086	Eind I Egr3	Early growth response 3
B00 B07	Rn.44371 Rn.10014	NM 030832	Egr3 Fabp7	Fatty acid binding protein 7, brain
B07 B08	Rn.44445	NM 022211		
		-	Fgf5	Fibroblast growth factor 5
B09 B10	Rn.93503	NM_001108955	Fix1 Fit1	Four jointed box 1 (Drosophila)
	Rn.10239	NM_019306		Fms-related tyrosine kinase 1
B11	Rn.92964	XM_575873	Foxd3	Forkhead box D3
B12	Rn.12034	NM_001100527	Frzb	Frizzled-related protein
C01	Rn.24792	NM_173838	Fzd5	Frizzled homolog 5 (Drosophila)
C02	Rn.35886	NM_001008321	Gadd45b	Growth arrest and DNA-damage-inducible, beta
C03	Rn.144235	XM_575015	Gpsm2	G-protein signaling modulator 2 (AGS3-like, C. elegans)
C04	Rn.10148	NM_012945	Hbegf	Heparin-binding EGF-like growth factor
C05	Rn.19727	NM_024360	Hes1	Hairy and enhancer of split 1 (Drosophila)
C06	Rn.22422	NM_024383	Hes5	Hairy and enhancer of split 5 (Drosophila)
C07	Rn.218470	NM_001105792	Hes7	Hairy and enhancer of split 7 (Drosophila)
C08	Rn.98202	XM_342216	Hey1	Hairy/enhancer-of-split related with YRPW motif 1
C09	Rn.58672	NM_130417	Hey2	Hairy/enhancer-of-split related with YRPW motif 2
C10	Rn.22252	NM_001107977	Heyl	Hairy/enhancer-of-split related with YRPW motif-like
C11	Rn.102906	NM_053612	Hspb8	Heat shock protein B8
C12	Rn.2113	NM_012797	ld1	Inhibitor of DNA binding 1
D01	Rn.3272	NM_013060	ld2	Inhibitor of DNA binding 2
D02	Rn.2760	NM_013058	ld3	Inhibitor of DNA binding 3
D03	Rn.22987	NM_175582	ld4	Inhibitor of DNA binding 4
D04	Rn.26369	NM_012588	lgfbp3	Insulin-like growth factor binding protein 3
D05	Rn.9872	NM_013163	ll2ra	Interleukin 2 receptor, alpha
D06	Rn.106849	NM_001014166	1133	Interleukin 33
D07	Rn.88804	NM_019147	Jag 1	Jagged 1
D08	Rn.93714	NM_021835	Jun	Jun oncogene
D09	Rn.87882	NM_032062	Kalrn	Kalirin, RhoGEF kinase
D10	Rn.44216	NM_021843	Kitlg	KIT ligand
D11	Rn.153972	NM_001008751	Krt14	Keratin 14
D12	Rn.127809	NM_133393	Lfng	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
E01	Rn.10726	NM_019318	Maf	V-maf musculoaponeurotic fibrosarcoma oncogene homolog (avian)
E02	Rn.21430	NM_053947	Mark1	MAP/microtubule affinity-regulating kinase 1
E03	Rn.38488	NM_001130563	Mtss1	Metastasis suppressor 1
E04	Rn.218675	NM_001106783	Myf5	Myogenic factor 5
E05	Rn.203508		Nampt	Nicotinamide phosphoribosyltransferase
E06	Rn.9701	NM_012987	Nes	Nestin
E07	Rn.218528	- NM 001106394	Nodal	Nodal homolog (mouse)
E08	Rn.25046	NM 001105721	Notch1	Notch homolog 1, translocation-associated (Drosophila)
E09	Rn.53876	NM 020087	Notch3	Notch homolog 3 (Drosophila)

Position	UniGene	GenBank	Symbol	Description	
E10	Rn.89724	NM_013001	Pax6	Paired box 6	
E11	Rn.205189	NM_001134862	Pbx1	Pre-B-cell leukemia homeobox 1	
E12	Rn.23337	NM_022868	Pcdh8	Protocadherin 8	
F01	Rn.198230	NIA 021524	Pdgfb	Platelet-derived growth factor beta polypeptide (simian sarcoma viral (v-sis)	
FUI	Kn. 196230	NM_031524	Pagib	oncogene homolog)	
F02	Rn.55127	NM_012802	Pdgfra	Platelet derived growth factor receptor, alpha polypeptide	
F03	Rn.98311	NM_031525	Pdgfrb	Platelet derived growth factor receptor, beta polypeptide	
F04	Rn.92370	XM_001065627	Ptcra	Pre T-cell antigen receptor alpha	
F05	Rn.44369	NM_017232	Ptgs2	Prostaglandin-endoperoxide synthase 2	
F06	Rn.219869	NM_001108604	Rbpjl	Recombination signal binding protein for immunoglobulin kappa J region-like	
F07	Rn.58803	XM_232595	Rbpsuh	Recombining binding protein suppressor of hairless (Drosophila)	
F08	Rn.30047	NM_138542	Rhov	Ras homolog gene family, member V	
F09	Rn.198250	NM_001013222	Rnd 1	Rho family GTPase 1	
F10	Rn.11201	NM_017325	Runx1	Runt-related transcription factor 1	
F11	Rn.214214	NM_053470	Runx2	Runt-related transcription factor 2	
F12	Rn.108119	XM_225216	\$1pr3	Sphingosine-1-phosphate receptor 3	
G01	Rn.29367	NM_012620	Serpine 1	Serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type	
GUI	Kn.29307			1), member 1	
G02	Rn.26953	NM_173116	Sgpl1	Sphingosine-1-phosphate lyase 1	
G03	Rn.8008	NM_053805	Snai 1	Snail homolog 1 (Drosophila)	
G04	Rn.127801	NM_053565	Socs3	Suppressor of cytokine signaling 3	
G05	Rn.95086	XM_343981	Sox9	SRY-box containing gene 9	
G06	Rn.11797	NM_053432	Tec	Tec protein tyrosine kinase	
G07	Rn.12723	NM_053861	Tnc	Tenascin C	
G08	Rn.1923	NM_031836	Vegfa	Vascular endothelial growth factor A	
G09	Rn.63486	NM_031716	Wisp1	WNT1 inducible signaling pathway protein 1	
G10	Rn.34782	NM_053402	Wnt4	Wingless-type MMTV integration site family, member 4	
G11	Rn.48749	NM_022631	Wnt5a	Wingless-type MMTV integration site family, member 5A	
G12	Rn.22149	NM_001108226	Wnt6	Wingless-type MMTV integration site family, member 6	
H01	Rn.94978	NM_031144	Actb	Actin, beta	
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin	
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1	
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A	
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1	
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA 00103	PPC	Positive PCR Control	

# **Related products**

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

\* Larger kit sizes available; please inquire.

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at <u>www.qiagen.</u> <u>com</u> or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN<sup>®</sup>, Rotor-Gene<sup>®</sup>, Rotor-Disc<sup>™</sup> (QIAGEN Group); ROX<sup>™</sup> (Applera Corporation or its subsidiaries); SYBR<sup>®</sup> (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com	<b>Canada =</b> 800-572-9613	Ireland • 1800 555 049	Norway = 800-18859	
	China • 8621-3865-3865	Italy = 800-787980	Singapore = 1800-742-4368	
	<b>Denmark</b> • 80-885945	Japan = 03-6890-7300	<b>Spain</b> ■ 91-630-7050	$\bullet \bullet \bullet \bullet \bullet \bullet \bullet$
Australia • 1-800-243-800	Finland • 0800-914416	Korea (South) = 080-000-7145	Sweden = 020-790282	
Austria = 0800/281010	France = 01-60-920-930	Luxembourg = 8002 2076	Switzerland • 055-254-22-11	
Belgium = 0800-79612	Germany • 02103-29-12000	Mexico = 01-800-7742-436	UK • 01293-422-911	QIAGEN
Brazil • 0800-557779	Hong Kong  ■ 800 933 965	<b>The Netherlands</b> • 0800 0229592	<b>USA •</b> 800-426-8157	GIAGEN

Sample & Assay Technologies