

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Rat T Helper Cell Differentiation

Cat. no. 330231 PARN-503ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems [®] models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad [®] models iCycler [®] , iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf [®] Mastercycler [®] ep realplex models 2, 2s, 4, 4s; Stratagene [®] models Mx3005P [®] , Mx3000P [®] ; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon [®] , DNA Engine Opticon 2; Stratagene Mx4000 [®]
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche [®] LightCycler [®] 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm [®] BioMark™



Description

The Rat T Helper Cell Differentiation RT² Profiler PCR Array profiles the expression of 84 key genes regulating the commitment of precursor T cells to differentiate into specific effector subtypes. The two more well-known and characterized T helper cell subtypes, Th1 and Th2 cells, mediate cellular and humoral immune responses. Many published research studies find that one subtype population and its immune response tends to dominate in immune disorders such as allergy, asthma, autoimmunity, diabetes, hypersensitivity, and rheumatoid arthritis. The genes represented by this array include cytokines, cytokine receptors, transcription factors, and other signaling molecules regulating differentiation into Th1 or Th2 cells as well as specific markers for these subtypes. Profiling your research RNA samples from T cell population sources will help you correlate sub-type specific gene expression with experimentally-induced cellular or humoral immune responses. The results of this array can also help you provide insights into the molecular mechanisms and biological pathways behind T helper cell lineage commitment decisions in your model system. Using real-time PCR, your research study can easily and reliably analyze the expression of a focused panel of genes involved in T helper cell differentiation with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Asb2	Cacna1f	Ccl11	Ccl4	Ccl5	Ccl7	Ccr3	Ccr4	Ccr5	Ccr6	Cebpb	Chd7
B	Csf2	Faslg	Fos1	Foxp3	Gata3	Gata4	Gfi1	Gpr44	Havcr2	Hopx	Hoxa10	Icos
C	Id2	Ifng	Igsf6	Ikzf2	Il12b	Il12rb2	Il13	Il13ra1	Il17a	Il17re	Il18	Il18r1
D	Il18rap	Il1r1	Il1r2	Il1rl1	Il2	Il21	Il23a	Il27	Il2ra	Il4	Il4ra	Il5
E	Il9	Irf1	Irf4	Irf8	Jak1	Maf	Nfatc2	Nfatc2ip	Nr4a1	Nr4a3	Perp	Plkd2
F	Pou2f2	Pparg	Rel	Rora	Rorc	Runx1	Runx3	Socs1	Socs5	Stat4	Stat6	Tbx21
G	Tgfb1	Tlr4	Tlr6	Tmed1	Tnf	Tnfrsf9	Tnfrsf11	Tox	Tp53inp1	Uts2	Zbtb7b	Zeb1
H	Actb	B2m	Hprt1	Ldha	Rplp1	RGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.98677	NM_001011984	Asb2	Ankyrin repeat and SOCS box-containing 2
A02	Rn.39125	NM_053701	Cacna1f	Calcium channel, voltage-dependent, L type, alpha 1F subunit
A03	Rn.10632	NM_019205	Ccl11	Chemokine (C-C motif) ligand 11
A04	Rn.37880	NM_053858	Ccl4	Chemokine (C-C motif) ligand 4
A05	Rn.8019	NM_031116	Ccl5	Chemokine (C-C motif) ligand 5
A06	Rn.26815	NM_001007612	Ccl7	Chemokine (C-C motif) ligand 7
A07	Rn.9890	NM_053958	Ccr3	Chemokine (C-C motif) receptor 3
A08	Rn.81076	NM_133532	Ccr4	Chemokine (C-C motif) receptor 4
A09	Rn.10736	NM_053960	Ccr5	Chemokine (C-C motif) receptor 5
A10	Rn.161767	NM_001013145	Ccr6	Chemokine (C-C motif) receptor 6
A11	Rn.6479	NM_024125	Cebpb	CCAAT/enhancer binding protein (C/EBP), beta
A12	Rn.37783	NM_001107906	Chd7	Chromodomain helicase DNA binding protein 7
B01	Rn.44285	XM_340799	Csf2	Colony stimulating factor 2 (granulocyte-macrophage)
B02	Rn.9725	NM_012908	Faslg	Fas ligand (TNF superfamily, member 6)
B03	Rn.11306	NM_012953	Fos1	Fos-like antigen 1
B04	Rn.177272	NM_001108250	Foxp3	Forkhead box P3
B05	Rn.92350	NM_133293	Gata3	GATA binding protein 3
B06	Rn.26251	NM_144730	Gata4	GATA binding protein 4
B07	Rn.10935	NM_012566	Gfi1	Growth factor independent 1 transcription repressor
B08	Rn.198542	NM_001012070	Gpr44	G protein-coupled receptor 44
B09	Rn.219486	NM_001100762	Havcr2	Hepatitis A virus cellular receptor 2
B10	Rn.2989	NM_133621	Hopx	HOP homeobox
B11	Rn.852	NM_001129878	Hoxa10	Homeo box A10
B12	Rn.168816	NM_022610	Icos	Inducible T-cell co-stimulator
C01	Rn.3272	NM_013060	Id2	Inhibitor of DNA binding 2
C02	Rn.10795	NM_138880	Ifng	Interferon gamma
C03	Rn.204094	NM_133542	Igsf6	Immunoglobulin superfamily, member 6
C04	Rn.163079	NM_001106916	Ikzf2	IKAROS family zinc finger 2
C05	Rn.48686	NM_022611	Il12b	Interleukin 12b
C06	Rn.207395	XM_231873	Il12rb2	Interleukin 12 receptor, beta 2
C07	Rn.9921	NM_053828	Il13	Interleukin 13
C08	Rn.81210	NM_145789	Il13ra1	Interleukin 13 receptor, alpha 1
C09	Rn.218513	NM_001106897	Il17a	Interleukin 17A
C10	Rn.129068	NM_001004091	Il17re	Interleukin 17 receptor E
C11	Rn.11118	NM_019165	Il18	Interleukin 18
C12	Rn.149181	NM_001106905	Il18r1	Interleukin 18 receptor 1
D01	Rn.105609	NM_184047	Il18rap	Interleukin 18 receptor accessory protein
D02	Rn.9758	NM_013123	Il1r1	Interleukin 1 receptor, type I
D03	Rn.10758	NM_053953	Il1r2	Interleukin 1 receptor, type II
D04	Rn.10072	NM_013037	Il1rl1	Interleukin 1 receptor-like 1
D05	Rn.9871	NM_053836	Il2	Interleukin 2
D06	Rn.214949	NM_001108943	Il21	Interleukin 21
D07	Rn.81073	NM_130410	Il23a	Interleukin 23, alpha subunit p19
D08	N/A	XM_344962	Il27	Interleukin 27
D09	Rn.9872	NM_013163	Il2ra	Interleukin 2 receptor, alpha

Position	UniGene	GenBank	Symbol	Description
D10	Rn.108255	NM_201270	Il4	Interleukin 4
D11	Rn.10471	NM_133380	Il4ra	Interleukin 4 receptor, alpha
D12	Rn.44227	NM_021834	Il5	Interleukin 5
E01	Rn.92374	NM_001105747	Il9	Interleukin 9
E02	Rn.6396	NM_012591	Irf1	Interferon regulatory factor 1
E03	Rn.82114	NM_001106108	Irf4	Interferon regulatory factor 4
E04	Rn.3765	NM_001008722	Irf8	Interferon regulatory factor 8
E05	Rn.90191	NM_053466	Jak1	Janus kinase 1
E06	Rn.10726	NM_019318	Maf	V-maf musculoaponeurotic fibrosarcoma oncogene homolog (avian)
E07	Rn.214090	NM_001107805	Nfatc2	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2
E08	Rn.101030	NM_001007692	Nfatc2ip	Nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 interacting protein
E09	Rn.10000	NM_024388	Nr4a1	Nuclear receptor subfamily 4, group A, member 1
E10	Rn.62694	NM_017352	Nr4a3	Nuclear receptor subfamily 4, group A, member 3
E11	Rn.101762	NM_001106265	Perp	PERP, TP53 apoptosis effector
E12	Rn.198353	XM_573552	Plkd2	Polycystic kidney disease 2
F01	Rn.155998	XM_341802	Pou2f2	POU class 2 homeobox 2
F02	Rn.23443	NM_013124	Pparg	Peroxisome proliferator-activated receptor gamma
F03	Rn.106948	XM_223688	Rel	V-rel reticuloendotheliosis viral oncogene homolog (avian)
F04	Rn.43530	NM_001106834	Rora	RAR-related orphan receptor A
F05	Rn.21421	XM_347322	Rorc	RAR-related orphan receptor C
F06	Rn.11201	NM_017325	Runx1	Runt-related transcription factor 1
F07	Rn.205217	NM_130425	Runx3	Runt-related transcription factor 3
F08	Rn.82754	NM_145879	Socs1	Suppressor of cytokine signaling 1
F09	Rn.47568	NM_001109274	Socs5	Suppressor of cytokine signaling 5
F10	Rn.137580	NM_001012226	Stat4	Signal transducer and activator of transcription 4
F11	Rn.6880	NM_001044250	Stat6	Signal transducer and activator of transcription 6
F12	Rn.144930	NM_001107043	Tbx21	T-box 21
G01	Rn.154349	NM_001015020	Tgif1	TGF β -induced factor homeobox 1
G02	Rn.14534	NM_019178	Tlr4	Toll-like receptor 4
G03	Rn.163249	NM_207604	Tlr6	Toll-like receptor 6
G04	Rn.162983	NM_001013432	Tmed1	Transmembrane emp24 protein transport domain containing 1
G05	Rn.2275	NM_012675	Tnf	Tumor necrosis factor (TNF superfamily, member 2)
G06	Rn.22307	NM_001025773	Tnfrsf9	Tumor necrosis factor receptor superfamily, member 9
G07	Rn.64517	NM_057149	Tnfsf11	Tumor necrosis factor (ligand) superfamily, member 11
G08	Rn.161967	NM_001108654	Tox	Thymocyte selection-associated high mobility group box
G09	Rn.48267	NM_181084	Tp53inp1	Tumor protein p53 inducible nuclear protein 1
G10	Rn.48886	NM_019160	Uts2	Urotensin 2
G11	Rn.73830	NM_001106446	Zbtb7b	Zinc finger and BTB domain containing 7B
G12	Rn.10600	NM_013164	Zeb1	Zinc finger E-box binding homeobox 1
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

Ireland ■ 1800 555 049

Norway ■ 800-18859

China ■ 8621-3865-3865

Italy ■ 800-787980

Singapore ■ 1800-742-4368

Denmark ■ 80-885945

Japan ■ 03-6890-7300

Spain ■ 91-630-7050

Australia ■ 1-800-243-800

Finland ■ 0800-914416

Korea (South) ■ 080-000-7145

Sweden ■ 020-790282

Austria ■ 0800/281010

France ■ 01-60-920-930

Luxembourg ■ 8002 2076

Switzerland ■ 055-254-22-11

Belgium ■ 0800-79612

Germany ■ 02103-29-12000

Mexico ■ 01-800-7742-436

UK ■ 01293-422-911

Brazil ■ 0800-557779

Hong Kong ■ 800 933 965

The Netherlands ■ 0800 0229592

USA ■ 800-426-8157



Sample & Assay Technologies