

# RT<sup>2</sup> Profiler PCR Array (Rotor-Gene<sup>®</sup> Format)

## Pig Antiviral Response

Cat. no. 330231 PASS-122ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT <sup>2</sup> Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

### Description

The Pig Antiviral Response RT<sup>2</sup> Profiler PCR Array profiles the expression of 84 key genes involved in the innate antiviral immune response. Three different families of pattern recognition receptors (PRRs) (toll-like (TLRs), Nod-like (NLRs), and RIG-I-like receptors) initiate innate immunity, the inborn general host response to common pathogens such as viruses. These receptors recognize and bind viral DNA and RNA, activating downstream signaling to induce the expression of inflammatory cytokines including alpha and beta interferons. Alpha and beta interferons mediate type-I interferon signaling that activates dendritic and natural killer cells as well as the adaptive immune response. Some viral nucleic acids bind to multiple PRRs, and each immune cell type expresses a specific set of PRRs. This array contains the receptors and signaling effectors for TLRs, NLRs and RIG-I-like receptors, the genes responsive to these pathways, and the genes involved in type-I interferon signaling as well as downstream interferon-stimulated genes (ISGs). The results of this array will provide a better understanding of the interactions of these innate immune signaling networks with a specific viral infection. A set of controls present on each array enables data analysis using the DDCT method of relative quantification and assessment of reverse transcription performance, genomic DNA contamination, and PCR performance. Using real-time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes involved in innate immunity with this array.

For further details, consult the *RT<sup>2</sup> Profiler PCR Array Handbook*.

### Shipping and storage

RT<sup>2</sup> Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

---

For long term storage, keep plates at  $-20^{\circ}\text{C}$ .

**Note:** Ensure that you have the correct RT<sup>2</sup> Profiler PCR Array format for your real-time cyclers (see table above).

**Note:** Open the package and store the products appropriately immediately on receipt.



## Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

## Gene table: RT<sup>2</sup> Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Ssc.83739	NM_001037152	ATG5	ATG5 autophagy related 5 homolog (S. cerevisiae)
A02	N/A	XM_003358349	AZ12	5-azacytidine-induced protein 2-like
A03	Ssc.53633	XM_003121700	BCL2	B-cell CLL/lymphoma 2
A04	Ssc.16012	NM_214162	CASP1	Caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase)
A05	Ssc.9544	NM_001161640	CASP10	Caspase 10, apoptosis-related cysteine peptidase
A06	Ssc.30615	NM_001031779	CASP8	Caspase 8, apoptosis-related cysteine peptidase
A07	Ssc.43937	NM_001009579	CCL3L1	Chemokine (C-C motif) ligand 3-like 1
A08	Ssc.23797	NM_213779	CCL4	Chemokine (C-C motif) ligand 4
A09	Ssc.22030	NM_001129946	CCL5	Chemokine (C-C motif) ligand 5
A10	Ssc.26880	NM_214194	CD40	CD40 molecule, TNF receptor superfamily member 5
A11	Ssc.15748	NM_214087	CD80	CD80 molecule
A12	Ssc.16160	NM_214222	CD86	CD86 molecule
B01	Ssc.21683	NM_001114279	CHUK	Conserved helix-loop-helix ubiquitous kinase
B02	Ssc.97579	NM_213880	C-JUN	C-JUN protein
B03	Ssc.382	NM_214118	CSF2	Colony stimulating factor 2 (granulocyte-macrophage)
B04	Ssc.53773	NM_001097458	CTSB	Cathepsin B
B05	Ssc.54036	NM_213892	CTSL	Cathepsin L1
B06	Ssc.55494	XM_005663494	CTSS	Cathepsin S
B07	Ssc.35257	NM_001008691	CXCL10	Chemokine (C-X-C motif) ligand 10
B08	Ssc.72492	NM_001128491	CXCL11	Chemokine (C-X-C motif) ligand 11
B09	Ssc.26146	NM_001114289	CXCL9	Chemokine (C-X-C motif) ligand 9
B10	Ssc.7176	NM_213773	CXCR4	Chemokine (C-X-C motif) receptor 4
B11	Ssc.96052	XM_003122641	DAK	Bifunctional ATP-dependent dihydroxyacetone kinase/FAD-AMP lyase (cyclizing)-like
B12	Ssc.6702	NM_001246203	DDX3X	DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked
C01	Ssc.15885	NM_213804	DDX58	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
C02	Ssc.42824	NM_001199132	DHX58	DEXH (Asp-Glu-X-His) box polypeptide 58
C03	Ssc.1555	NM_001123113	FOS	FBJ murine osteosarcoma viral oncogene homolog
C04	Ssc.12191	NM_213973	HSP90AA1	90-kDa heat shock protein
C05	Ssc.19139	NM_001100194	IFIH1	Interferon induced with helicase C domain 1
C06	Ssc.11381	NM_213772	IFNAR1	Interferon (alpha, beta and omega) receptor 1
C07	Ssc.42778	NM_001003923	IFNB1	Interferon beta
C08	Ssc.31350	NM_001099935	IKBKB	Inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase beta
C09	Ssc.13	NM_213993	IL12A	Interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte maturation factor 1, p35)
C10	Ssc.71	NM_214013	IL12B	Interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40)
C11	Ssc.8833	NM_214390	IL15	Interleukin 15
C12	Ssc.20	NM_213997	IL18	Interleukin 18 (interferon-gamma-inducing factor)
D01	Ssc.28829	NM_214055	IL1B	Interleukin 1, beta
D02	Ssc.56047	NM_001130236	IL23A	Interleukin 23, alpha subunit p19
D03	Ssc.62	NM_214399	IL6	Interleukin 6 (interferon, beta 2)
D04	Ssc.658	NM_213867	IL8	Interleukin 8
D05	Ssc.19702	XM_003135490	IRAK1	Interleukin-1 receptor-associated kinase 1
D06	Ssc.79511	NM_213770	IRF3	Interferon regulatory factor 3
D07	N/A	XM_003134683	IRF5	Interferon regulatory factor 5-like
D08	Ssc.25739	NM_001097428	IRF7	Interferon regulatory factor 7
D09	Ssc.11557	NM_001128469	ISG15	ISG15 ubiquitin-like modifier
D10	N/A	XM_003355816	LOC100624570	Ubiquitin carboxyl-terminal hydrolase CYLD-like
D11	Ssc.81944	NM_001143716	MAP2K1	Mitogen-activated protein kinase kinase 1
D12	Ssc.19729	XM_003133973	MAP3K1	Mitogen-activated protein kinase kinase kinase 1
E01	Ssc.10311	NM_001114280	MAP3K7	Mitogen-activated protein kinase kinase kinase 7
E02	N/A	XM_005668087	MAP3K8	Mitogen-activated protein kinase kinase kinase 8
E03	Ssc.72142	NM_001198922	MAPK1	Extracellular signal-regulated kinase-2
E04	Ssc.11018	XM_001929490	MAPK14	Mitogen-activated protein kinase 14
E05	Ssc.96010	XM_003360728	MAPK3	Mitogen-activated protein kinase 3

Position	UniGene	GenBank	Symbol	Description
E06	Ssc.83372	XM_003359272	MAPK8	Mitogen-activated protein kinase 8
E07	Ssc.49478	NM_001097429	MAVS	Mitochondrial antiviral signaling protein
E08	N/A	XM_005674459	MEFV	Mediterranean fever
E09	Ssc.221	NM_214061	MX1	Myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)
E10	Ssc.23492	NM_001099923	MYD88	Myeloid differentiation primary response gene (88)
E11	Ssc.17816	NM_001048232	NFKB1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
E12	Ssc.4759	NM_001005150	NFKBIA	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
F01	Ssc.86156	NM_001256770	NLRP3	NLR family, pyrin domain containing 3
F02	Ssc.61109	NM_001105295	NOD2	Nucleotide-binding oligomerization domain containing 2
F03	Ssc.23483	NM_001031796	OAS2	2'-5'-oligoadenylate synthetase 2, 69/71kDa
F04	N/A	XM_003125095	PEL1	Pellino homolog 1 (Drosophila)
F05	Ssc.6063	NM_001244371	PIN1	Peptidylprolyl cis/trans isomerase, NIMA-interacting 1
F06	Ssc.39686	NM_001244186	PSTPIP1	Proline-serine-threonine phosphatase interacting protein 1
F07	N/A	XM_003124468	PYCARD	Apoptosis-associated speck-like protein containing a CARD-like
F08	Ssc.23557	NM_001114281	RELA	V-rel reticuloendotheliosis viral oncogene homolog A (avian)
F09	N/A	XM_003128161	RIPK1	Receptor (TNFRSF)-interacting serine-threonine kinase 1
F10	Ssc.23321	NM_214023	SPP1	Secreted phosphoprotein 1
F11	Ssc.42622	NM_213769	STAT1	Signal transducer and activator of transcription 1, 91kDa
F12	N/A	XM_003482900	SUGT1	SGT1, suppressor of G2 allele of SKP1 (S. cerevisiae)
G01	Ssc.6641	NM_001105292	TBK1	TANK-binding kinase 1
G02	Ssc.42527	NM_001204351	TICAM2	Toll-like receptor adaptor molecule 2
G03	Ssc.17337	NM_213761	TLR2	Toll-like receptor 2
G04	Ssc.51668	NM_001097444	TLR3	Toll-like receptor 3
G05	Ssc.100359	NM_001097434	TLR7	Toll-like receptor 7
G06	Ssc.17224	NM_214187	TLR8	Toll-like receptor 8
G07	Ssc.16634	NM_213958	TLR9	Toll-like receptor 9
G08	Ssc.100	NM_214022	TNF	Tumor necrosis factor
G09	Ssc.24906	XM_005659068	TRADD	TNFRSF1A-associated via death domain
G10	N/A	XM_005666443	TRAF3	TNF receptor-associated factor 3
G11	Ssc.96412	NM_001105286	TRAF6	TNF receptor-associated factor 6
G12	N/A	XM_005656967	TRIM25	Tripartite motif containing 25
H01	Ssc.10316	XM_003357928	ACTB	Actin, beta
H02	Ssc.73773	NM_213978	B2M	Beta-2-microglobulin
H03	Ssc.79971	NM_001206359	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Ssc.4158	NM_001032376	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Ssc.17024	NM_001244068	RPL13A	Ribosomal protein L13a
H06	N/A	SA_00133	SGDC	Pig Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

## Related products

For optimal performance, RT<sup>2</sup> Profiler PCR Arrays should be used together with the RT<sup>2</sup> First Strand Kit for cDNA synthesis and RT<sup>2</sup> SYBR<sup>®</sup> Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT <sup>2</sup> First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT <sup>2</sup> SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

\* Larger kit sizes available; please inquire.

---

RT<sup>2</sup> Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at [www.qiagen.com](http://www.qiagen.com) or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN<sup>®</sup>, Rotor-Gene<sup>®</sup>, Rotor-Disc<sup>™</sup> (QIAGEN Group); ROX<sup>™</sup> (Applied Biosystems Corporation or its subsidiaries); SYBR<sup>®</sup> (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

[www.qiagen.com](http://www.qiagen.com)

**Canada** ■ 800-572-9613

**China** ■ 8621-3865-3865

**Denmark** ■ 80-885945

**Finland** ■ 0800-914416

**France** ■ 01-60-920-930

**Germany** ■ 02103-29-12000

**Hong Kong** ■ 800 933 965

**Ireland** ■ 1800 555 049

**Italy** ■ 800-787980

**Japan** ■ 03-6890-7300

**Korea (South)** ■ 080-000-7145

**Luxembourg** ■ 8002 2076

**Mexico** ■ 01-800-7742-436

**The Netherlands** ■ 0800 0229592

**Norway** ■ 800-18859

**Singapore** ■ 1800-742-4368

**Spain** ■ 91-630-7050

**Sweden** ■ 020-790282

**Switzerland** ■ 055-254-22-11

**UK** ■ 01293-422-911

**USA** ■ 800-426-8157

**Australia** ■ 1-800-243-800

**Austria** ■ 0800/281010

**Belgium** ■ 0800-79612

**Brazil** ■ 0800-557779



Sample & Assay Technologies