

QuantiNova® LNA® PCR Focus Panels (96-Well Format and 384-Well [4 x 96] Format)

Mouse T-Cell & B-Cell Activation

Cat. no. 249950 SBMM-053ZA

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA PCR Focus Panels are shipped at ambient temperature. Immediately upon receipt, they should be stored at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova SYBR® Green PCR Kit (Mastermix) for PCR.

Panel layout (96-well): QuantiNova LNA PCR Focus Panel

For the 384-well (4 × 96) PCR panels, genes are present in a staggered format. Refer to the QuantiNova LNA PCR System Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Adda	Apc	Bad	Bcl2	Blim	Casp3	Cblb	Ccnd3	Cd1d1	Cd2	Cd28	Cd38
B	Cd3d	Cd3e	Cd3g	Cd4	Cd40	Cd40lg	Cd47	Cd48	Cd74	Cd79a	Cd81	Cd8a
C	Cd8b1	Cdkn1a	Cr2	Csf1	Csf2	Ctla4	Cxcl12	Cxcr4	Cxcr5	Dpp4	Egr1	Flt3
D	Foxp3	H60b	Hsp90aa1	Icam1	Icosl	Ifng	Il10	Il11	Il12b	Il15	Il18	Il1b
E	Il27	Il2ra	Il4	Il6	Il7	Irif4	Lag3	Lck	Map3k7	Ms4a1	Nck1	Nos2
F	Nr3c1	Pdcld1g2	Pik3r1	Prkcd	Prkcq	Ptprc	Rag1	Relb	Ripk2	Socs1	Spp1	Tgfb1
G	Thy1	Tlr1	Tlr4	Tlr6	Tnfrsf13b	Tnfrsf13c	Tnfrsf13b	Tnfsf14	Traf6	Trp53	Vav1	Was
H	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	QIC	QIC	QIC	PPC	PPC	PPC

Gene table: QuantiNova LNA PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	SBM0950182	ENSMUST00000 017841.3	Ada	ENSMUSG00 000017697	adenosine deaminase Source MGI Symbol Acc MGI 87916
A02	SBM0782035	ENSMUST00000 079362.12	Apc	ENSMUSG00 000005871	APC, WNT signaling pathway regulator Source MGI Symbol Acc MGI 88039
A03	SBM0983531	ENSMUST00000 238184.1	Bad	ENSMUSG00 000024959	BCL2-associated agonist of cell death Source MGI Symbol Acc MGI 1096330
A04	SBM0876340	ENSMUST00000 189999.1	Bcl2	ENSMUSG00 000057329	B cell leukemia/lymphoma 2 Source MGI Symbol Acc MGI 88138
A05	SBM0777218	ENSMUST00000 205584.1	Blm	ENSMUSG00 000030528	Bloom syndrome, RecQ like helicase Source MGI Symbol Acc MGI 1328362
A06	SBM0732165	ENSMUST00000 093517.6	Casp3	ENSMUSG00 000031628	caspase 3 Source MGI Symbol Acc MGI 107739
A07	SBM0689437	ENSMUST00000 114471.2	Cblb	ENSMUSG00 000022637	Casitas B-lineage lymphoma b Source MGI Symbol Acc MGI 2146430
A08	SBM0907619	ENSMUST00000 182935.7	Ccnd3	ENSMUSG00 000034165	cyclin D3 Source MGI Symbol Acc MGI 88315
A09	SBM1061431	ENSMUST00000 142793.1	Cd1d1	ENSMUSG00 000028076	CD1d1 antigen Source MGI Symbol Acc MGI 107674
A10	SBM1024086	ENSMUST00000 029456.4	Cd2	ENSMUSG00 000027863	CD2 antigen Source MGI Symbol Acc MGI 88320
A11	SBM0735565	ENSMUST00000 027165.2	Cd28	ENSMUSG00 000026012	CD28 antigen Source MGI Symbol Acc MGI 88327
A12	SBM1090383	ENSMUST00000 030964.5	Cd38	ENSMUSG00 000029084	CD38 antigen Source MGI Symbol Acc MGI 107474
B01	SBM0906451	ENSMUST00000 034602.8	Cd3d	ENSMUSG00 000032094	CD3 antigen, delta polypeptide Source MGI Symbol Acc MGI 88331
B02	SBM0819334	ENSMUST00000 214582.1	Cd3e	ENSMUSG00 000032093	CD3 antigen, epsilon polypeptide Source MGI Symbol Acc MGI 88332
B03	SBM0933467	ENSMUST00000 002101.11	Cd3g	ENSMUSG00 000002033	CD3 antigen, gamma polypeptide Source MGI Symbol Acc MGI 88333
B04	SBM1064445	ENSMUST00000 024044.6	Cd4	ENSMUSG00 000023274	CD4 antigen Source MGI Symbol Acc MGI 88335
B05	SBM0757957	ENSMUST00000 073707.8	Cd40	ENSMUSG00 000017652	CD40 antigen Source MGI Symbol Acc MGI 88336
B06	SBM0708134	ENSMUST00000 033466.1	Cd40lg	ENSMUSG00 000031132	CD40 ligand Source MGI Symbol Acc MGI 88337
B07	SBM0858999	ENSMUST00000 229640.1	Cd47	ENSMUSG00 000055447	CD47 antigen (Rh-related antigen, integrin-associated signal transducer) Source MGI Symbol Acc MGI 96617
B08	SBM0786281	ENSMUST00000 015499.13	Cd48	ENSMUSG00 000015355	CD48 antigen Source MGI Symbol Acc MGI 88339
B09	SBM0877871	ENSMUST00000 097563.8	Cd74	ENSMUSG00 000024610	CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated) Source MGI Symbol Acc MGI 96534
B10	SBM1062752	ENSMUST00000 003469.7	Cd79a	ENSMUSG00 000003379	CD79A antigen (immunoglobulin-associated alpha) Source MGI Symbol Acc MGI 101774
B11	SBM0815761	ENSMUST00000 128762.8	Cd81	ENSMUSG00 000037706	CD81 antigen Source MGI Symbol Acc MGI 1096398
B12	SBM0809834	ENSMUST00000 205054.1	Cd8a	ENSMUSG00 000053977	CD8 antigen, alpha chain Source MGI Symbol Acc MGI 88346
C01	SBM1023066	ENSMUST00000 065248.8	Cd8b1	ENSMUSG00 000053044	CD8 antigen, beta chain 1 Source MGI Symbol Acc MGI 88347
C02	SBM1034022	ENSMUST00000 023829.7	Cdkn1a	ENSMUSG00 000023067	cyclin-dependent kinase inhibitor 1A (P21) Source MGI Symbol Acc MGI 104556
C03	SBM0783110	ENSMUST00000 195737.1	Cr2	ENSMUSG00 000026616	complement receptor 2 Source MGI Symbol Acc MGI 88489
C04	SBM0903322	ENSMUST00000 155557.1	Csf1	ENSMUSG00 000014599	colony stimulating factor 1 (macrophage) Source MGI Symbol Acc MGI 1339753
C05	SBM1080991	ENSMUST00000 019060.5	Csf2	ENSMUSG00 000018916	colony stimulating factor 2 (granulocyte-macrophage) Source MGI Symbol Acc MGI 1339752
C06	SBM0711116	ENSMUST00000 124816.1	Ctla4	ENSMUSG00 000026011	cytotoxic T-lymphocyte-associated protein 4 Source MGI Symbol Acc MGI 88556
C07	SBM0703161	ENSMUST00000 134244.1	Cxcl12	ENSMUSG00 000061353	chemokine (C-X-C motif) ligand 12 Source MGI Symbol Acc MGI 103556
C08	SBM0923037	ENSMUST00000 052172.6	Cxcr4	ENSMUSG00 000045382	chemokine (C-X-C motif) receptor 4 Source MGI Symbol Acc MGI 109563
C09	SBM0950831	ENSMUST00000 179828.7	Cxcr5	ENSMUSG00 000047880	chemokine (C-X-C motif) receptor 5 Source MGI Symbol Acc MGI 103567
C10	SBM0812511	ENSMUST00000 047812.7	Dpp4	ENSMUSG00 000035000	dipeptidylpeptidase 4 Source MGI Symbol Acc MGI 94919
		ENSMUST00000		ENSMUSG00	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	SBM0782056	064795.5	Egr1	ENSMUSG000038418	early growth response 1 Source MGI Symbol Acc MGI 95295
C12	SBM0730952	ENSMUST00000 110549.2	Flit3	ENSMUSG0000042817	FMS-like tyrosine kinase 3 Source MGI Symbol Acc MGI 95559
D01	SBM0951877	ENSMUST00000 234479.1	Foxp3	ENSMUSG0000039521	forkhead box P3 Source MGI Symbol Acc MGI 1891436
D02	SBM1067414	ENSMUST00000 105522.8	H60b	ENSMUSG0000075297	histocompatibility 60b Source MGI Symbol Acc MGI 3649078
D03	SBM0939146	ENSMUST00000 155242.7	Hsp90aa1	ENSMUSG0000021270	heat shock protein 90, alpha (cytosolic), class A member 1 Source MGI Symbol Acc MGI 96250
D04	SBM0806584	ENSMUST00000 215003.1	Icam1	ENSMUSG0000037405	intercellular adhesion molecule 1 Source MGI Symbol Acc MGI 96392
D05	SBM0898505	ENSMUST00000 105393.2	Icosl	ENSMUSG0000000732	icos ligand Source MGI Symbol Acc MGI 1354701
D06	SBM0903694	ENSMUST00000 068592.4	Ifng	ENSMUSG0000055170	interferon gamma Source MGI Symbol Acc MGI 107656
D07	SBM1004151	ENSMUST00000 016673.5	Il10	ENSMUSG0000016529	interleukin 10 Source MGI Symbol Acc MGI 96537
D08	SBM0752881	ENSMUST00000 094892.11	Il11	ENSMUSG0000004371	interleukin 11 Source MGI Symbol Acc MGI 107613
D09	SBM0957286	ENSMUST00000 102796.9	Il12b	ENSMUSG0000004296	interleukin 12b Source MGI Symbol Acc MGI 96540
D10	SBM0737685	ENSMUST00000 034148.6	Il15	ENSMUSG0000031712	interleukin 15 Source MGI Symbol Acc MGI 103014
D11	SBM0953194	ENSMUST00000 180021.1	Il18	ENSMUSG0000039217	interleukin 18 Source MGI Symbol Acc MGI 107936
D12	SBM0738485	ENSMUST00000 028881.13	Il1b	ENSMUSG0000027398	interleukin 1 beta Source MGI Symbol Acc MGI 96543
E01	SBM0706373	ENSMUST00000 058429.5	Il27	ENSMUSG0000044701	interleukin 27 Source MGI Symbol Acc MGI 2384409
E02	SBM1067326	ENSMUST00000 028111.5	Il2ra	ENSMUSG0000026770	interleukin 2 receptor, alpha chain Source MGI Symbol Acc MGI 96549
E03	SBM0926369	ENSMUST00000 150568.7	Il4	ENSMUSG0000000869	interleukin 4 Source MGI Symbol Acc MGI 96556
E04	SBM0742623	ENSMUST00000 026845.11	Il6	ENSMUSG0000025746	interleukin 6 Source MGI Symbol Acc MGI 96559
E05	SBM1037504	ENSMUST00000 168269.7	Il7	ENSMUSG0000040329	interleukin 7 Source MGI Symbol Acc MGI 96561
E06	SBM0761311	ENSMUST00000 021784.9	Ir4	ENSMUSG0000021356	interferon regulatory factor 4 Source MGI Symbol Acc MGI 1096873
E07	SBM0908747	ENSMUST00000 032217.1	Lag3	ENSMUSG0000030124	lymphocyte-activation gene 3 Source MGI Symbol Acc MGI 106588
E08	SBM1031699	ENSMUST00000 067240.10	Lck	ENSMUSG0000000409	lymphocyte protein tyrosine kinase Source MGI Symbol Acc MGI 96756
E09	SBM0833481	ENSMUST00000 037607.10	Map3k7	ENSMUSG0000028284	mitogen-activated protein kinase kinase kinase 7 Source MGI Symbol Acc MGI 1346877
E10	SBM1078430	ENSMUST00000 169159.2	Ms4a1	ENSMUSG0000024673	membrane-spanning 4-domains, subfamily A, member 1 Source MGI Symbol Acc MGI 88321
E11	SBM0730618	ENSMUST00000 188670.1	Nck1	ENSMUSG0000032475	non-catalytic region of tyrosine kinase adaptor protein 1 Source MGI Symbol Acc MGI 109601
E12	SBM0835086	ENSMUST00000 208783.1	Nos2	ENSMUSG0000020826	nitric oxide synthase 2, inducible Source MGI Symbol Acc MGI 97361
F01	SBM0963014	ENSMUST00000 115571.7	Nr3c1	ENSMUSG0000024431	nuclear receptor subfamily 3, group C, member 1 Source MGI Symbol Acc MGI 95824
F02	SBM0991405	ENSMUST00000 235164.1	Pdcd1lg2	ENSMUSG0000016498	programmed cell death 1 ligand 2 Source MGI Symbol Acc MGI 1930125
F03	SBM0805909	ENSMUST00000 035532.12	Pik3r1	ENSMUSG0000041417	phosphoinositide-3-kinase regulatory subunit 1 Source MGI Symbol Acc MGI 97583
F04	SBM0672668	ENSMUST00000 135714.2	Prkcd	ENSMUSG0000021948	protein kinase C, delta Source MGI Symbol Acc MGI 97598
F05	SBM0873217	ENSMUST00000 195628.1	Prkcq	ENSMUSG0000026778	protein kinase C, theta Source MGI Symbol Acc MGI 97601
F06	SBM0851018	ENSMUST00000 183229.2	Ptprc	ENSMUSG0000026395	protein tyrosine phosphatase, receptor type, C Source MGI Symbol Acc MGI 97810
F07	SBM0803807	ENSMUST00000 078494.5	Rag1	ENSMUSG0000061311	recombination activating gene 1 Source MGI Symbol Acc MGI 97848
F08	SBM1089153	ENSMUST00000 094762.9	Relb	ENSMUSG0000002983	avian reticuloendotheliosis viral (v-rel) oncogene related B Source MGI Symbol Acc MGI 103289
F09	SBM0781529	ENSMUST00000 037035.11	Ripk2	ENSMUSG0000041135	receptor (TNFRSF)-interacting serine-threonine kinase 2 Source MGI Symbol Acc MGI 1891456
F10	SBM0830785	ENSMUST00000 229866.1	Socs1	ENSMUSG0000038037	suppressor of cytokine signaling 1 Source MGI Symbol Acc MGI 1354910

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	SBM0826950	ENSMUST00000 086833.12	Spp1	ENSMUSG00 000029304	secreted phosphoprotein 1 Source MGI Symbol Acc MGI 98389
F12	SBM0850388	ENSMUST00000 002678.9	Tgfb1	ENSMUSG00 000002603	transforming growth factor, beta 1 Source MGI Symbol Acc MGI 98725
G01	SBM0937058	ENSMUST00000 215156.1	Thy1	ENSMUSG00 000032011	thymus cell antigen 1, theta Source MGI Symbol Acc MGI 98747
G02	SBM0864936	ENSMUST00000 059349.5	Tlr1	ENSMUSG00 000044827	toll-like receptor 1 Source MGI Symbol Acc MGI 1341295
G03	SBM0745293	ENSMUST00000 107365.2	Tlr4	ENSMUSG00 000039005	toll-like receptor 4 Source MGI Symbol Acc MGI 96824
G04	SBM0968629	ENSMUST00000 201307.1	Tlr6	ENSMUSG00 000051498	toll-like receptor 6 Source MGI Symbol Acc MGI 1341296
G05	SBM0700015	ENSMUST00000 101103.3	Tnfrsf13b	ENSMUSG00 000010142	tumor necrosis factor receptor superfamily, member 13b Source MGI Symbol Acc MGI 1889411
G06	SBM0747267	ENSMUST00000 109535.2	Tnfrsf13c	ENSMUSG00 000068105	tumor necrosis factor receptor superfamily, member 13c Source MGI Symbol Acc MGI 1919299
G07	SBM0908217	ENSMUST00000 208683.1	Tnfsf13b	ENSMUSG00 000031497	tumor necrosis factor (ligand) superfamily, member 13b Source MGI Symbol Acc MGI 1344376
G08	SBM0681467	ENSMUST00000 005976.7	Tnfsf14	ENSMUSG00 000005824	tumor necrosis factor (ligand) superfamily, member 14 Source MGI Symbol Acc MGI 1355317
G09	SBM1225398	ENSMUST00000 004949.7	Traf6	ENSMUSG00 000027164	TNF receptor-associated factor 6 Source MGI Symbol Acc MGI 108072
G10	SBM0841427	ENSMUST00000 108657.3	Trp53	ENSMUSG00 000059552	transformation related protein 53 Source MGI Symbol Acc MGI 98834
G11	SBM0771297	ENSMUST00000 005889.15	Vav1	ENSMUSG00 000034116	vav 1 oncogene Source MGI Symbol Acc MGI 98923
G12	SBM0977884	ENSMUST00000 033505.6	Was	ENSMUSG00 000031165	Wiskott-Aldrich syndrome Source MGI Symbol Acc MGI 105059
H01	SBM1220560	ENSMUST00000 100497.10	Actb	ENSMUSG00 000029580	actin, beta Source MGI Symbol Acc MGI 87904
H02	SBM0675336	ENSMUST00000 102476.4	B2m	ENSMUSG00 000060802	beta-2 microglobulin Source MGI Symbol Acc MGI 88127
H03	SBM1220562	ENSMUST00000 117757.8	Gapdh	ENSMUSG00 000057666	glyceraldehyde-3-phosphate dehydrogenase Source MGI Symbol Acc MGI 95640
H04	SBM1220563	ENSMUST00000 026613.13	Gusb	ENSMUSG00 000025534	glucuronidase, beta Source MGI Symbol Acc MGI 95872
H05	SBM1220564	ENSMUST00000 166469.7	Hsp90ab1	ENSMUSG00 000023944	heat shock protein 90 alpha (cytosolic), class B member 1 Source MGI Symbol Acc MGI 96247
H06	SBM1218554	Sybr_MGDC	MGDC	Sybr_MGDC	Mouse Genomic DNA Contamination
H07	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H08	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H09	SBH1218551	Sybr_QIC	QIC	Sybr_QIC	QuantiNova Internal Control
H10	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H11	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control
H12	SBH1218550	Sybr_PPC	PPC	Sybr_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249940
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 µl reactions: 20 µl 8x gDNA Removal Mix, 10 µl Reverse Transcription Enzyme, 40 µl Reverse Transcription Mix (containing RT primers), 20 µl Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova SYBR Green RT-PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml QuantiNova SYBR Green RT-PCR Master Mix, 20 µl QuantiNova SYBR Green RT Mix, 20 µl Internal Control RNA, 500 µl Yellow Template Dilution Buffer, 250 µl ROX Reference Dye, 1.9 µl RNase-Free Water	208152
QuantiNova SYBR Green PCR Kit (100)*	For 100 x 20 µl reactions: 1 ml 2x QuantiNova SYBR Green PCR Master Mix, 500 µl QuantiNova Yellow Template Dilution Buffer, 250 µl QN ROX Reference Dye, 1.9 ml Water	208052

*Larger kit sizes available.

The QuantiNova LNA PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.