

QuantiNova® LNA® Probe PCR Focus Panels (Rotor-Gene® Format)

Mouse Signal Transduction PathwayFinder™

Cat. no. 249955 UPMM-014ZR

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA Probe PCR Focus Panels are shipped at room temperature. Immediately upon receipt, they should be stored protected from light at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA Probe PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova Probe PCR Kit (Mastermix) for PCR.

Panel layout (Rotor-Gene): QuantiNova LNA Probe PCR Focus Panel

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc® (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance. Refer to the QuantiNova LNA Probe PCR Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Acsl3	Acsl4	Acsl5	Adm	Arnt	Atf4	Axin2	Bax	Bbc3	Bcl2	Bcl2a1a	Bcl2l1
B	Birc3	Bmp2	Bmp4	Btg2	Car9	Ccl5	Ccnd1	Ccnd2	Cdkn1a	Cdkn1b	Cebpd	Cpf2
C	Csf1	Dab2	Egfr	Emp1	Epo	Fabp1	Fos	Fcer2a	Fosl1	Fth1	Gadd45a	Gadd45b
D	Gata3	Gclc	Gclm	Gsr	Herpud1	Hes1	Hes5	Hey1	Hey2	Heyl	Hmox1	Icam1
E	Id1	Ifng	Ifrd1	Irf1	Jag1	Ldha	Lfng	Lrg1	Mcl1	Mmp7	Myc	Notch1
F	Nqo1	Olr1	Pcna	Ppard	Ptch1	Rb1	Serpine1	Slc27a4	Slc2a1	Socs3	Sorbs1	Sqstm1
G	Stat1	Tnf	Tnfrsf10	Txn1	Txnrd1	Vegfa	Ccn4	Wnt1	Wnt2b	Wnt3a	Wnt5a	Wnt6
H	Actb	B2m	Gapdh	Gusb	Hsp90ab1	MGDC	QIC	QIC	QIC	PPC	PPC	PPC

Gene table: QuantiNova LNA Probe PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	UPFM069978 7	ENSMUST00000 134566.7	Acsl3	ENSMUSG00 000032883	acyl-CoA synthetase long-chain family member 3 Source MGI Symbol Acc MGI 1921455
A02	UPFM092898 6	ENSMUST00000 112904.7	Acsl4	ENSMUSG00 000031278	acyl-CoA synthetase long-chain family member 4 Source MGI Symbol Acc MGI 1354713
A03	UPFM081585 1	ENSMUST00000 224414.1	Acsl5	ENSMUSG00 000024981	acyl-CoA synthetase long-chain family member 5 Source MGI Symbol Acc MGI 1919129
A04	UPFM099995 4	ENSMUST00000 033054.9	Adm	ENSMUSG00 000030790	adrenomedullin Source MGI Symbol Acc MGI 108058
A05	UPFM084244 6	ENSMUST00000 156653.7	Arnt	ENSMUSG00 000015522	aryl hydrocarbon receptor nuclear translocator Source MGI Symbol Acc MGI 88071
A06	UPFM075251 7	ENSMUST00000 229828.1	Atf4	ENSMUSG00 000042406	activating transcription factor 4 Source MGI Symbol Acc MGI 88096
A07	UPFM096671 7	ENSMUST00000 052915.13	Axin2	ENSMUSG00 000000142	axin 2 Source MGI Symbol Acc MGI 1270862
A08	UPFM090386 1	ENSMUST00000 211195.1	Bax	ENSMUSG00 000003873	BCL2-associated X protein Source MGI Symbol Acc MGI 99702
A09	UPFM094693 3	ENSMUST00000 002152.12	Bbc3	ENSMUSG00 000002083	BCL2 binding component 3 Source MGI Symbol Acc MGI 2181667
A10	UPFM063585 3	ENSMUST00000 112751.1	Bcl2	ENSMUSG00 000057329	B cell leukemia/lymphoma 2 Source MGI Symbol Acc MGI 88138
A11	UPFM063995 3	ENSMUST00000 098485.3	Bcl2a1a	ENSMUSG00 000102037	B cell leukemia/lymphoma 2 related protein A1a Source MGI Symbol Acc MGI 102687
A12	UPFM066341 1	ENSMUST00000 156688.1	Bcl2l1	ENSMUSG00 000007659	BCL2-like 1 Source MGI Symbol Acc MGI 88139
B01	UPFM070712 2	ENSMUST00000 013949.14	Birc3	ENSMUSG00 000032000	baculoviral IAP repeat-containing 3 Source MGI Symbol Acc MGI 1197007
B02	UPFM117294 5	ENSMUST00000 028836.6	Bmp2	ENSMUSG00 000027358	bone morphogenetic protein 2 Source MGI Symbol Acc MGI 88177
B03	UPFM097472 7	ENSMUST00000 100676.2	Bmp4	ENSMUSG00 000021835	bone morphogenetic protein 4 Source MGI Symbol Acc MGI 88180
B04	UPFM082779 6	ENSMUST00000 020692.6	Btg2	ENSMUSG00 000020423	B cell translocation gene 2, anti-proliferative Source MGI Symbol Acc MGI 108384
B05	UPFM096123 4	ENSMUST00000 129996.1	Car9	ENSMUSG00 000028463	carbonic anhydrase 9 Source MGI Symbol Acc MGI 2447188
B06	UPFM078318 2	ENSMUST00000 035938.2	Ccl5	ENSMUSG00 000035042	chemokine (C-C motif) ligand 5 Source MGI Symbol Acc MGI 98262
B07	UPFM093346 3	ENSMUST00000 208193.1	Ccnd1	ENSMUSG00 000070348	cyclin D1 Source MGI Symbol Acc MGI 88313
B08	UPFM086144 2	ENSMUST00000 201066.1	Ccnd2	ENSMUSG00 000000184	cyclin D2 Source MGI Symbol Acc MGI 88314
B09	UPFM086779 1	ENSMUST00000 122348.2	Cdkn1a	ENSMUSG00 000023067	cyclin-dependent kinase inhibitor 1A (P21) Source MGI Symbol Acc MGI 104556
B10	UPFM072528 3	ENSMUST00000 204807.1	Cdkn1b	ENSMUSG00 000003031	cyclin-dependent kinase inhibitor 1B Source MGI Symbol Acc MGI 104565
B11	UPFM093221 5	ENSMUST00000 210772.1	Cebpd	ENSMUSG00 000071637	CCAAT/enhancer binding protein (C/EBP), delta Source MGI Symbol Acc MGI 103573
B12	UPFM091584 0	ENSMUST00000 106720.8	Cpt2	ENSMUSG00 000028607	carnitine palmitoyltransferase 2 Source MGI Symbol Acc MGI 109176
C01	UPFM064393 3	ENSMUST00000 155557.1	Csf1	ENSMUSG00 000014599	colony stimulating factor 1 (macrophage) Source MGI Symbol Acc MGI 1339753
C02	UPFM082755 9	ENSMUST00000 161812.7	Dab2	ENSMUSG00 000022150	disabled 2, mitogen-responsive phosphoprotein Source MGI Symbol Acc MGI 109175
C03	UPFM080878 1	ENSMUST00000 125984.1	Egfr	ENSMUSG00 000020122	epidermal growth factor receptor Source MGI Symbol Acc MGI 95294
C04	UPFM092819 4	ENSMUST00000 111907.1	Emp1	ENSMUSG00 000030208	epithelial membrane protein 1 Source MGI Symbol Acc MGI 107941
C05	UPFM089128 5	ENSMUST00000 111039.2	Epo	ENSMUSG00 000029711	erythropoietin Source MGI Symbol Acc MGI 95407
C06	UPFM072777 3	ENSMUST00000 067492.7	Fabp1	ENSMUSG00 000054422	fatty acid binding protein 1, liver Source MGI Symbol Acc MGI 95479
C07	UPFM099578 7	ENSMUST00000 235709.1	Fas	ENSMUSG00 000024778	Fas (TNF receptor superfamily member 6) Source MGI Symbol Acc MGI 95484
C08	UPFM098153 4	ENSMUST00000 208492.1	Fcer2a	ENSMUSG00 000005540	Fc receptor, IgE, low affinity II, alpha polypeptide Source MGI Symbol Acc MGI 95497
C09	UPFM101017 6	ENSMUST00000 235958.1	Fosl1	ENSMUSG00 000024912	fos-like antigen 1 Source MGI Symbol Acc MGI 107179
C10	UPFM065201 4	ENSMUST00000 237465.1	Fth1	ENSMUSG00 000024661	ferritin heavy polypeptide 1 Source MGI Symbol Acc MGI 95588
	UPFM091095	ENSMUST00000		ENSMUSG00	growth arrest and DNA-damage-inducible 45 alpha Source MGI Symbol Acc

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	4	204282.1	Gadd45a	000036390	MGI 107799
C12	UPFM085248 2	ENSMUST00000 220246.1	Gadd45b	ENSMUSG00 000015312	growth arrest and DNA-damage-inducible 45 beta Source MGI Symbol Acc MGI 107776
D01	UPFM070391 0	ENSMUST00000 151456.1	Gata3	ENSMUSG00 000015619	GATA binding protein 3 Source MGI Symbol Acc MGI 95663
D02	UPFM078991 4	ENSMUST00000 216848.1	Gclc	ENSMUSG00 000032350	glutamate-cysteine ligase, catalytic subunit Source MGI Symbol Acc MGI 104990
D03	UPFM075137 1	ENSMUST00000 149983.3	Gclm	ENSMUSG00 000028124	glutamate-cysteine ligase, modifier subunit Source MGI Symbol Acc MGI 104995
D04	UPFM072352 2	ENSMUST00000 033992.8	Gsr	ENSMUSG00 000031584	glutathione reductase Source MGI Symbol Acc MGI 95804
D05	UPFM095065 1	ENSMUST00000 161576.7	Herpud1	ENSMUSG00 000031770	homocysteine-inducible, endoplasmic reticulum stress-inducible, ubiquitin-like domain member 1 Source MGI Symbol Acc MGI 1927406
D06	UPFM064713 7	ENSMUST00000 160592.2	Hes1	ENSMUSG00 000022528	hes family bHLH transcription factor 1 Source MGI Symbol Acc MGI 104853
D07	UPFM095879 7	ENSMUST00000 049621.6	Hes5	ENSMUSG00 000048001	hes family bHLH transcription factor 5 Source MGI Symbol Acc MGI 104876
D08	UPFM100319 5	ENSMUST00000 192102.1	Hey1	ENSMUSG00 000040289	hairy/enhancer-of-split related with YRPW motif 1 Source MGI Symbol Acc MGI 1341800
D09	UPFM065073 4	ENSMUST00000 019924.8	Hey2	ENSMUSG00 000019789	hairy/enhancer-of-split related with YRPW motif 2 Source MGI Symbol Acc MGI 1341884
D10	UPFM085110 6	ENSMUST00000 127172.1	Heyl	ENSMUSG00 000032744	hairy/enhancer-of-split related with YRPW motif-like Source MGI Symbol Acc MGI 1860511
D11	UPFM070898 7	ENSMUST00000 005548.7	Hmox1	ENSMUSG00 000005413	heme oxygenase 1 Source MGI Symbol Acc MGI 96163
D12	UPFM084326 4	ENSMUST00000 215003.1	Icam1	ENSMUSG00 000037405	intercellular adhesion molecule 1 Source MGI Symbol Acc MGI 96392
E01	UPFM085834 2	ENSMUST00000 109824.1	Id1	ENSMUSG00 000042745	inhibitor of DNA binding 1 Source MGI Symbol Acc MGI 96396
E02	UPFM117295 0	ENSMUST00000 068592.4	Iifng	ENSMUSG00 000055170	interferon gamma Source MGI Symbol Acc MGI 107656
E03	UPFM069619 2	ENSMUST00000 001672.11	Iifrd1	ENSMUSG00 000001627	interferon-related developmental regulator 1 Source MGI Symbol Acc MGI 1316717
E04	UPFM062425 2	ENSMUST00000 142221.7	Irf1	ENSMUSG00 000018899	interferon regulatory factor 1 Source MGI Symbol Acc MGI 96590
E05	UPFM083362 5	ENSMUST00000 028735.7	Jag1	ENSMUSG00 000027276	jagged 1 Source MGI Symbol Acc MGI 1095416
E06	UPFM085535 7	ENSMUST00000 125862.7	Ldha	ENSMUSG00 000063229	lactate dehydrogenase A Source MGI Symbol Acc MGI 96759
E07	UPFM085794 8	ENSMUST00000 031555.2	Lfng	ENSMUSG00 000029570	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase Source MGI Symbol Acc MGI 1095413
E08	UPFM072831 8	ENSMUST00000 041357.8	Lrg1	ENSMUSG00 000037095	leucine-rich alpha-2-glycoprotein 1 Source MGI Symbol Acc MGI 1924155
E09	UPFM071261 7	ENSMUST00000 178686.1	Mcl1	ENSMUSG00 000038612	myeloid cell leukemia sequence 1 Source MGI Symbol Acc MGI 101769
E10	UPFM090007 1	ENSMUST00000 018767.7	Mmp7	ENSMUSG00 000018623	matrix metalloproteinase 7 Source MGI Symbol Acc MGI 103189
E11	UPFM081421 4	ENSMUST00000 161976.7	Myc	ENSMUSG00 000022346	myelocytomatosis oncogene Source MGI Symbol Acc MGI 97250
E12	UPFM079598 7	ENSMUST00000 126872.7	Notch1	ENSMUSG00 000026923	notch 1 Source MGI Symbol Acc MGI 97363
F01	UPFM063067 7	ENSMUST00000 003947.8	Nqo1	ENSMUSG00 000003849	NAD(P)H dehydrogenase, quinone 1 Source MGI Symbol Acc MGI 103187
F02	UPFM096086 8	ENSMUST00000 183258.7	Olr1	ENSMUSG00 000030162	oxidized low density lipoprotein (lectin-like) receptor 1 Source MGI Symbol Acc MGI 1261434
F03	UPFM069101 9	ENSMUST00000 140338.1	Pcna	ENSMUSG00 000027342	proliferating cell nuclear antigen Source MGI Symbol Acc MGI 97503
F04	UPFM096380 9	ENSMUST00000 002320.15	Ppard	ENSMUSG00 000002250	peroxisome proliferator activator receptor delta Source MGI Symbol Acc MGI 101884
F05	UPFM074012 1	ENSMUST00000 194663.5	Ptch1	ENSMUSG00 000021466	patched 1 Source MGI Symbol Acc MGI 105373
F06	UPFM077278 8	ENSMUST00000 022701.6	Rb1	ENSMUSG00 000022105	RB transcriptional corepressor 1 Source MGI Symbol Acc MGI 97874
F07	UPFM070788 6	ENSMUST00000 041388.10	Serpine1	ENSMUSG00 000037411	serine (or cysteine) peptidase inhibitor, clade E, member 1 Source MGI Symbol Acc MGI 97608
F08	UPFM091509 2	ENSMUST00000 080065.2	Slc27a4	ENSMUSG00 000059316	solute carrier family 27 (fatty acid transporter), member 4 Source MGI Symbol Acc MGI 1347347
F09	UPFM099940 7	ENSMUST00000 208090.1	Slc2a1	ENSMUSG00 000028645	solute carrier family 2 (facilitated glucose transporter), member 1 Source MGI Symbol Acc MGI 95755
F10	UPFM069413 9	ENSMUST00000 054002.3	Socs3	ENSMUSG00 000053113	suppressor of cytokine signaling 3 Source MGI Symbol Acc MGI 1201791

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	UPFM099748 3	ENSMUST00000 225786.1	Sorbs1	ENSMUSG00 000025006	sorbin and SH3 domain containing 1 Source MGI Symbol Acc MGI 700014
F12	UPFM066020 6	ENSMUST00000 143379.1	Sqstm1	ENSMUSG00 000015837	sequestosome 1 Source MGI Symbol Acc MGI 107931
G01	UPFM071531 5	ENSMUST00000 186574.6	Stat1	ENSMUSG00 000026104	signal transducer and activator of transcription 1 Source MGI Symbol Acc MGI 103063
G02	UPFM063847 1	ENSMUST00000 025263.14	Tnf	ENSMUSG00 000024401	tumor necrosis factor Source MGI Symbol Acc MGI 104798
G03	UPFM068209 9	ENSMUST00000 174840.1	Tnfsf10	ENSMUSG00 000039304	tumor necrosis factor (ligand) superfamily, member 10 Source MGI Symbol Acc MGI 107414
G04	UPFM071943 3	ENSMUST00000 030051.5	Txn1	ENSMUSG00 000028367	thioredoxin 1 Source MGI Symbol Acc MGI 98874
G05	UPFM075333 7	ENSMUST00000 020484.7	Txnrd1	ENSMUSG00 000020250	thioredoxin reductase 1 Source MGI Symbol Acc MGI 1354175
G06	UPFM117296 6	ENSMUST00000 214739.1	Vegfa	ENSMUSG00 000023951	vascular endothelial growth factor A Source MGI Symbol Acc MGI 103178
G07	UPFM078330 9	ENSMUST00000 229246.1	Ccn4	ENSMUSG00 000005124	cellular communication network factor 4 Source MGI Symbol Acc MGI 1197008
G08	UPFM069215 7	ENSMUST00000 023734.7	Wnt1	ENSMUSG00 000022997	wingless-type MMTV integration site family, member 1 Source MGI Symbol Acc MGI 98953
G09	UPFM082888 9	ENSMUST00000 029429.5	Wnt2b	ENSMUSG00 000027840	wingless-type MMTV integration site family, member 2B Source MGI Symbol Acc MGI 1261834
G10	UPFM077659 1	ENSMUST00000 010044.7	Wnt3a	ENSMUSG00 000009900	wingless-type MMTV integration site family, member 3A Source MGI Symbol Acc MGI 98956
G11	UPFM099069 5	ENSMUST00000 063465.11	Wnt5a	ENSMUSG00 000021994	wingless-type MMTV integration site family, member 5A Source MGI Symbol Acc MGI 98958
G12	UPFM095936 8	ENSMUST00000 189544.1	Wnt6	ENSMUSG00 000033227	wingless-type MMTV integration site family, member 6 Source MGI Symbol Acc MGI 98960
H01	UPFM113294 6	ENSMUST00000 163829.1	Actb	ENSMUSG00 000029580	actin, beta Source MGI Symbol Acc MGI 87904
H02	UPFM113294 7	ENSMUST00000 102476.4	B2m	ENSMUSG00 000060802	beta-2 microglobulin Source MGI Symbol Acc MGI 88127
H03	UPFM113294 8	ENSMUST00000 117757.8	Gapdh	ENSMUSG00 000057666	glyceraldehyde-3-phosphate dehydrogenase Source MGI Symbol Acc MGI 95640
H04	UPFM113294 9	ENSMUST00000 026613.13	Gusb	ENSMUSG00 000025534	glucuronidase, beta Source MGI Symbol Acc MGI 95872
H05	UPFM113295 0	ENSMUST00000 166469.7	Hsp90ab1	ENSMUSG00 000023944	heat shock protein 90 alpha (cytosolic), class B member 1 Source MGI Symbol Acc MGI 96247
H06	UPFM112660 9	UPL_MGDC	MGDC	UPL_MGDC	Mouse Genomic DNA Contamination
H07	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H08	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H09	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H10	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H11	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H12	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA Probe PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA Probe PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249945
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 μ l reactions: 20 μ l 8x gDNA Removal Mix, 10 μ l Reverse Transcription Enzyme, 40 μ l Reverse Transcription Mix (containing RT primers), 20 μ l Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova Probe RT-PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml QuantiNova Probe RT-PCR Master Mix, 20 μ l QuantiNova Probe RT Mix, 20 μ l Internal Control RNA, 500 μ l Yellow Template Dilution Buffer, 250 μ l ROX Reference Dye, 1.9 μ l RNase-Free Water	208352
QuantiNova Probe PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml 2x QuantiNova Probe PCR Master Mix, 500 μ l QuantiNova Yellow Template Dilution Buffer, 250 μ l QN ROX Reference Dye, 1.9 ml Water	208252

*Larger kit sizes available.

The QuantiNova LNA Probe PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.