

QuantiNova® LNA® Probe PCR Focus Panels (96-Well Format and 384-Well [4 x 96] Format)

Rat Innate & Adaptive Immune Responses

Cat. no. 249955 UPRN-052ZA

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA Probe PCR Focus Panels are shipped at room temperature. Immediately upon receipt, they should be stored protected from light at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA Probe PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova Probe PCR Kit (Mastermix) for PCR.

Panel layout (96-well): QuantiNova LNA Probe PCR Focus Panel

For the 384-well (4 × 96) PCR panels, genes are present in a staggered format. Refer to the QuantiNova LNA Probe PCR Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Apcs	C3	C5ar1	Camp	Casp1	Casp8	Ccl12	Ccl3	Ccl5	Ccr4	Ccr5	Ccr6
B	Ccr8	Cd14	Cd1d1	Cd4	Cd40	Cd40lg	Cd80	Cd86	Cd8a	Crp	Csf2	Cxcl10
C	Cxcr3	Ddx58	Faslg	Foxp3	Gata3	Icam1	Ifna5	Ifnar1	Ifnb1	Ifng	Ifngr1	Il10
D	Il13	Il18	Il1a	Il1b	Il1r1	Il2	Il23a	Il4	Il5	Il6	Il6	Il6
E	Irf7	Ilgod	Jak2	Jun	Lbp	Lyz2	Mapk1	Mapk14	Mapk3	Mapk8	AABR0700669 1.1	Mpo
F	Mx2	Myd88	NfkB1	NfkBia	Nlrp3	Nod2	Rag1	Rorc	Slc11a1	Stat5a	Stat3	Stat1
G	Stat6	Tbx21	Tlr1	Tlr2	Tlr3	Tlr4	Tlr5	Tlr6	Tlr7	Tlr9	LOC1036943 80	Traf6
H	Actb	B2m	Hprt1	Ldha	Rplp1	RGDC	QIC	QIC	QIC	QIC	PPC	PPC

Gene table: QuantiNova LNA Probe PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	UPFR1087468	ENSRNOT00000012092.6	Apcs	ENSRNOG0000009086	amyloid P component, serum Source RGD Symbol Acc 68322
A02	UPFR1069924	ENSRNOT00000075494.1	C3	ENSRNOG0000046834	complement C3 Source RGD Symbol Acc 2232
A03	UPFR1103523	ENSRNOT00000073034.2	C5ar1	ENSRNOG0000047800	complement C5a receptor 1 Source RGD Symbol Acc 70553
A04	UPFR1074118	ENSRNOT00000028130.7	Camp	ENSRNOG0000020733	cathelicidin antimicrobial peptide Source RGD Symbol Acc 1559878
A05	UPFR1052168	ENSRNOT00000009993.6	Casp1	ENSRNOG0000007372	caspase 1 Source RGD Symbol Acc 2274
A06	UPFR1030636	ENSRNOT00000016613.4	Casp8	ENSRNOG0000012331	caspase 8 Source RGD Symbol Acc 620945
A07	UPFR1080637	ENSRNOT00000031626.5	Ccl12	ENSRNOG0000029768	chemokine (C-C motif) ligand 12 Source RGD Symbol Acc 1309255
A08	UPFR1057376	ENSRNOT00000015139.3	Ccl3	ENSRNOG0000011205	C-C motif chemokine ligand 3 Source RGD Symbol Acc 3647
A09	UPFR1019085	ENSRNOT00000014865.6	Ccl5	ENSRNOG0000010906	C-C motif chemokine ligand 5 Source RGD Symbol Acc 69069
A10	UPFR1083127	ENSRNOT00000013705.3	Ccr4	ENSRNOG0000010315	C-C motif chemokine receptor 4 Source RGD Symbol Acc 620594
A11	UPFR1023768	ENSRNOT00000082774.1	Ccr5	ENSRNOG0000049115	C-C motif chemokine receptor 5 Source RGD Symbol Acc 620596
A12	UPFR1017916	ENSRNOT00000017302.6	Ccr6	ENSRNOG0000012964	C-C motif chemokine receptor 6 Source RGD Symbol Acc 1308562
B01	UPFR1086760	ENSRNOT00000029766.1	Ccr8	ENSRNOG0000026759	C-C motif chemokine receptor 8 Source RGD Symbol Acc 1304893
B02	UPFR1097993	ENSRNOT00000023977.6	Cd14	ENSRNOG0000017819	CD14 molecule Source RGD Symbol Acc 620588
B03	UPFR1058282	ENSRNOT00000022150.2	Cd1d1	ENSRNOG0000016451	CD1d1 molecule Source RGD Symbol Acc 2296
B04	UPFR1096622	ENSRNOT00000021915.2	Cd4	ENSRNOG0000016294	Cd4 molecule Source RGD Symbol Acc 2306
B05	UPFR1023025	ENSRNOT00000055148.4	Cd40	ENSRNOG0000018488	CD40 molecule Source RGD Symbol Acc 619830
B06	UPFR1038741	ENSRNOT00000001162.4	Cd40lg	ENSRNOG0000000871	CD40 ligand Source RGD Symbol Acc 708418
B07	UPFR1064878	ENSRNOT00000089625.1	Cd80	ENSRNOG0000001527	Cd80 molecule Source RGD Symbol Acc 2314
B08	UPFR1107778	ENSRNOT00000078936.1	Cd86	ENSRNOG0000038835	CD86 molecule Source RGD Symbol Acc 628714
B09	UPFR1094269	ENSRNOT00000009515.4	Cd8a	ENSRNOG0000007178	CD8a molecule Source RGD Symbol Acc 2316
B10	UPFR1072132	ENSRNOT00000000058.6	Crp	ENSRNOG0000000053	C-reactive protein Source RGD Symbol Acc 2411
B11	UPFR1084630	ENSRNOT00000032333.3	Csf2	ENSRNOG0000026805	colony stimulating factor 2 Source RGD Symbol Acc 621065
B12	UPFR1049597	ENSRNOT00000003075.7	Cxcl10	ENSRNOG0000022256	C-X-C motif chemokine ligand 10 Source RGD Symbol Acc 620209
C01	UPFR1064685	ENSRNOT00000076210.1	Cxcr3	ENSRNOG0000003305	C-X-C motif chemokine receptor 3 Source RGD Symbol Acc 621528
C02	UPFR1016970	ENSRNOT00000060765.4	Ddx58	ENSRNOG0000006384	DEXD/H-box helicase 58 Source RGD Symbol Acc 1309460
C03	UPFR1108356	ENSRNOT00000003998.2	Faslg	ENSRNOG0000002978	Fas ligand Source RGD Symbol Acc 3880
C04	UPFR1116172	ENSRNOT00000091146.1	Foxp3	ENSRNOG0000011702	forkhead box P3 Source RGD Symbol Acc 1562112
C05	UPFR1027517	ENSRNOT00000026187.5	Gata3	ENSRNOG0000019336	GATA binding protein 3 Source RGD Symbol Acc 621250
C06	UPFR1031281	ENSRNOT00000028066.5	Icam1	ENSRNOG0000020679	intercellular adhesion molecule 1 Source RGD Symbol Acc 2857
C07	UPFR1014391	ENSRNOT00000049705.1	Ifna5	ENSRNOG0000031046	interferon, alpha 5 Source RGD Symbol Acc 1359312
C08	UPFR1118453	ENSRNOT00000091472.1	Ifnar1	ENSRNOG0000028594	interferon alpha and beta receptor subunit 1 Source RGD Symbol Acc 1305399
C09	UPFR1098156	ENSRNOT00000008224.2	Ifnb1	ENSRNOG0000006268	interferon beta 1 Source RGD Symbol Acc 2865
C10	UPFR1084134	ENSRNOT00000009919.2	Ifng	ENSRNOG0000007468	interferon gamma Source RGD Symbol Acc 2866
		ENSRNOT000000		ENSRNOG00	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	UPFR1044606	016286.6	lfngr1	000012074	interferon gamma receptor 1 Source RGD Symbol Acc 620570
C12	UPFR1113235	ENSRNOT0000006246.5	Il10	ENSRNOG0000004647	interleukin 10 Source RGD Symbol Acc 2886
D01	UPFR1038252	ENSRNOT00000010121.2	Il13	ENSRNOG0000007652	interleukin 13 Source RGD Symbol Acc 68949
D02	UPFR1053861	ENSRNOT00000013093.6	Il18	ENSRNOG0000009848	interleukin 18 Source RGD Symbol Acc 2889
D03	UPFR1066959	ENSRNOT00000080818.1	Il1a	ENSRNOG0000004575	interleukin 1 alpha Source RGD Symbol Acc 2890
D04	UPFR1121351	ENSRNOT00000006308.4	Il1b	ENSRNOG0000004649	interleukin 1 beta Source RGD Symbol Acc 2891
D05	UPFR1025024	ENSRNOT00000082146.1	Il1r1	ENSRNOG0000014504	interleukin 1 receptor type 1 Source RGD Symbol Acc 2892
D06	UPFR1070791	ENSRNOT00000023327.2	Il2	ENSRNOG0000017348	interleukin 2 Source RGD Symbol Acc 620047
D07	UPFR1075411	ENSRNOT00000004363.3	Il23a	ENSRNOG0000003254	interleukin 23 subunit alpha Source RGD Symbol Acc 620873
D08	UPFR1099283	ENSRNOT00000010029.3	Il4	ENSRNOG0000007624	interleukin 4 Source RGD Symbol Acc 2898
D09	UPFR1086524	ENSRNOT00000010729.4	Il5	ENSRNOG0000008111	interleukin 5 Source RGD Symbol Acc 2900
D10	UPFR1098910	ENSRNOT00000013732.6	Il6	ENSRNOG0000010278	interleukin 6 Source RGD Symbol Acc 2901
D11	UPFR1054336	ENSRNOT00000092207.1	Irak1	ENSRNOG0000060869	interleukin-1 receptor-associated kinase 1 Source RGD Symbol Acc 1563841
D12	UPFR1094379	ENSRNOT00000027786.6	Irf3	ENSRNOG0000043388	interferon regulatory factor 3 Source RGD Symbol Acc 1549774
E01	UPFR1018556	ENSRNOT00000023504.6	Irf7	ENSRNOG0000017414	interferon regulatory factor 7 Source RGD Symbol Acc 1307828
E02	UPFR1089159	ENSRNOT00000026748.4	Itgad	ENSRNOG0000019728	integrin subunit alpha M Source RGD Symbol Acc 2926
E03	UPFR1096799	ENSRNOT00000087011.1	Jak2	ENSRNOG0000059968	Janus kinase 2 Source RGD Symbol Acc 2939
E04	UPFR1037970	ENSRNOT00000011731.3	Jun	ENSRNOG0000026293	Jun proto-oncogene, AP-1 transcription factor subunit Source RGD Symbol Acc 2943
E05	UPFR1059996	ENSRNOT00000019787.2	Lbp	ENSRNOG0000014532	lipopolysaccharide binding protein Source RGD Symbol Acc 61865
E06	UPFR1088385	ENSRNOT00000007747.7	Lyz2	ENSRNOG0000005825	lysozyme 2 Source RGD Symbol Acc 3026
E07	UPFR1055882	ENSRNOT00000002533.7	Mapk1	ENSRNOG0000001849	mitogen activated protein kinase 1 Source RGD Symbol Acc 70500
E08	UPFR1036984	ENSRNOT00000000617.8	Mapk14	ENSRNOG0000000513	mitogen activated protein kinase 14 Source RGD Symbol Acc 70496
E09	UPFR1049954	ENSRNOT00000087625.1	Mapk3	ENSRNOG0000053583	mitogen activated protein kinase 3 Source RGD Symbol Acc 3046
E10	UPFR1048766	ENSRNOT00000065216.3	Mapk8	ENSRNOG0000020155	mitogen-activated protein kinase 8 Source RGD Symbol Acc 621506
E11	UPFR1080471	ENSRNOT00000050984.5	AABR07006691.1	ENSRNOG0000011637	
E12	UPFR1055988	ENSRNOT00000065910.3	Mpo	ENSRNOG0000008310	myeloperoxidase Source RGD Symbol Acc 1592081
F01	UPFR1059476	ENSRNOT00000083067.1	Mx2	ENSRNOG0000001963	MX dynamin like GTPase 2 Source RGD Symbol Acc 628821
F02	UPFR1120879	ENSRNOT00000018341.5	Myd88	ENSRNOG0000013634	MYD88, innate immune signal transduction adaptor Source RGD Symbol Acc 735043
F03	UPFR1116688	ENSRNOT00000036838.4	Nfkb1	ENSRNOG0000023258	nuclear factor kappa B subunit 1 Source RGD Symbol Acc 70498
F04	UPFR1024664	ENSRNOT00000009894.6	Nfkbia	ENSRNOG0000007390	NFKB inhibitor alpha Source RGD Symbol Acc 3171
F05	UPFR1036618	ENSRNOT00000004280.5	Nlrp3	ENSRNOG0000003170	NLR family, pyrin domain containing 3 Source RGD Symbol Acc 1308314
F06	UPFR1045696	ENSRNOT00000065103.2	Nod2	ENSRNOG0000014124	nucleotide-binding oligomerization domain containing 2 Source RGD Symbol Acc 1306368
F07	UPFR1083124	ENSRNOT00000006115.5	Rag1	ENSRNOG0000004630	recombination activating 1 Source RGD Symbol Acc 619790
F08	UPFR1065346	ENSRNOT00000067042.3	Rorc	ENSRNOG0000020836	RAR-related orphan receptor C Source RGD Symbol Acc 1595785
F09	UPFR1016004	ENSRNOT00000057472.3	Slc11a1	ENSRNOG0000014956	solute carrier family 11 member 1 Source RGD Symbol Acc 1601463
F10	UPFR1042053	ENSRNOT00000026662.3	Stat5a	ENSRNOG0000019496	signal transducer and activator of transcription 5A Source RGD Symbol Acc 3773

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	UPFR1040072	ENSRNOT00000026760.4	Stat3	ENSRNOG0000019742	signal transducer and activator of transcription 3 Source RGD Symbol Acc 3772
F12	UPFR1068760	ENSRNOT00000083514.1	Stat1	ENSRNOG0000014079	signal transducer and activator of transcription 4 Source RGD Symbol Acc 1305747
G01	UPFR1082210	ENSRNOT00000085350.1	Stat6	ENSRNOG0000025023	signal transducer and activator of transcription 6 Source RGD Symbol Acc 1309063
G02	UPFR1083222	ENSRNOT00000012538.5	Tbx21	ENSRNOG0000009427	T-box 21 Source RGD Symbol Acc 1308264
G03	UPFR1066076	ENSRNOT00000059124.3	Tlr1	ENSRNOG0000038722	toll-like receptor 1 Source MGI Symbol Acc MGI 1341295
G04	UPFR1061984	ENSRNOT00000013025.4	Tlr2	ENSRNOG0000009822	toll-like receptor 2 Source RGD Symbol Acc 735138
G05	UPFR1036867	ENSRNOT00000087986.1	Tlr3	ENSRNOG0000021726	toll-like receptor 3 Source RGD Symbol Acc 735171
G06	UPFR1020675	ENSRNOT00000014020.3	Tlr4	ENSRNOG0000010522	toll-like receptor 4 Source RGD Symbol Acc 3870
G07	UPFR1117112	ENSRNOT00000004821.4	Tlr5	ENSRNOG0000022067	toll-like receptor 5 Source RGD Symbol Acc 631351
G08	UPFR1064975	ENSRNOT00000002933.5	Tlr6	ENSRNOG0000002161	toll-like receptor 6 Source RGD Symbol Acc 1303030
G09	UPFR1122279	ENSRNOT00000005620.6	Tlr7	ENSRNOG0000004249	toll-like receptor 7 Source RGD Symbol Acc 1563357
G10	UPFR1099903	ENSRNOT00000074194.1	Tlr9	ENSRNOG0000048161	toll-like receptor 9 Source RGD Symbol Acc 631352
G11	UPFR1098022	ENSRNOT00000079677.1	LOC103694380	ENSRNOG0000055156	tumor necrosis factor-like Source RGD Symbol Acc 9404643
G12	UPFR1106871	ENSRNOT00000006148.5	Traf6	ENSRNOG0000004639	TNF receptor associated factor 6 Source RGD Symbol Acc 1306853
H01	UPFR1132952	ENSRNOT00000080216.1	Actb	ENSRNOG0000034254	actin, beta Source RGD Symbol Acc 628837
H02	UPFR1132953	ENSRNOT00000023017.5	B2m	ENSRNOG0000017123	beta-2 microglobulin Source RGD Symbol Acc 2189
H03	UPFR1132959	ENSRNOT00000065935.3	Hprt1	ENSRNOG0000048561	hypoxanthine phosphoribosyltransferase 1 Source RGD Symbol Acc 2826
H04	UPFR1018740	ENSRNOT00000017468.2	Ldha	ENSRNOG0000013009	lactate dehydrogenase A Source RGD Symbol Acc 2996
H05	UPFR1132958	ENSRNOT00000018820.5	Rplp1	ENSRNOG0000013874	ribosomal protein lateral stalk subunit P1 Source RGD Symbol Acc 621774
H06	UPFR1126610	UPL_RGDC	RGDC	UPL_RGDC	Rat Genomic DNA Contamination
H07	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H08	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H09	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H10	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H11	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H12	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA Probe PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA Probe PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249945
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 μ l reactions: 20 μ l 8x gDNA Removal Mix, 10 μ l Reverse Transcription Enzyme, 40 μ l Reverse Transcription Mix (containing RT primers), 20 μ l Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova Probe RT-PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml QuantiNova Probe RT-PCR Master Mix, 20 μ l QuantiNova Probe RT Mix, 20 μ l Internal Control RNA, 500 μ l Yellow Template Dilution Buffer, 250 μ l ROX Reference Dye, 1.9 μ l RNase-Free Water	208352
QuantiNova Probe PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml 2x QuantiNova Probe PCR Master Mix, 500 μ l QuantiNova Yellow Template Dilution Buffer, 250 μ l QN ROX Reference Dye, 1.9 ml Water	208252

*Larger kit sizes available.

The QuantiNova LNA Probe PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.