

miRCURY LNA™ miRNA Focus PCR Panels

Mouse Breast Cancer Product Data Sheet

Cat. no. 339325 YAMM-209Z

For mature miRNA expression profiling using real-time PCR

Format	Suitable real-time cyclers	Plate	Cat. no.
A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® MasterCycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara: TP-800	96-well	YAMM-209ZA
C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)	96-well	YAMM-209ZC
D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®	96-well	YAMM-209ZD
E	Applied Biosystems® models 7900HT (384-well block), ViiA™ 7 (384-well block); Bio-Rad CFX384™	384-well	YAMM-209ZE
F	Roche® LightCycler® 480 (96-well block)	96-well	YAMM-209ZF
G	Roche® LightCycler® 480 (384-well block)	384-well	YAMM-209ZG

Description

The Mouse Breast Cancer miRCURY LNA™ miRNA Focus PCR Panel profiles the expression of 84 miRNAs known or predicted to alter their expression during breast cancer initiation or progression. This array provides cancer researchers with a convenient way to quickly analyze the miRNAs most relevant to breast tumorigenesis. Breast cancer is a heterogeneous disease with multiple classifications. For example, not all breast tumors express the estrogen receptor, necessary for treatment via selective estrogen receptor modulators (SERMs). In addition, some breast cancers progress under chemotherapeutic treatment and become resistant to certain drugs. Intense research into carcinogenic mechanisms has identified dysregulated genes, either via functional defects due to somatic mutations, or gene expression alterations due to epigenetic changes. miRNAs epigenetically regulate mRNA, and therefore miRNA dysregulation will affect target mRNA expression. Microarray expression analyses of miRNA have discovered potential biomarkers of breast cancer oncogenesis, and many results have been followed up with functional studies. This array includes miRNAs that are dysregulated in estrogen receptor-responsive or drug-resistant breast tumors. miRNAs with known functions in breast cancer are included, as well as miRNAs hypothesized to be involved, either via microarray studies or as a bioinformatically-predicted regulators of known breast cancer genes. The profiling results from this array may yield insights into the molecular mechanisms behind the pathogenesis of breast cancers. A set of controls present on this array enables data analysis using the $\Delta\Delta CT$ method of relative quantification, assessment of reverse transcription performance, and assessment of PCR performance. Using SYBR Green-based real-time PCR, the expression of a focused panel of miRNAs related to breast cancer can be easily and reliably analyzed with this miRCURY LNA™ miRNA Focus PCR Panel.

For further details, consult the *miRCURY LNA™ miRNA Focus PCR Panels Handbook*.

Array Layout

	1	2	3	4	5	6	7	8	9	10	11	12
A	mmu-let-7a-5p	mmu-let-7b-5p	mmu-let-7c-5p	mmu-let-7d-5p	mmu-let-7e-5p	mmu-let-7f-5p	mmu-let-7g-5p	mmu-let-7i-5p	mmu-miR-100-5p	mmu-miR-106a-5p	mmu-miR-107-3p	mmu-miR-10a-5p
B	mmu-miR-10b-5p	mmu-miR-125b-5p	mmu-miR-126a-3p	mmu-miR-128-3p	mmu-miR-129-5p	mmu-miR-130a-3p	mmu-miR-130b-3p	mmu-miR-132-3p	mmu-miR-133a-3p	mmu-miR-140-5p	mmu-miR-141-3p	mmu-miR-145a-5p
C	mmu-miR-148a-3p	mmu-miR-149-5p	mmu-miR-152-3p	mmu-miR-155-5p	mmu-miR-15a-5p	mmu-miR-15b-5p	mmu-miR-16-5p	mmu-miR-17-5p	mmu-miR-181a-5p	mmu-miR-181b-5p	mmu-miR-181c-5p	mmu-miR-181d-5p
D	mmu-miR-182-5p	mmu-miR-186-5p	mmu-miR-187-3p	mmu-miR-18a-5p	mmu-miR-193b-3p	mmu-miR-195a-5p	mmu-miR-199a-3p	mmu-miR-199a-5p	mmu-miR-199a-3p	mmu-miR-19b-3p	mmu-miR-200a-3p	mmu-miR-200a-5p
E	mmu-miR-200b-3p	mmu-miR-200c-3p	mmu-miR-203-3p	mmu-miR-204-5p	mmu-miR-205-5p	mmu-miR-206-3p	mmu-miR-20a-5p	mmu-miR-20b-5p	mmu-miR-21a-5p	mmu-miR-210-3p	mmu-miR-214-3p	mmu-miR-218-5p
F	mmu-miR-22-3p	mmu-miR-221-3p	mmu-miR-222-3p	mmu-miR-223-3p	mmu-miR-25-3p	mmu-miR-26a-5p	mmu-miR-26b-5p	mmu-miR-27a-3p	mmu-miR-27b-3p	mmu-miR-29a-3p	mmu-miR-29b-3p	mmu-miR-29c-3p
G	mmu-miR-31-5p	mmu-miR-328-3p	mmu-miR-340-5p	mmu-miR-429-3p	mmu-miR-485-5p	mmu-miR-489-3p	mmu-miR-495-3p	mmu-miR-497a-5p	mmu-miR-7a-5p	mmu-miR-93-5p	mmu-miR-96-5p	mmu-miR-98-5p
H	cel-miR-39-3p	cel-miR-39-3p	U6 snRNA (v2)	5S rRNA	RNU5G	RNU1A1	Unisp2	Unisp4	Unisp5	Unisp6	Unisp3	Unisp3

miRNA Table

Well	miRNA ID	Accession #	Assay Catalog #	Well	miRNA ID	Accession #	Assay Catalog #
A01	mmu-lef-7a-5p	MIMAT0000062	YP00205727	E01	mmu-miR-200b-3p	MIMAT0000318	YP00206071
A02	mmu-lef-7b-5p	MIMAT0000063	YP00204750	E02	mmu-miR-200c-3p	MIMAT0000617	YP00204482
A03	mmu-lef-7c-5p	MIMAT0000064	YP00204767	E03	mmu-miR-203-3p	MIMAT0000264	YP00205914
A04	mmu-lef-7d-5p	MIMAT0000065	YP00204124	E04	mmu-miR-204-5p	MIMAT0000265	YP00206072
A05	mmu-lef-7e-5p	MIMAT0000066	YP00205711	E05	mmu-miR-205-5p	MIMAT0000266	YP00204487
A06	mmu-lef-7f-5p	MIMAT0000067	YP00204359	E06	mmu-miR-206-3p	MIMAT0000462	YP00206073
A07	mmu-lef-7g-5p	MIMAT0000414	YP00204565	E07	mmu-miR-20a-5p	MIMAT0000075	YP00204292
A08	mmu-lef-7i-5p	MIMAT0000415	YP00204394	E08	mmu-miR-20b-5p	MIMAT0001413	YP00204755
A09	mmu-miR-100-5p	MIMAT0000098	YP00205689	E09	mmu-miR-21a-5p	MIMAT0000076	YP00204230
A10	mmu-miR-106a-5p	MIMAT0000385	YP00205061	E10	mmu-miR-210-3p	MIMAT0000267	YP00204333
A11	mmu-miR-107-3p	MIMAT0000104	YP00204468	E11	mmu-miR-214-3p	MIMAT0000271	YP00204510
A12	mmu-miR-10a-5p	MIMAT0000253	YP00204778	E12	mmu-miR-218-5p	MIMAT0000275	YP00206034
B01	mmu-miR-10b-5p	MIMAT0000254	YP00205637	F01	mmu-miR-22-3p	MIMAT0000077	YP00204606
B02	mmu-miR-125b-5p	MIMAT0000423	YP00205713	F02	mmu-miR-221-3p	MIMAT0000278	YP00204532
B03	mmu-miR-126a-3p	MIMAT0000445	YP00204227	F03	mmu-miR-222-3p	MIMAT0000670	YP02119325
B04	mmu-miR-128-3p	MIMAT0000424	YP00205995	F04	mmu-miR-223-3p	MIMAT0000280	YP00205986
B05	mmu-miR-129-5p	MIMAT0000242	YP00204534	F05	mmu-miR-25-3p	MIMAT0000081	YP00204361
B06	mmu-miR-130a-3p	MIMAT0000425	YP00204658	F06	mmu-miR-26a-5p	MIMAT0000082	YP00206023
B07	mmu-miR-130b-3p	MIMAT0000691	YP00204317	F07	mmu-miR-26b-5p	MIMAT0000083	YP00204172
B08	mmu-miR-132-3p	MIMAT0000426	YP00206035	F08	mmu-miR-27a-3p	MIMAT0000084	YP00206038
B09	mmu-miR-133a-3p	MIMAT0000427	YP00204788	F09	mmu-miR-27b-3p	MIMAT0000419	YP00205915
B10	mmu-miR-140-5p	MIMAT0000431	YP00204540	F10	mmu-miR-29a-3p	MIMAT0000086	YP00204698
B11	mmu-miR-141-3p	MIMAT0000432	YP00204504	F11	mmu-miR-29b-3p	MIMAT0000100	YP00204679
B12	mmu-miR-145a-5p	MIMAT0000437	YP00204483	F12	mmu-miR-29c-3p	MIMAT0000681	YP00204729
C01	mmu-miR-148a-3p	MIMAT0000243	YP00205867	G01	mmu-miR-31-5p	MIMAT0000538	YP00205159
C02	mmu-miR-149-5p	MIMAT0000450	YP00204321	G02	mmu-miR-328-3p	MIMAT0000752	YP00204364
C03	mmu-miR-152-3p	MIMAT0000438	YP00204294	G03	mmu-miR-340-5p	MIMAT0000492	YP00206068
C04	mmu-miR-155-5p	MIMAT0000165	YP02119303	G04	mmu-miR-429-3p	MIMAT0001537	YP00205068
C05	mmu-miR-15a-5p	MIMAT0000068	YP00204066	G05	mmu-miR-485-5p	MIMAT0002175	YP02112548
C06	mmu-miR-15b-5p	MIMAT0000417	YP00204243	G06	mmu-miR-489-3p	MIMAT0003112	YP00205036
C07	mmu-miR-16-5p	MIMAT0000069	YP00205702	G07	mmu-miR-495-3p	MIMAT0002817	YP00206015
C08	mmu-miR-17-5p	MIMAT0000070	YP02119304	G08	mmu-miR-497a-5p	MIMAT0003453	YP00205164
C09	mmu-miR-181a-5p	MIMAT0000256	YP00206081	G09	mmu-miR-7a-5p	MIMAT0000677	YP02119694
C10	mmu-miR-181b-5p	MIMAT0000673	YP02119324	G10	mmu-miR-93-5p	MIMAT0000093	YP00204715
C11	mmu-miR-181c-5p	MIMAT0000258	YP00204683	G11	mmu-miR-96-5p	MIMAT0000095	YP00204417
C12	mmu-miR-181d-5p	MIMAT0002821	YP00204789	G12	mmu-miR-98-5p	MIMAT0000096	YP00204640
D01	mmu-miR-182-5p	MIMAT0000211	YP00205089	H01	cel-miR-39-3p	MIMAT0000010	YP00203952
D02	mmu-miR-186-5p	MIMAT0000456	YP00206053	H02	cel-miR-39-3p	MIMAT0000010	YP00203952
D03	mmu-miR-187-3p	MIMAT0000262	YP00204018	H03	U6 snRNA (v2)	N/A	YP02119464
D04	mmu-miR-18a-5p	MIMAT0000072	YP00204207	H04	5S rRNA	N/A	YP00203906
D05	mmu-miR-193b-3p	MIMAT0004859	YP00205062	H05	RNU5G	N/A	YP00203908
D06	mmu-miR-195a-5p	MIMAT0000461	YP00205869	H06	RNU1A1	N/A	YP00203909
D07	mmu-miR-199a-3p	MIMAT0000232	YP00204536	H07	UniSp2	N/A	YP00203950
D08	mmu-miR-199a-5p	MIMAT0000231	YP00204494	H08	UniSp4	N/A	YP00203953
D09	mmu-miR-19a-3p	MIMAT0000073	YP00205862	H09	UniSp5	N/A	YP00203955
D10	mmu-miR-19b-3p	MIMAT0000074	YP00204450	H10	UniSp6	N/A	YP00203954
D11	mmu-miR-200a-3p	MIMAT0000682	YP00204707	H11	UniSP3	N/A	YP02119288
D12	mmu-miR-200a-5p	MIMAT0001620	YP00206063	H12	UniSP3	N/A	YP02119288

Functional Groupings

Potential Biomarkers

Upregulated in Breast Cancer: mmu-miR-128-3p,mmu-miR-210-3p.

Regulated in Breast Cancer: mmu-miR-7a-5p.

Drug Resistance

Upregulated in Breast Cancer: mmu-miR-10a-5p,mmu-miR-125b-5p,mmu-miR-132-3p,mmu-miR-133a-3p,mmu-miR-155-5p,mmu-miR-186-5p,mmu-miR-187-3p,mmu-miR-199a-3p,mmu-miR-210-3p,mmu-miR-21a-5p,mmu-miR-22-3p,mmu-miR-221-3p,mmu-miR-222-3p,mmu-miR-29a-3p,mmu-miR-31-5p,mmu-miR-328-3p.

Downregulated in Breast Cancer: mmu-miR-141-3p,mmu-miR-148a-3p,mmu-miR-149-5p,mmu-miR-152-3p,mmu-miR-15a-5p,mmu-miR-15b-5p,mmu-miR-181d-5p,mmu-miR-193b-3p,mmu-miR-200a-5p,mmu-miR-200c-3p,mmu-miR-205-5p,mmu-miR-25-3p,mmu-miR-27b-3p,mmu-miR-485-5p,mmu-miR-489-3p,mmu-miR-93-5p.

Regulated in Breast Cancer: mmu-miR-100-5p,mmu-miR-106a-5p,mmu-miR-107-3p,mmu-miR-130a-3p,mmu-miR-140-5p,mmu-miR-17-5p,mmu-miR-181b-5p,mmu-miR-181c-5p,mmu-miR-182-5p,mmu-miR-206-3p,mmu-miR-495-3p.

Estrogen Receptor-Dependent

Upregulated in Breast Cancer: mmu-miR-21a-5p.

Downregulated in Breast Cancer: mmu-miR-181d-5p,mmu-miR-193b-3p,mmu-miR-200a-3p,mmu-miR-200c-3p,mmu-miR-203-3p,mmu-miR-26a-5p,mmu-miR-26b-5p,mmu-miR-27a-3p,mmu-miR-27b-3p.

Regulated in Breast Cancer: mmu-let-7a-5p,mmu-let-7c-5p,mmu-let-7f-5p,mmu-let-7g-5p,mmu-miR-181a-5p,mmu-miR-181b-5p,mmu-miR-98-5p.

Known Functions Related to Breast Cancer: mmu-let-7i-5p,mmu-miR-100-5p,mmu-miR-106a-5p,mmu-miR-107-3p,mmu-miR-10a-5p,mmu-miR-10b-5p,mmu-miR-125b-5p,mmu-miR-126a-3p,mmu-miR-130a-3p,mmu-miR-132-3p,mmu-miR-133a-3p,mmu-miR-140-5p,mmu-miR-141-3p,mmu-miR-148a-3p,mmu-miR-149-5p,mmu-miR-152-3p,mmu-miR-155-5p,mmu-miR-15a-5p,mmu-miR-15b-5p,mmu-miR-16-5p,mmu-miR-17-5p,mmu-miR-181d-5p,mmu-miR-182-5p,mmu-miR-186-5p,mmu-miR-187-3p,mmu-miR-193b-3p,mmu-miR-199a-3p,mmu-miR-200a-5p,mmu-miR-200b-3p,mmu-miR-200c-3p,mmu-miR-204-5p,mmu-miR-205-5p,mmu-miR-206-3p,mmu-miR-210-3p,mmu-miR-21a-5p,mmu-miR-22-3p,mmu-miR-221-3p,mmu-miR-222-3p,mmu-miR-25-3p,mmu-miR-27a-3p,mmu-miR-27b-3p,mmu-miR-29a-3p,mmu-miR-31-5p,mmu-miR-328-3p,mmu-miR-429-3p,mmu-miR-485-5p,mmu-miR-489-3p,mmu-miR-495-3p,mmu-miR-7a-5p,mmu-miR-93-5p,mmu-miR-96-5p.

Predicted to Target Breast Cancer Genes: mmu-miR-129-5p,mmu-miR-195a-5p,mmu-miR-340-5p.

Other Breast Cancer miRNAs: mmu-let-7b-5p,mmu-let-7d-5p,mmu-let-7e-5p,mmu-miR-130b-3p,mmu-miR-145a-5p,mmu-miR-18a-5p,mmu-miR-199a-5p,mmu-miR-19a-3p,mmu-miR-19b-3p,mmu-miR-20a-5p,mmu-miR-20b-5p,mmu-miR-214-3p,mmu-miR-218-5p,mmu-miR-223-3p,mmu-miR-29b-3p,mmu-miR-29c-3p,mmu-miR-497a-5p.

Ordering Information

Product	Contents	Cat. no.
miRCURY LNA miRNA Focus PCR Panels	miRCURY LNA miRNA PCR Panels for application-based miRNome profiling, available in 96-well or 384-well format; for SYBR® Green-based detection	339325
miRCURY LNA miRNA miRNome PCR Panels	miRCURY LNA miRNA PCR Panels for PCR-based miRNome profiling, available in 384-well format; for SYBR® Green-based detection	339322
miRCURY LNA miRNA QC PCR Panel	miRCURY LNA miRNA PCR Panel of quality control assays, available in 96-well or 384-well format; for SYBR® Green-based detection	339331
miRCURY LNA miRNA Custom PCR Panels	8 identical, ready-to-use 96- or 384-well plates; each well contains primers sufficient for one 10 µl reaction; for SYBR® Green-based detection	339330
miRCURY LNA Custom PCR Panel Additional Plate	Additional miRCURY LNA Custom PCR Panel plates; set of 4 plates; only available in addition to the base plates ordered through the core product (cat. no. 339330)	339332
miRCURY LNA miRNA PCR Assays	Contains forward and reverse primers for 200 SYBR® Green-based, real-time qPCR reactions, 166 EvaGreen-based digital PCR reactions for Nanoplate 8.5k or 50 EvaGreen-based digital PCR reactions for Nanoplate 26k	339306
miRCURY LNA miRNA Probe PCR Assays	Complete premixed assays containing LNA-enhanced target-specific forward primer and probe. For 200 reactions.	339350
miRCURY LNA miRNA Custom Probe PCR Assays	Custom-designed, target-specific forward primer and probe for any user-defined miRNA target. Complete premixed assay for 200 reactions.	339351

Related Products

Product	Contents	Cat. no.
miRCURY LNA RT Kit	For 8–64 cDNA synthesis reactions: 5x RT SYBR Green Reaction Buffer, 5x RT Probe Reaction Buffer, 10x RT Enzyme Mix, UniSp6, RNA Spike-in template, RNase-Free Water	339340
RNA Spike-In Kit, For RT	Contains the UniSp2, UniSp4, and UniSp5 RNA Spike-in Template Mix and the cel-miR-39-3p RNA Spike-in Template	339390
miRCURY LNA SYBR® Green PCR Kits (200)	For 200 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water	339345
miRCURY LNA SYBR® Green PCR Kits (600)	For 600 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water	339346
miRCURY LNA SYBR® Green PCR Kits (4000)	For 4000 reactions: 2X miRCURY SYBR Green Master Mix, RNase-Free Water	339347
miRCURY LNA Probe PCR Kit (200)	For 200 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water	339371
miRCURY LNA Probe PCR Kit (800)	For 800 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water	339372
miRCURY LNA Probe PCR Kit (4000)	For 4000 reactions: 2X QuantiNova Probe Master Mix, 10X miRCURY Probe Univ. Primer, Rox Reference Dye, RNase-Free Water	339373
miRCURY LNA miRNA PCR Starter Kit	Two miRCURY LNA PCR Assays of your choice, spike-in control Assay (UniSp6), one candidate endogenous control assay (miR-103-3p) and all reagents for 20 reverse transcription reactions and 100 PCR amplifications; for SYBR® Green-based qPCR detection	339320

Important

The miRCURY LNA™ miRNA PCR Panels are Ready-to-Use and designed for optimal performance with the miRCURY LNA RT Kit and the miRCURY LNA SYBR® Green PCR Kit. The performance of the primer sets will be affected when used in combination with less than optimal reagents. Use the miRCURY LNA miRNA PCR Panel Handbook for experiment setup. RNA work requires specific handling and precautions should be taken to prevent RNase contamination and degradation of the RNA sample and reagents.

Shipping and storage

The Ready-to-Use miRCURY LNA miRNA PCR Panels are shipped at room temperature and can be stored at 4°C for at least 6 months. For long term storage, it is recommended to place the panels at -20°C. Under these conditions, the LNA PCR primers are stable for at least 6 months after receipt.

Intended use

miRCURY LNA miRNA PCR Assays are intended for molecular biology applications. This product is not intended for the diagnosis, prevention or treatment of a disease.

Safety information

When working with chemicals, always wear a suitable lab coat, disposable gloves, and protective goggles. For more information, please consult the appropriate safety data sheets (SDSs). These are available online in convenient and compact PDF format at **www.qiagen.com/safety** where you can find, view and print the SDS for each QIAGEN kit and kit component.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Sample to Insight®, GeneGlobe®, LNA™ (QIAGEN Group), SYBR® (Life Technologies Corporation). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law. 1107212 05/2017 HB-2376-001 © 2017 QIAGEN, all rights reserved.
