

RT² Profiler PCR Array (Rotor-Gene® Format)

Mouse TNF Signaling Pathway

Cat. no. 330231 PAMM-063ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Mouse TNF Signaling Pathway RT² Profiler PCR Array profiles the expression of 84 genes whose expression is controlled by or involved in the TNF ligand and TNF receptor signaling pathways. Members of the TNF Superfamily and TNF Receptor Superfamily are represented on this array. Genes involved in the TNFR1 and TNFR2 Signaling Pathways are also included. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to the TNF signaling with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Mm.220289	NM_009684	Apaf1	Apoptotic peptidase activating factor 1
A02	Mm.2241	NM_007486	Arhgdib	Rho, GDP dissociation inhibitor (GDI) beta
A03	Mm.118400	NM_026121	Bag4	BCL2-associated athanogene 4
A04	Mm.257460	NM_009741	Bcl2	B-cell leukemia/lymphoma 2
A05	Mm.235081	NM_007544	Bid	BH3 interacting domain death agonist
A06	Mm.305535	NM_023525	Cad	Carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase
A07	Mm.3921	NM_007610	Casp2	Caspase 2
A08	Mm.34405	NM_009810	Casp3	Caspase 3
A09	Mm.336851	NM_009812	Casp8	Caspase 8
A10	Mm.367714	NM_001033126	Cd27	CD27 antigen
A11	Mm.271833	NM_011611	Cd40	CD40 antigen
A12	Mm.4861	NM_011616	Cd40lg	CD40 ligand
B01	Mm.42228	NM_011617	Cd70	CD70 antigen
B02	Mm.336848	NM_009805	Cflar	CASP8 and FADD-like apoptosis regulator
B03	Mm.3996	NM_007700	Chuk	Conserved helix-loop-helix ubiquitous kinase
B04	Mm.218009	NM_009950	Cradd	CASP2 and RIPK1 domain containing adaptor with death domain
B05	Mm.35389	NM_007808	Cycs	Cytochrome c, somatic
B06	Mm.41433	NM_010044	Dffa	DNA fragmentation factor, alpha subunit
B07	Mm.239041	NM_013642	Dusp1	Dual specificity phosphatase 1
B08	Mm.189270	NM_175540	Eda2r	Ectodysplasin A2 receptor
B09	Mm.5126	NM_010175	Fadd	Fas (TNFRSF6)-associated via death domain
B10	Mm.1626	NM_007987	Fas	Fas (TNF receptor superfamily member 6)
B11	Mm.3355	NM_010177	Fasl	Fas ligand (TNF superfamily, member 6)
B12	Mm.277886	NM_010546	Ikbbk	Inhibitor of kappaB kinase beta
C01	Mm.12967	NM_010547	Ikbbkg	Inhibitor of kappaB kinase gamma
C02	Mm.275071	NM_010591	Jun	Jun oncogene
C03	Mm.243014	NM_019390	Lmna	Lamin A
C04	Mm.4105	NM_010721	Lmnb1	Lamin B1
C05	Mm.7362	NM_010722	Lmnb2	Lamin B2
C06	Mm.87787	NM_010735	Lta	Lymphotoxin A
C07	Mm.1715	NM_008518	Ltb	Lymphotoxin B
C08	Mm.3122	NM_010736	Ltbr	Lymphotoxin B receptor
C09	Mm.412922	NM_009157	Map2k4	Mitogen-activated protein kinase kinase 4
C10	Mm.15918	NM_011945	Map3k1	Mitogen-activated protein kinase kinase kinase 1
C11	Mm.158981	NM_016896	Map3k14	Mitogen-activated protein kinase kinase kinase 14
C12	Mm.258589	NM_172688	Map3k7	Mitogen-activated protein kinase kinase kinase 7
D01	Mm.21495	NM_016700	Mapk8	Mitogen-activated protein kinase 8
D02	Mm.256765	NM_008689	Nfkb1	Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1, p105
D03	Mm.170515	NM_010907	Nfkbia	Nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha
D04	Mm.283893	NM_033217	Ngfr	Nerve growth factor receptor (TNFR superfamily, member 16)
D05	Mm.260227	NM_011035	Pak1	P21 protein (Cdc42/Rac)-activated kinase 1
D06	Mm.234204	NM_177326	Pak2	P21 protein (Cdc42/Rac)-activated kinase 2
D07	Mm.277779	NM_007415	Parp1	Poly (ADP-ribose) polymerase family, member 1
D08	Mm.21855	NM_009402	Pglyrp1	Peptidoglycan recognition protein 1
D09	Mm.71	NM_011159	Prkdc	Protein kinase, DNA activated, catalytic polypeptide
D10	Mm.150701	NM_134138	Psmb2	Proteasome (prosome, macropain) assembly chaperone 2
D11	Mm.273862	NM_009029	Rb1	Retinoblastoma 1
D12	Mm.40336	NM_177073	Relt	REL Tumor necrosis factor receptor
E01	Mm.204969	NM_001076554	Spna2	Spectrin alpha 2
E02	Mm.244393	NM_011529	Tank	TRAF family member-associated Nf-kappa B activator
E03	Mm.1293	NM_013693	Tnf	Tumor necrosis factor
E04	Mm.116683	NM_009397	Tnfaip3	Tumor necrosis factor, alpha-induced protein 3
E05	Mm.193430	NM_020275	Tnfrsf10b	Tumor necrosis factor receptor superfamily, member 10b
E06	Mm.6251	NM_009399	Tnfrsf11a	Tumor necrosis factor receptor superfamily, member 11a
E07	Mm.15383	NM_008764	Tnfrsf11b	Tumor necrosis factor receptor superfamily, member 11b (osteoprotegerin)

Position	UniGene	GenBank	Symbol	Description
E08	Mm.28518	NM_013749	Tnfrsf12a	Tumor necrosis factor receptor superfamily, member 12a
E09	Mm.265915	NM_021349	Tnfrsf13b	Tumor necrosis factor receptor superfamily, member 13b
E10	Mm.240047	NM_028075	Tnfrsf13c	Tumor necrosis factor receptor superfamily, member 13c
E11	Mm.215147	NM_178931	Tnfrsf14	Tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator)
E12	Mm.12935	NM_011608	Tnfrsf17	Tumor necrosis factor receptor superfamily, member 17
F01	Mm.482508	NM_009400	Tnfrsf18	Tumor necrosis factor receptor superfamily, member 18
F02	Mm.281356	NM_013869	Tnfrsf19	Tumor necrosis factor receptor superfamily, member 19
F03	Mm.1258	NM_011609	Tnfrsf1a	Tumor necrosis factor receptor superfamily, member 1a
F04	Mm.235328	NM_011610	Tnfrsf1b	Tumor necrosis factor receptor superfamily, member 1b
F05	Mm.200792	NM_178589	Tnfrsf21	Tumor necrosis factor receptor superfamily, member 21
F06	Mm.101198	NM_033042	Tnfrsf25	Tumor necrosis factor receptor superfamily, member 25
F07	Mm.13885	NM_011659	Tnfrsf4	Tumor necrosis factor receptor superfamily, member 4
F08	Mm.12810	NM_009401	Tnfrsf8	Tumor necrosis factor receptor superfamily, member 8
F09	Mm.244187	NM_011612	Tnfrsf9	Tumor necrosis factor receptor superfamily, member 9
F10	Mm.1062	NM_009425	Tnfsf10	Tumor necrosis factor (ligand) superfamily, member 10
F11	Mm.249221	NM_011613	Tnfsf11	Tumor necrosis factor (ligand) superfamily, member 11
F12	Mm.344820	NM_011614	Tnfsf12	Tumor necrosis factor (ligand) superfamily, member 12
G01	Mm.8983	NM_023517	Tnfsf13	Tumor necrosis factor (ligand) superfamily, member 13
G02	Mm.28835	NM_033622	Tnfsf13b	Tumor necrosis factor (ligand) superfamily, member 13b
G03	Mm.483369	NM_019418	Tnfsf14	Tumor necrosis factor (ligand) superfamily, member 14
G04	Mm.208152	NM_177371	Tnfsf15	Tumor necrosis factor (ligand) superfamily, member 15
G05	Mm.276823	NM_183391	Tnfsf18	Tumor necrosis factor (ligand) superfamily, member 18
G06	Mm.4994	NM_009452	Tnfsf4	Tumor necrosis factor (ligand) superfamily, member 4
G07	Mm.4664	NM_009403	Tnfsf8	Tumor necrosis factor (ligand) superfamily, member 8
G08	Mm.41171	NM_009404	Tnfsf9	Tumor necrosis factor (ligand) superfamily, member 9
G09	Mm.264255	NM_001033161	Tradd	TNFRSF1A-associated via death domain
G10	Mm.239514	NM_009421	Traf1	Tnf receptor-associated factor 1
G11	Mm.3399	NM_009422	Traf2	Tnf receptor-associated factor 2
G12	Mm.27431	NM_011632	Traf3	Tnf receptor-associated factor 3
H01	Mm.328431	NM_007393	Actb	Actin, beta
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies